



DYNEGY MIAMI FORT, LLC
1500 Eastport Plaza Drive
Collinsville, IL 62234
Phone 618.343.7837

November 9, 2016

Mr. Jim Pelligrino
Ohio Environmental Protection Agency
Southwest District Office
Division of Surface Water
401 East Fifth Street
Dayton, OH 45402

Re: Miami Fort Power Station
Notice of Availability of CCR Documents
40 CFR § 257.106(f) and (g)

Dear Mr. Pelligrino:

In accordance with 40 CFR § 257.106, Dynergy Miami Fort, LLC is providing notice of availability of the following CCR documents:

History of Construction Basin A Safety Factor Assessment
Basin A Structural Stability Assessment
Basin A Inflow Design and Flood Control System Plan
Basin A Liner Evaluation
Basin A Closure Plan
Basin A Post-Closure Plan
Basin A Hazard Potential Assessment Report
Basin B Safety Factor Assessment
Basin B Structural Stability Assessment
Basin B Inflow Design and Flood Control System Plan
Basin B Liner Evaluation
Basin B Closure Plan
Basin B Post-Closure Plan
Basin B Hazard Potential Assessment Report
Gypsum Recycle Pond Safety Factor Assessment
Gypsum Recycle Pond Structural Stability Assessment
Gypsum Recycle Pond Inflow Design and Flood Control System Plan
Gypsum Recycle Pond Liner Evaluation
Gypsum Recycle Pond Closure Plan
CCR Landfill Run-on and Run-off Control System Plan
CCR Landfill Closure and Post-Closure Plan

These documents were placed in the facility's operating record on October 14, 2016. The documents were posted to the publicly accessible internet site within 30 days of being placed in the facility's operating record. The URL for the web site is: <https://ccr.dynegy.com/document.aspx>.

If you have any questions regarding this submittal, please contact me at 618.343.7837 or via email at wendell.watson@dynegy.com.

Sincerely,

A handwritten signature in black ink that reads "Wendell Watson". The signature is written in a cursive style with a long horizontal line extending from the end of the name.

Wendell Watson
Director, Environmental Compliance – Forecasting and Policies
Dynegy Miami Fort, LLC

From: [UPS Quantum View](#)
To: [Watson, Wendell R](#)
Subject: UPS Delivery Notification, Tracking Number 1ZA4122W0290562272
Date: Monday, November 14, 2016 9:18:41 AM



Your package has been delivered.

Delivery Date: Monday, 11/14/2016
Delivery Time: 10:16 AM

At the request of DYNEGY COLLINSVILLE, this notice alerts you that the status of the shipment listed below has changed.

Shipment Detail

Tracking Number: [1ZA4122W0290562272](#)
Jim Pelligrino
OEPA Southwest District Office
401 E 5TH ST
FLOOR 4 ROOM 400
DAYTON, OH 45402
US

Ship To:

UPS Service: UPS 2ND DAY AIR

Number of Packages: 1

Shipment Type: Letter

Delivery Location: INSIDE DELIVERY

Signed by: SANCHEZ

Reference Number 1: 2560422050

Reference Number 2: -Miami Fort CCR NOA

 [Get the UPS My Choice app for Facebook](#)

 [Download the UPS mobile app](#)

© 2016 United Parcel Service of America, Inc. UPS, the UPS brandmark, and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

All trademarks, trade names, or service marks that appear in connection with UPS's services are the property of their respective owners.

Please do not reply directly to this e-mail. UPS will not receive any reply message.
For more information on UPS's privacy practices, refer to the UPS Privacy Notice.
For questions or comments, visit Contact UPS.