



DYNEGY ZIMMER, LLC
1500 Eastport Plaza Drive
Collinsville, IL 62234
Phone 618.343.7837

November 9, 2016

Ms. Sandy Leibfritz
Ohio Environmental Protection Agency
Southwest District Office
Division of Surface Water
401 East Fifth Street
Dayton, OH 45402

Re: Zimmer Power Station
Notice of Availability of CCR Documents
40 CFR § 257.106(f) and (g)

Dear Ms. Leibfritz:

In accordance with 40 CFR § 257.106, Dynergy Zimmer, LLC is providing notice of availability of the following CCR documents:

History of Construction
D Basin Safety Factor Assessment
D Basin Structural Stability Assessment
D Basin Inflow Design and Flood Control System Plan
D Basin Liner Evaluation
D Basin Closure Plan
D Basin Hazard Potential Assessment
Coal Pile Runoff Pond Safety Factor Assessment
Coal Pile Runoff Pond Structural Stability Assessment
Coal Pile Runoff Pond Inflow Design and Flood Control System Plan
Coal Pile Runoff Pond Liner Evaluation
Coal Pile Runoff Pond Closure Plan
Coal Pile Runoff Pond Hazard Potential Assessment
Gypsum Recycle Pond Safety Factor Assessment
Gypsum Recycle Pond Structural Stability Assessment
Gypsum Recycle Pond Inflow Design and Flood Control System Plan
Gypsum Recycle Pond Liner Evaluation
Gypsum Recycle Pond Closure Plan
CCR Landfill Run-on and Run-off Control System Plan
CCR Landfill Closure and Post-Closure Plan

These documents were placed in the facility's operating record on October 14, 2016. The documents were posted to the publicly accessible internet site within 30 days of being placed in the facility's operating record. The URL for the web site is: <https://ccr.dynergy.com/document.aspx>.

If you have any questions regarding this submittal, please contact me at 618.343.7837 or via email at wendell.watson@dynegy.com.

Sincerely,

A handwritten signature in black ink that reads "Wendell Watson". The signature is fluid and cursive, with a long horizontal stroke extending from the end of the name.

Wendell Watson
Director, Environmental Compliance – Forecasting and Policies
Dynegy Zimmer, LLC

From: [UPS Quantum View](#)
To: [Watson, Wendell R](#)
Subject: UPS Delivery Notification, Tracking Number 1ZA4122W0292659665
Date: Monday, November 14, 2016 9:18:51 AM



Your package has been delivered.

Delivery Date: Monday, 11/14/2016
Delivery Time: 10:16 AM

At the request of DYNEGY COLLINSVILLE, this notice alerts you that the status of the shipment listed below has changed.

Shipment Detail

Tracking Number:	1ZA4122W0292659665 Sandy Leibfritz OEPA Southwest District Office 401 E 5TH ST FLOOR 4 ROOM 400 DAYTON, OH 45402 US
Ship To:	
UPS Service:	UPS 2ND DAY AIR
Number of Packages:	1
Shipment Type:	Letter
Delivery Location:	INSIDE DELIVERY
Signed by:	SANCHEZ
Reference Number 1:	2560422050
Reference Number 2:	-CCR Zimmer NOA



[Get the UPS My Choice app for Facebook](#)



[Download the UPS mobile app](#)

© 2016 United Parcel Service of America, Inc. UPS, the UPS brandmark, and the color brown are trademarks of United Parcel Service of America, Inc. All rights reserved.

All trademarks, trade names, or service marks that appear in connection with UPS's services are the property of their respective owners.

Please do not reply directly to this e-mail. UPS will not receive any reply message.
For more information on UPS's privacy practices, refer to the UPS Privacy Notice.
For questions or comments, visit Contact UPS.