

Prepared for
Illinois Power Generating Company

Date
January 31, 2023

Project No.
1940102203-002

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

**GYPSUM MANAGEMENT FACILITY RECYCLE
POND**
COFFEEN POWER PLANT
COFFEEN, ILLINOIS
CCR UNIT 104

**2022 ANNUAL GROUNDWATER MONITORING AND
CORRECTIVE ACTION REPORT
COFFEEN POWER PLANT GYPSUM MANAGEMENT FACILITY
RECYCLE POND**

Project name	Coffeen Power Plant Gypsum Management Facility Recycle Pond	Ramboll
Project no.	1940102203-002	234 W. Florida Street
Recipient	Illinois Power Generating Company	Fifth Floor
Document type	Annual Groundwater Monitoring and Corrective Action Report	Milwaukee, WI 53204
Version	FINAL	USA
Date	January 31, 2023	T 414-837-3607
Prepared by	Kristen L. Theesfeld	F 414-837-3608
Checked by	Lauren D. Cook	https://ramboll.com
Approved by	Eric J. Tlachac	
Description	Annual Report in Support of the CCR Rule Groundwater Monitoring Program	



Kristen L. Theesfeld
Hydrogeologist



Eric J. Tlachac, PE
Senior Managing Engineer

CONTENTS

EXECUTIVE SUMMARY	3
1. Introduction	4
2. Monitoring and Corrective Action Program Status	6
3. Key Actions Completed in 2022	7
4. Problems Encountered and Actions to Resolve the Problems	9
5. Key Activities Planned for 2023	10
6. References	11

TABLES (IN TEXT)

Table A 2022 Assessment Monitoring Program Summary

TABLES (ATTACHED)

- | | |
|---------|---|
| Table 1 | Groundwater Elevations |
| Table 2 | Analytical Results - Appendix III Parameters |
| Table 3 | Analytical Results - Appendix IV Parameters |
| Table 4 | Statistical Background Values |
| Table 5 | Groundwater Protection Standards |
| Table 6 | Determination of Statistically Significant Levels |

FIGURES (ATTACHED)

- | | |
|----------|--|
| Figure 1 | Monitoring Well Location Map |
| Figure 2 | Potentiometric Surface Map, February 7, 2022 |
| Figure 3 | Potentiometric Surface Map, August 23, 2022 |

APPENDICES

- | | |
|------------|---|
| Appendix A | Laboratory Reports |
| Appendix B | Statistical Methodology for Determination of Background Values |
| Appendix C | Statistical Methodology for Determination of Statistically Significant Levels |

ACRONYMS AND ABBREVIATIONS

	Section
§	
35 I.A.C.	Title 35 of the Illinois Administrative Code
40 C.F.R.	Title 40 of the Code of Federal Regulations
ASD	Alternate Source Demonstration
CCR	coal combustion residuals
CPP	Coffeen Power Plant
GMF RP	Gypsum Management Facility Recycle Pond
GWPS	groundwater protection standard
IEPA	Illinois Environmental Protection Agency
NA	not applicable
NRT/OBG	Natural Resource Technology, an OBG Company
Ramboll	Ramboll Americas Engineering Solutions, Inc.
SAP	Sampling and Analysis Plan
SSI	statistically significant increase
SSL	statistically significant level
TBD	to be determined

EXECUTIVE SUMMARY

This report has been prepared to provide the information required by Title 40 of the Code of Federal Regulations (40 C.F.R.) Section (§) 257.90(e) for the Gypsum Management Facility Recycle Pond (GMF RP) located at the Coffeen Power Plant (CPP) near Coffeen, Illinois.

Groundwater is being monitored at the GMF RP in accordance with the assessment monitoring program requirements specified in 40 C.F.R. § 257.95. Assessment monitoring was initiated at the GMF RP on April 9, 2018.

No changes were made to the monitoring system in 2022 (no wells were installed or decommissioned). As discussed in Section 5 of this annual report, the monitoring well network will be updated in 2023 to use the same monitoring well network developed for compliance with Title 35 of the Illinois Administrative Code (35 I.A.C.) § 845, which was submitted to the Illinois Environmental Protection Agency (IEPA) via an operating permit application.

No Statistically Significant Levels (SSLs) of 40 C.F.R. § 257 Appendix IV parameters over groundwater protection standards (GWPSs) were determined in 2022, but statistically significant increases (SSIs) of Appendix III parameters greater than background values were determined. Consequently, a Corrective Measures Assessment is not required and the GMF RP remains in the Assessment Monitoring Program.

1. INTRODUCTION

This report has been prepared by Ramboll Americas Engineering Solutions, Inc. (Ramboll) on behalf of Illinois Power Generating Company, to provide the information required by 40 C.F.R. § 257.90(e) for the GMF RP located at the CPP near Coffeen, Illinois.

In accordance with 40 C.F.R. § 257.90(e), the owner or operator of a coal combustion residuals (CCR) unit must prepare an Annual Groundwater Monitoring and Corrective Action Report for the preceding calendar year that documents the status of the Groundwater Monitoring and Corrective Action Program for the CCR unit, summarizes key actions completed, describes any problems encountered, discusses actions to resolve the problems, and projects key activities for the upcoming year. At a minimum, the annual report must contain the following information, to the extent available:

1. A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit.
2. Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken.
3. In addition to all the monitoring data obtained under §§ 257.90 through 257.98, a summary including the number of groundwater samples that were collected for analysis for each background and downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs.
4. A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase relative to background levels).
5. Other information required to be included in the annual report as specified in §§ 257.90 through 257.98.
6. A section at the beginning of the annual report that provides an overview of the current status of groundwater monitoring and corrective action programs for the CCR unit. At a minimum, the summary must specify all of the following:
 - i. At the start of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95.
 - ii. At the end of the current annual reporting period, whether the CCR unit was operating under the detection monitoring program in §257.94 or the assessment monitoring program in §257.95.
 - iii. If it was determined that there was a statistically significant increase over background for one or more constituents listed in Appendix III of §257 pursuant to §257.94(e):
 - A. Identify those constituents listed in Appendix III of §257 and the names of the monitoring wells associated with such an increase.
 - B. Provide the date when the assessment monitoring program was initiated for the CCR unit.

- iv. If it was determined that there was a statistically significant level above the groundwater protection standard for one or more constituents listed in Appendix IV of §257 pursuant to §257.95(g) include all of the following:
 - A. Identify those constituents listed in Appendix IV of §257 and the names of the monitoring wells associated with such an increase.
 - B. Provide the date when the assessment of corrective measures was initiated for the CCR unit.
 - C. Provide the date when the public meeting was held for the assessment of corrective measures for the CCR unit.
 - D. Provide the date when the assessment of corrective measures was completed for the CCR unit.
- v. Whether a remedy was selected pursuant to §257.97 during the current annual reporting period, and if so, the date of remedy selection.
- vi. Whether remedial activities were initiated or are ongoing pursuant to § 257.98 during the current annual reporting period.

This report provides the required information for the GMF RP for calendar year 2022.

2. MONITORING AND CORRECTIVE ACTION PROGRAM STATUS

No changes have occurred to the Monitoring Program status in calendar year 2022 and the GMF RP remains in the assessment monitoring program in accordance with 40 C.F.R. § 257.95.

3. KEY ACTIONS COMPLETED IN 2022

The assessment monitoring program is summarized in **Table A** on the following page. The groundwater monitoring system, including the CCR unit and all background and compliance monitoring wells, is presented in **Figure 1**. No changes were made to the monitoring system in 2022 (no wells were installed or decommissioned). In general, one groundwater sample was collected from each background and compliance well during each monitoring event. All samples were collected and analyzed in accordance with the Sampling and Analysis Plan (SAP) (Natural Resource Technology, an OBG Company [NRT/OGB], 2017a). Potentiometric surface maps for both monitoring events in 2022 are included in **Figures 2 and 3**. All monitoring data and analytical results obtained under 40 C.F.R. § 257.90 through 257.98 (as applicable) in both monitoring events in 2022 are presented in **Tables 1 through 3**. Laboratory reports for both monitoring events in 2022 are included in **Appendix A**.

Analytical data were evaluated in accordance with the Statistical Analysis Plan (NRT/OGB, 2017b) to determine any SSLs of Appendix IV parameters over GWPSs and SSIs of Appendix III parameters greater than background values. SSL notifications were completed in accordance with 40 C.F.R. § 257.95(g). SSIs are highlighted in **Table 2**. Statistical background values are provided in **Table 4** and GWPSs in **Table 5**. A flow chart showing the statistical methodology for determination of background values is included as **Appendix B**. A summary of the determination of SSLs is included in **Table 6**. A flow chart showing the statistical methodology for determination of SSIs is included as **Appendix C**.

Table A. 2022 Assessment Monitoring Program Summary

Sampling Dates	Analytical Data Receipt Date	Parameters Collected	SSL(s)	SSL(s) Determination Date	ASD Completion Date
February 8-10, 2022	April 29, 2022	Appendix III Appendix IV	None	June 30, 2022	NA
August 23-24, 2022 and September 20, 2022	October 13, 2022	Appendix III Appendix IV Detected ¹	None	January 11, 2023	NA

Notes:

ASD: Alternate Source Demonstration

NA: not applicable

SSL: Statistically Significant Level

¹ Groundwater sample analysis was limited to Appendix IV parameters detected during previous events in accordance with 40 C.F.R. § 257.95(d)(1).

4. PROBLEMS ENCOUNTERED AND ACTIONS TO RESOLVE THE PROBLEMS

No problems were encountered with the Groundwater Monitoring Program during 2022. Groundwater samples were collected and analyzed in accordance with the SAP and all data were accepted.

5. KEY ACTIVITIES PLANNED FOR 2023

The following key activities are planned for 2023:

- Beginning in 2023, the current monitoring well system will be updated to use the same monitoring well network that was proposed for compliance with 35 I.A.C. § 845 which includes all of the monitoring wells used in the 2022 monitoring system. This is a logical step toward aligning the two regulatory programs. The following documents support the expanded monitoring system for 2023:
 - Hydrogeological Site Characterization Report (Ramboll, 2021), which expands upon the hydrogeologic information provided in the Hydrogeologic Monitoring Plan (NRT/OBG, 2017c)
 - Multi-Site SAP (Ramboll, 2022a)
 - Multi-Site Quality Assurance Project Plan (Ramboll, 2022b)
 - Multi-Site Data Management Plan (Ramboll, 2022c)
 - Multi-Site Statistical Analysis Plan and Certification (Ramboll, 2022d)
 - 40 C.F.R. § 257 Groundwater Monitoring Plan (Ramboll, 2022e), which replaces the monitoring plan provided in the Hydrogeologic Monitoring Plan
 - Monitoring Well Network Certification
- Continuation of the assessment monitoring program with semi-annual sampling scheduled for the first and third quarters of 2023.
- Complete evaluation of analytical data from the compliance wells using background data to determine whether an SSI of Appendix III parameters detected at concentrations greater than background concentrations has occurred.
- Complete evaluation of analytical data from the compliance wells to determine whether an SSL of Appendix IV parameters above GWPSs has occurred.
- If an SSL is identified, potential alternate sources (*i.e.*, a source other than the CCR unit caused the SSL or that the SSL resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality) will be evaluated.
 - If an alternate source is identified to be the cause of the SSL, a written demonstration will be completed within 90 days of SSL determination and included in the 2023 Annual Groundwater Monitoring and Corrective Action Report.
 - If an alternate source(s) is not identified to be the cause of the SSL, the applicable requirements of 40 C.F.R. §§ 257.94 through 257.98 (*e.g.*, assessment of corrective measures) as may apply in 2023 will be met, including associated recordkeeping/notifications required by 40 C.F.R. §§ 257.105 through 257.108.

6. REFERENCES

- Natural Resource Technology, an OBG Company (NRT/OBG), 2017a. Sampling and Analysis Plan, Coffeen GMF Recycle Pond, Coffeen Power Station, Coffeen, Illinois, Project No. 2285, Revision 0, October 17, 2017.
- Natural Resource Technology, an OBG Company (NRT/OBG), 2017b. Statistical Analysis Plan, Coffeen Power Station, Newton Power Station, Illinois Power Generating Company, October 17, 2017.
- Natural Resource Technology, an OBG Company (NRT/OBG), 2017c. Hydrogeologic Monitoring Plan, Coffeen Power Station, Coffeen, Illinois. October 17, 2017.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2021. Hydrogeological Site Characterization Report, the Gypsum Management Facility Recycle Pond, Coffeen Power Plant, Coffeen, Illinois. October 21, 2021.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2022a. Multi-Site Sampling and Analysis Plan. December 28, 2022.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2022b. Multi-Site Quality Assurance Project Plan. December 28, 2022.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2022c. Multi-Site Data Management Plan. December 28, 2022.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2022d. Multi-Site Statistical Analysis Plan, 40 C.F.R. § 257. December 28, 2022.
- Ramboll Americas Engineering Solutions, Inc. (Ramboll), 2022e. 40 C.F.R. § 257 Groundwater Monitoring Plan, the Gypsum Management Facility Recycle Pond, Coffeen Power Plant, Coffeen, Illinois. December 28, 2022.

TABLES

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G045D	LCU	31.88 - 41.52	Water Level Only	39.06435	-89.39628	02/07/2022	8.80	615.01
G045D	LCU	31.88 - 41.52	Water Level Only	39.06435	-89.39628	08/23/2022	9.23	614.58
G046D	LCU	41.61 - 51.26	Water Level Only	39.06030	-89.39852	02/07/2022	14.53	610.71
G046D	LCU	41.61 - 51.26	Water Level Only	39.06030	-89.39852	08/23/2022	10.11	615.13
G101	UA	15.68 - 20.32	Water Level Only	39.07139	-89.40011	02/07/2022	4.90	622.70
G101	UA	15.68 - 20.32	Water Level Only	39.07139	-89.40011	08/23/2022	7.65	619.95
G102	UA	12.02 - 16.78	Water Level Only	39.07139	-89.39899	02/07/2022	5.30	623.74
G102	UA	12.02 - 16.78	Water Level Only	39.07139	-89.39899	08/23/2022	6.79	622.25
G103	UA	15.88 - 20.67	Water Level Only	39.07041	-89.39911	02/07/2022	10.05	623.75
G103	UA	15.88 - 20.67	Water Level Only	39.07041	-89.39911	08/23/2022	10.00	623.80
G105	UA	16.11 - 20.90	Water Level Only	39.06849	-89.39910	02/07/2022	8.95	623.13
G105	UA	16.11 - 20.90	Water Level Only	39.06849	-89.39910	08/23/2022	8.60	623.48
G106	UA	14.37 - 18.96	Water Level Only	39.06753	-89.39910	02/07/2022	9.24	621.91
G106	UA	14.37 - 18.96	Water Level Only	39.06753	-89.39910	08/23/2022	9.65	621.50
G107	UA	13.87 - 18.50	Water Level Only	39.06711	-89.39965	02/07/2022	8.82	621.40
G107	UA	13.87 - 18.50	Water Level Only	39.06711	-89.39965	08/23/2022	10.53	619.69
G108	UA	16.82 - 21.50	Water Level Only	39.06698	-89.40003	02/07/2022	10.83	619.39
G108	UA	16.82 - 21.50	Water Level Only	39.06698	-89.40003	08/23/2022	11.39	618.83
G109	UA	15.39 - 19.93	Water Level Only	39.06705	-89.40042	02/07/2022	11.10	618.66
G109	UA	15.39 - 19.93	Water Level Only	39.06705	-89.40042	08/23/2022	11.50	618.26
G110	UA	15.05 - 19.59	Water Level Only	39.06717	-89.40070	02/07/2022	12.02	617.63
G110	UA	15.05 - 19.59	Water Level Only	39.06717	-89.40070	08/23/2022	12.18	617.47
G111	UA	14.61 - 19.15	Water Level Only	39.06729	-89.40097	02/07/2022	13.23	616.67
G111	UA	14.61 - 19.15	Water Level Only	39.06729	-89.40097	08/23/2022	13.40	616.50
G119	UA	17.29 - 21.83	Water Level Only	39.06899	-89.40121	02/07/2022	14.34	617.21
G119	UA	17.29 - 21.83	Water Level Only	39.06899	-89.40121	08/23/2022	15.00	616.55
G120	UA	15.10 - 19.62	Water Level Only	39.06948	-89.40121	02/07/2022	13.97	617.90
G120	UA	15.10 - 19.62	Water Level Only	39.06948	-89.40121	08/23/2022	15.07	616.80
G121	UA	16.79 - 21.47	Water Level Only	39.06978	-89.40122	02/07/2022	13.82	619.01
G121	UA	16.79 - 21.47	Water Level Only	39.06978	-89.40122	08/23/2022	16.15	616.68

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G122	UA	16.51 - 21.05	Water Level Only	39.07010	-89.40122	02/07/2022	11.53	621.16
G122	UA	16.51 - 21.05	Water Level Only	39.07010	-89.40122	08/23/2022	15.66	617.03
G123	UA	20.94 - 25.46	Water Level Only	39.07040	-89.40122	02/07/2022	11.45	621.51
G123	UA	20.94 - 25.46	Water Level Only	39.07040	-89.40122	08/23/2022	13.46	619.50
G124	UA	15.98 - 20.51	Water Level Only	39.07072	-89.40122	02/07/2022	10.97	622.42
G124	UA	15.98 - 20.51	Water Level Only	39.07072	-89.40122	08/23/2022	14.22	619.17
G125	UA	17.03 - 21.56	Water Level Only	39.07100	-89.40122	02/07/2022	11.07	622.44
G125	UA	17.03 - 21.56	Water Level Only	39.07100	-89.40122	08/23/2022	14.37	619.14
G126	UA	12.89 - 17.43	Water Level Only	39.06730	-89.40127	02/07/2022	9.65	615.74
G126	UA	12.89 - 17.43	Water Level Only	39.06730	-89.40127	08/23/2022	9.69	615.70
G151	UA	15.34 - 19.84	Water Level Only	39.06720	-89.40159	02/07/2022	11.46	614.47
G151	UA	15.34 - 19.84	Water Level Only	39.06720	-89.40159	08/23/2022	11.31	614.62
G152	UA	13.59 - 18.09	Water Level Only	39.06628	-89.40129	02/07/2022	10.76	615.76
G152	UA	13.59 - 18.09	Water Level Only	39.06628	-89.40129	08/23/2022	11.45	615.07
G153	UA	15.90 - 20.34	Water Level Only	39.06586	-89.40257	02/07/2022	11.15	615.25
G153	UA	15.90 - 20.34	Water Level Only	39.06586	-89.40257	08/23/2022	11.77	614.63
G154	UA	14.26 - 18.76	Water Level Only	39.06709	-89.40357	02/07/2022	11.45	614.90
G154	UA	14.26 - 18.76	Water Level Only	39.06709	-89.40357	08/23/2022	13.00	613.35
G155	UA	15.09 - 19.58	Water Level Only	39.06749	-89.40266	02/07/2022	11.67	614.19
G155	UA	15.09 - 19.58	Water Level Only	39.06749	-89.40266	08/23/2022	12.56	613.30
G200	UA	12.19 - 16.98	Water Level Only	39.07514	-89.39501	02/07/2022	3.55	622.39
G200	UA	12.19 - 16.98	Water Level Only	39.07514	-89.39501	08/23/2022	6.21	619.73
G206	UA	17.51 - 21.92	Water Level Only	39.06740	-89.39855	02/07/2022	10.45	622.37
G206	UA	17.51 - 21.92	Water Level Only	39.06740	-89.39855	08/23/2022	11.21	621.61
G206D	DA	49.20 - 59.00	Water Level Only	39.06743	-89.39849	02/07/2022	35.92	598.22
G206D	DA	49.20 - 59.00	Water Level Only	39.06743	-89.39849	08/23/2022	31.28	602.86
G207	UA	18.24 - 22.77	Water Level Only	39.06757	-89.39795	02/07/2022	10.64	622.57
G207	UA	18.24 - 22.77	Water Level Only	39.06757	-89.39795	08/23/2022	11.33	621.88
G208	UA	17.53 - 22.06	Water Level Only	39.06774	-89.39740	02/07/2022	10.80	622.36
G208	UA	17.53 - 22.06	Water Level Only	39.06774	-89.39740	08/23/2022	11.04	622.12

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G209	UA	17.74 - 22.28	Water Level Only	39.06792	-89.39685	02/07/2022	10.56	622.35
G209	UA	17.74 - 22.28	Water Level Only	39.06792	-89.39685	08/23/2022	10.72	622.19
G210	UA	19.39 - 23.93	Water Level Only	39.06809	-89.39632	02/07/2022	11.05	621.94
G210	UA	19.39 - 23.93	Water Level Only	39.06809	-89.39632	08/23/2022	11.03	621.96
G211	UA	17.34 - 21.88	Water Level Only	39.06826	-89.39579	02/07/2022	10.76	621.88
G211	UA	17.34 - 21.88	Water Level Only	39.06826	-89.39579	08/23/2022	10.87	621.77
G212	UA	16.74 - 21.29	Water Level Only	39.06843	-89.39532	02/07/2022	11.10	621.79
G212	UA	16.74 - 21.29	Water Level Only	39.06843	-89.39532	08/23/2022	12.08	620.81
G213	UA	16.75 - 21.29	Water Level Only	39.06859	-89.39482	02/07/2022	11.23	621.58
G213	UA	16.75 - 21.29	Water Level Only	39.06859	-89.39482	08/23/2022	12.18	620.63
G214	UA	17.75 - 22.14	Water Level Only	39.06892	-89.39398	02/07/2022	14.52	618.33
G214	UA	17.75 - 22.14	Water Level Only	39.06892	-89.39398	08/23/2022	14.85	618.00
G215	UA	19.41 - 23.80	Water Level Only	39.06931	-89.39394	02/07/2022	14.45	618.61
G215	UA	19.41 - 23.80	Water Level Only	39.06931	-89.39394	08/23/2022	14.61	618.45
G216	UA	20.04 - 24.42	Water Level Only	39.06976	-89.39395	02/07/2022	13.68	619.08
G216	UA	20.04 - 24.42	Water Level Only	39.06976	-89.39395	08/23/2022	13.92	618.84
G217	UA	20.49 - 24.88	Water Level Only	39.07034	-89.39396	02/07/2022	14.76	618.34
G217	UA	20.49 - 24.88	Water Level Only	39.07034	-89.39396	08/23/2022	15.60	617.50
G218	UA	20.33 - 24.77	Water Level Only	39.07088	-89.39396	02/07/2022	13.78	619.33
G218	UA	20.33 - 24.77	Water Level Only	39.07088	-89.39396	08/23/2022	14.23	618.88
G270	UA	13.13 - 17.92	Background	39.06656	-89.39740	02/07/2022	2.59	623.27
G270	UA	13.13 - 17.92	Background	39.06656	-89.39740	08/23/2022	4.03	621.83
G271	UA	9.96 - 14.31	Compliance	39.06501	-89.39559	02/07/2022	9.06	616.51
G271	UA	9.96 - 14.31	Compliance	39.06501	-89.39559	08/23/2022	10.68	614.89
G272	UA	9.11 - 13.98	Water Level Only	39.06499	-89.39479	02/07/2022	8.92	614.89
G272	UA	9.11 - 13.98	Water Level Only	39.06499	-89.39479	08/23/2022	10.19	613.62
G273	UA	9.08 - 14.56	Compliance	39.06499	-89.39397	02/07/2022	10.32	612.70
G273	UA	9.08 - 14.56	Compliance	39.06499	-89.39397	08/23/2022	11.23	611.79
G274	UA	12.90 - 17.67	Water Level Only	39.06499	-89.39320	02/07/2022	13.90	610.14
G274	UA	12.90 - 17.67	Water Level Only	39.06499	-89.39320	08/23/2022	14.70	609.34
G275	UA	8.22 - 12.62	Water Level Only	39.06515	-89.39256	02/07/2022	13.16	605.10
G275	UA	8.22 - 12.62	Water Level Only	39.06515	-89.39256	08/23/2022	Dry	

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G275D	DA	49.76 - 59.55	Water Level Only	39.06512	-89.39260	02/07/2022	39.85	580.46
G275D	DA	49.76 - 59.55	Water Level Only	39.06512	-89.39260	08/23/2022	39.49	580.82
G276	UA	22.41 - 27.22	Compliance	39.06553	-89.39262	02/07/2022	27.54	604.46
G276	UA	22.41 - 27.22	Compliance	39.06553	-89.39262	08/23/2022	27.34	604.66
G277	UA	14.29 - 18.77	Water Level Only	39.06593	-89.39257	02/07/2022	19.37	603.71
G277	UA	14.29 - 18.77	Water Level Only	39.06593	-89.39257	08/23/2022	19.62	603.46
G278	UA	18.93 - 23.70	Water Level Only	39.06674	-89.39316	02/07/2022	24.23	606.94
G278	UA	18.93 - 23.70	Water Level Only	39.06674	-89.39316	08/23/2022	22.66	608.51
G279	UA	22.40 - 26.79	Compliance	39.06716	-89.39300	02/07/2022	22.93	609.11
G279	UA	22.40 - 26.79	Compliance	39.06716	-89.39300	08/23/2022	23.00	609.04
G280	UA	12.79 - 17.63	Background	39.06722	-89.39499	02/07/2022	4.90	620.45
G280	UA	12.79 - 17.63	Background	39.06722	-89.39499	08/23/2022	4.10	621.25
G281	UA	15.51 - 20.16	Water Level Only	39.06541	-89.39932	02/07/2022	6.25	620.11
G281	UA	15.51 - 20.16	Water Level Only	39.06541	-89.39932	08/23/2022	6.85	619.51
G283	LCU	8.39 - 18.17	Water Level Only	39.06464	-89.39212	02/07/2022	4.79	605.96
G283	LCU	8.39 - 18.17	Water Level Only	39.06464	-89.39212	08/23/2022	8.06	602.69
G284	UA	8.08 - 12.85	Water Level Only	39.06549	-89.39063	02/07/2022	10.96	607.46
G284	UA	8.08 - 12.85	Water Level Only	39.06549	-89.39063	08/23/2022	12.00	606.42
G285	LCU	13.68 - 23.45	Water Level Only	39.06651	-89.39147	02/07/2022	7.21	606.31
G285	LCU	13.68 - 23.45	Water Level Only	39.06651	-89.39147	08/23/2022	6.44	607.08
G286	UA	3.37 - 8.16	Water Level Only	39.06728	-89.39188	02/07/2022	7.03	606.10
G286	UA	3.37 - 8.16	Water Level Only	39.06728	-89.39188	08/23/2022	Dry	
G287	UA	5.43 - 10.25	Water Level Only	39.06830	-89.39239	02/07/2022	9.10	608.35
G287	UA	5.43 - 10.25	Water Level Only	39.06830	-89.39239	08/23/2022	Dry	
G288	UA	7.59 - 12.26	Water Level Only	39.06783	-89.39008	02/07/2022	6.14	613.93
G288	UA	7.59 - 12.26	Water Level Only	39.06783	-89.39008	08/23/2022	7.68	612.39
G301	UA	11.31 - 15.96	Water Level Only	39.05951	-89.39541	02/07/2022	6.14	616.51
G301	UA	11.31 - 15.96	Water Level Only	39.05951	-89.39541	08/23/2022	7.07	615.58
G302	UA	13.21 - 17.86	Water Level Only	39.05954	-89.39319	02/07/2022	8.04	612.00
G302	UA	13.21 - 17.86	Water Level Only	39.05954	-89.39319	08/23/2022	9.15	610.89
G303	UA	10 - 20	Water Level Only	39.05714	-89.39172	02/07/2022	4.12	617.90
G303	UA	10 - 20	Water Level Only	39.05714	-89.39172	08/23/2022	6.06	615.96

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G305	UA	13.44 - 18.27	Water Level Only	39.05656	-89.39680	02/07/2022	6.27	619.40
G305	UA	13.44 - 18.27	Water Level Only	39.05656	-89.39680	08/23/2022	7.61	618.06
G306	UA	13.07 - 17.68	Water Level Only	39.05649	-89.39356	02/07/2022	6.09	619.82
G306	UA	13.07 - 17.68	Water Level Only	39.05649	-89.39356	08/23/2022	8.12	617.79
G307	UA	12.96 - 17.80	Water Level Only	39.05721	-89.39554	02/07/2022	Above Top of Casing	
G307	UA	12.96 - 17.80	Water Level Only	39.05721	-89.39554	08/23/2022	Above Top of Casing	
G307D	LCU	48.98 - 58.75	Water Level Only	39.05721	-89.39552	02/07/2022	2.56	622.32
G307D	LCU	48.98 - 58.75	Water Level Only	39.05721	-89.39552	08/23/2022	9.79	615.09
G308	UA	10.10 - 14.89	Water Level Only	39.05738	-89.39713	02/07/2022	3.84	620.75
G308	UA	10.10 - 14.89	Water Level Only	39.05738	-89.39713	08/23/2022	7.24	617.35
G309	UA	12.97 - 17.75	Water Level Only	39.05851	-89.39724	02/07/2022	6.79	619.09
G309	UA	12.97 - 17.75	Water Level Only	39.05851	-89.39724	08/23/2022	7.24	618.64
G310	UA	10.24 - 15.03	Water Level Only	39.05953	-89.39691	02/07/2022	7.86	615.01
G310	UA	10.24 - 15.03	Water Level Only	39.05953	-89.39691	08/23/2022	8.89	613.98
G311	UA	9.27 - 14.04	Water Level Only	39.05951	-89.39436	02/07/2022	6.76	614.28
G311	UA	9.27 - 14.04	Water Level Only	39.05951	-89.39436	08/23/2022	7.85	613.19
G311D	LCU	50.16 - 60.10	Water Level Only	39.05951	-89.39431	02/07/2022	28.10	593.14
G311D	LCU	50.16 - 60.10	Water Level Only	39.05951	-89.39431	08/23/2022	23.78	597.46
G312	UA	9.79 - 14.58	Water Level Only	39.05956	-89.39198	02/07/2022	10.77	609.01
G312	UA	9.79 - 14.58	Water Level Only	39.05956	-89.39198	08/23/2022	11.28	608.50
G313	UA	6.30 - 11.11	Water Level Only	39.05877	-89.39112	02/07/2022	2.88	611.42
G313	UA	6.30 - 11.11	Water Level Only	39.05877	-89.39112	08/23/2022	2.38	611.92
G314	LCU	14.56 - 19.58	Water Level Only	39.05782	-89.39096	02/07/2022	6.03	607.85
G314	LCU	14.56 - 19.58	Water Level Only	39.05782	-89.39096	08/23/2022	3.30	610.58
G314D	DA	39.34 - 49.11	Water Level Only	39.05785	-89.39096	02/07/2022	23.24	590.46
G314D	DA	39.34 - 49.11	Water Level Only	39.05785	-89.39096	08/23/2022	18.00	595.70
G315	UA	9.69 - 14.48	Water Level Only	39.05716	-89.39367	02/07/2022	2.11	621.41
G315	UA	9.69 - 14.48	Water Level Only	39.05716	-89.39367	08/23/2022	3.31	620.21
G316	LCU	10.02 - 14.82	Water Level Only	39.05785	-89.38970	02/07/2022	11.48	591.11
G316	LCU	10.02 - 14.82	Water Level Only	39.05785	-89.38970	08/23/2022	12.18	590.41

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
G317	UA	30.14 - 34.93	Water Level Only	39.05673	-89.39015	02/07/2022	32.04	609.89
G317	UA	30.14 - 34.93	Water Level Only	39.05673	-89.39015	08/23/2022	33.97	607.96
G401	UA	14.36 - 18.79	Water Level Only	39.06026	-89.39529	02/07/2022	21.14	604.43
G401	UA	14.36 - 18.79	Water Level Only	39.06026	-89.39529	08/23/2022	21.52	604.05
G402	UA	10 - 20	Water Level Only	39.06021	-89.39171	02/07/2022	9.24	604.13
G402	UA	10 - 20	Water Level Only	39.06021	-89.39171	08/23/2022	10.01	603.36
G403	UA	13.11 - 17.78	Water Level Only	39.06317	-89.39878	02/07/2022	6.39	620.08
G403	UA	13.11 - 17.78	Water Level Only	39.06317	-89.39878	08/23/2022	8.54	617.93
G404	UA	6.42 - 11.17	Water Level Only	39.06433	-89.39249	02/07/2022	3.58	612.09
G404	UA	6.42 - 11.17	Water Level Only	39.06433	-89.39249	08/23/2022	5.41	610.26
G405	UA	9.01 - 13.76	Water Level Only	39.06435	-89.39623	02/07/2022	6.35	617.28
G405	UA	9.01 - 13.76	Water Level Only	39.06435	-89.39623	08/23/2022	6.78	616.85
G406	UA	13.56 - 18.37	Water Level Only	39.06031	-89.39851	02/07/2022	11.81	613.55
G406	UA	13.56 - 18.37	Water Level Only	39.06031	-89.39851	08/23/2022	11.89	613.47
G407	UA	13.78 - 18.61	Water Level Only	39.06157	-89.40200	02/07/2022	5.93	615.39
G407	UA	13.78 - 18.61	Water Level Only	39.06157	-89.40200	08/23/2022	7.27	614.05
G410	UA	8.89 - 13.68	Water Level Only	39.06157	-89.40376	02/07/2022	8.12	611.67
G410	UA	8.89 - 13.68	Water Level Only	39.06157	-89.40376	08/23/2022	8.81	610.98
G411	UA	11.21 - 16.07	Water Level Only	39.06398	-89.40403	02/07/2022	6.48	616.77
G411	UA	11.21 - 16.07	Water Level Only	39.06398	-89.40403	08/23/2022	7.78	615.47
MW03D	DA	52.29 - 57.06	Water Level Only	39.07139	-89.39898	02/07/2022	30.55	598.46
MW03D	DA	52.29 - 57.06	Water Level Only	39.07139	-89.39898	08/23/2022	30.26	598.75
MW04S	UA	9.83 - 14.26	Water Level Only	39.07536	-89.39923	02/07/2022	6.33	619.56
MW04S	UA	9.83 - 14.26	Water Level Only	39.07536	-89.39923	08/23/2022	7.19	618.70
MW05S	UA	12.66 - 17.41	Water Level Only	39.07587	-89.40333	02/07/2022	7.29	618.66
MW05S	UA	12.66 - 17.41	Water Level Only	39.07587	-89.40333	08/23/2022	8.08	617.87
MW10S	UA	11.28 - 15.76	Water Level Only	39.07601	-89.39407	02/07/2022	5.54	618.91
MW10S	UA	11.28 - 15.76	Water Level Only	39.07601	-89.39407	08/23/2022	6.08	618.37
MW11S	UA	8.89 - 13.63	Water Level Only	39.07189	-89.39391	02/07/2022	3.28	621.99
MW11S	UA	8.89 - 13.63	Water Level Only	39.07189	-89.39391	08/23/2022	4.41	620.86

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
MW11D	LCU	28.31 - 33.04	Water Level Only	39.07189	-89.39389	02/07/2022	4.17	621.35
MW11D	LCU	28.31 - 33.04	Water Level Only	39.07189	-89.39389	08/23/2022	5.12	620.40
MW12S	UA	10.61 - 15.18	Water Level Only	39.06851	-89.39420	02/07/2022	5.53	619.78
MW12D	DA	42.46 - 46.99	Water Level Only	39.06850	-89.39420	02/07/2022	12.52	612.69
MW12D	DA	42.46 - 46.99	Water Level Only	39.06850	-89.39420	08/23/2022	12.93	612.28
MW16S	UA	14.59 - 19.41	Water Level Only	39.07357	-89.39701	02/07/2022	5.73	623.74
MW16S	UA	14.59 - 19.41	Water Level Only	39.07357	-89.39701	08/23/2022	9.45	620.02
MW16D	DA	45.90 - 50.34	Water Level Only	39.07357	-89.39704	02/07/2022	12.46	616.92
MW16D	DA	45.90 - 50.34	Water Level Only	39.07357	-89.39704	08/23/2022	11.95	617.43
MW20S	UA	8.41 - 13.22	Water Level Only	39.06497	-89.39432	02/07/2022	8.86	614.04
MW20S	UA	8.41 - 13.22	Water Level Only	39.06497	-89.39432	08/23/2022	10.21	612.69
R104	UA	14.59 - 19.32	Water Level Only	39.06947	-89.39911	02/07/2022	8.06	624.78
R104	UA	14.59 - 19.32	Water Level Only	39.06947	-89.39911	08/23/2022	7.77	625.07
R201	UA	14.59 - 19.32	Water Level Only	39.07514	-89.39786	02/07/2022	3.49	622.85
R201	UA	14.59 - 19.32	Water Level Only	39.07514	-89.39786	08/23/2022	5.92	620.42
R205	UA	11.32 - 16.01	Water Level Only	39.06859	-89.39416	02/07/2022	4.10	620.42
R205	UA	11.32 - 16.01	Water Level Only	39.06859	-89.39416	08/23/2022	6.36	618.16
T127	UA	17.53 - 22.07	Water Level Only	39.06812	-89.40121	02/07/2022	14.00	616.96
T127	UA	17.53 - 22.07	Water Level Only	39.06812	-89.40121	08/23/2022	14.49	616.47
T128	UA	16.53 - 21.04	Water Level Only	39.06853	-89.40121	02/07/2022	13.70	617.23
T128	UA	16.53 - 21.04	Water Level Only	39.06853	-89.40121	08/23/2022	14.50	616.43
T202	UA	12.27 - 16.65	Water Level Only	39.07178	-89.39771	02/07/2022	5.68	622.95
T202	UA	12.27 - 16.65	Water Level Only	39.07178	-89.39771	08/23/2022	6.44	622.19
T408	LCU	20.66 - 25.49	Water Level Only	39.06435	-89.39631	02/07/2022	7.20	616.88
T408	LCU	20.66 - 25.49	Water Level Only	39.06435	-89.39631	08/23/2022	7.09	616.99
T409	LCU	21.79 - 26.59	Water Level Only	39.06030	-89.39854	02/07/2022	10.04	614.97
T409	LCU	21.79 - 26.59	Water Level Only	39.06030	-89.39854	08/23/2022	14.28	610.73
TA31	UA	15.09 - 19.57	Water Level Only	39.07137	-89.40137	02/07/2022	4.83	621.72
TA31	UA	15.09 - 19.57	Water Level Only	39.07137	-89.40137	08/23/2022	7.89	618.66
TA33	UA	12.23 - 16.89	Water Level Only	39.07156	-89.40351	02/07/2022	7.26	618.01

TABLE 1
GROUNDWATER ELEVATIONS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Well ID	Monitored Unit	Well Screen Interval (feet BGS)	Well Type	Latitude (Decimal Degrees)	Longitude (Decimal Degrees)	Date	Depth to Groundwater (feet BMP)	Groundwater Elevation (feet NAVD88)
TA33	UA	12.23 - 16.89	Water Level Only	39.07156	-89.40351	08/23/2022	9.35	615.92
TA34	UA	10.92 - 15.41	Water Level Only	39.06963	-89.40276	02/07/2022	7.76	618.76
TA34	UA	10.92 - 15.41	Water Level Only	39.06963	-89.40276	08/23/2022	9.51	617.01
TR32	UA	11.00 - 15.68	Water Level Only	39.07406	-89.40224	02/07/2022	6.47	615.21
TR32	UA	11.00 - 15.68	Water Level Only	39.07406	-89.40224	08/23/2022	5.91	615.77
XPW01	CCR	8.21 - 12.98	Water Level Only	39.05788	-89.39620	02/07/2022	4.32	630.25
XPW01	CCR	8.21 - 12.98	Water Level Only	39.05788	-89.39620	08/23/2022	7.90	626.67
XPW02	CCR	8.05 - 17.85	Water Level Only	39.05883	-89.39527	02/07/2022	9.31	630.38
XPW02	CCR	8.05 - 17.85	Water Level Only	39.05883	-89.39527	08/23/2022	8.88	630.81
XSG-01	CCR	NA	Water Level Only	39.05913	-89.39673	02/07/2022	5.25	630.27
XSG-01	CCR	NA	Water Level Only	39.05913	-89.39673	08/23/2022	3.07	632.45
SG-02	SW	NA	Water Level Only	39.05969	-89.39143	02/07/2022	7.35	598.52
SG-02	SW	NA	Water Level Only	39.05969	-89.39143	08/23/2022	7.45	598.42
SG-03	SW	NA	Water Level Only	39.05909	-89.39034	02/07/2022	5.01	589.93
SG-03	SW	NA	Water Level Only	39.05909	-89.39034	08/23/2022	9.81	585.13
SG-04	SW	NA	Water Level Only	39.06415	-89.39050	02/07/2022	6.52	593.00
SG-04	SW	NA	Water Level Only	39.06415	-89.39050	08/23/2022	6.16	593.36

Notes:

BGS = below ground surface

BMP = below measuring point

NAVD88 = North American Vertical Datum of 1988

NA = not available/not applicable

Monitored Unit Abbreviations:

CCR = coal combustion residuals

DA = deep aquifer

LCU = lower confining unit

SW = surface water

UA = uppermost aquifer

TABLE 2
ANALYTICAL RESULTS - APPENDIX III PARAMETERS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
 COFFEEN POWER PLANT
 104 - GMF RECYCLE POND
 COFFEEN, IL

Well ID	Well Type	Date	Event ID	Boron, total (mg/L)	Calcium, total (mg/L)	Chloride, total (mg/L)	Fluoride, total (mg/L)	pH (field) (SU)	Sulfate, total (mg/L)	Total Dissolved Solids (mg/L)
<i>Background Value(s)</i>	--	--	--	0.0290	120	54.0	0.500	6.6/7.5	104	476
G270	Background	02/08/2022	A5	0.0120	53.0	8.70	0.378	7.2	53.0	410
G270	Background	08/24/2022	A5D	0.0071 U	56.0	9.70	0.325	7.3	53.0	500
G280	Background	02/08/2022	A5	0.01 U	68.0	51.0	0.383	7.2	82.0	440
G280	Background	08/24/2022	A5D	0.0230	80.0	93.0	0.169	7.2	82.0	580
G271	Compliance	02/10/2022	A5	1.40	120	58.0	0.368 J-	7.3	340	870
G271	Compliance	03/21/2022	A5	--	--	--	--	7.4	--	--
G271	Compliance	08/24/2022	A5D	1.20	110	64.0	0.270	7.4	230	680
G273	Compliance	02/10/2022	A5	0.0590	160	69.0	0.352	7.2	410	1,100
G273	Compliance	03/21/2022	A5	--	--	--	--	7.5	--	--
G273	Compliance	08/25/2022	A5D	0.0410	160	74.0	0.360	7.0	410	940
G276	Compliance	02/09/2022	A5	0.0210	140	23.0	0.329	7.0	270	860
G276	Compliance	03/21/2022	A5	--	--	--	--	7.3	--	--
G276	Compliance	09/20/2022	A5D	0.110	140	23.0	0.474	6.8	260	680
G279	Compliance	02/08/2022	A5	0.420	190	76.0	0.393	6.7	370	1,100
G279	Compliance	08/24/2022	A5D	1.70	450	370	0.373	6.6	1,600	3,300

Notes:

Exceedance of Background

mg/L = milligrams per liter

SU = Standard Units

- = not analyzed

U = The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate. Lab reports may or may not report both the limit of detection and the limit of quantitation. Limits are provided in the electronic data deliverable. As such, the U-flagged result value provided in this table may not match the result value provided in the lab report.

J- = The result is an estimated quantity, but the result may be biased low.

TABLE 3
ANALYTICAL RESULTS - APPENDIX IV PARAMETERS

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
COFFEEN POWER PLANT
104 - GMF RECYCLE POND
COFFEEN, IL

Well ID	Well Type	Date	Antimony, total (mg/L)	Arsenic, total (mg/L)	Barium, total (mg/L)	Beryllium, total (mg/L)	Cadmium, total (mg/L)	Chromium, total (mg/L)	Cobalt, total (mg/L)	Fluoride, total (mg/L)	Lead, total (mg/L)	Lithium, total (mg/L)	Mercury, total (mg/L)	Molybdenum, total (mg/L)	Radium 226 + 228 (pCi/L)	Selenium, total (mg/L)	Thallium, total (mg/L)
G270	Background	02/08/2022	0.003 U	0.001 U	0.0330	0.001 U	0.001 U	0.004 U	0.002 U	0.378	0.001 U	0.02 U	0.0002 U	0.001 U	0	0.001 U	0.001 U
G270	Background	08/24/2022	0.00043 U	0.00069 U	0.0360	0.00059 U	0.00074 U	0.0028 U	0.00048 U	0.325	0.00022 U	0.005 U	0.00014 U	0.00074 U	0.835 B	0.00074 U	0.00038 U
G271	Compliance	02/10/2022	0.003 U	0.001 U	0.0190	0.001 U	0.001 U	0.004 U	0.002 U	0.368 J-	0.001 U	0.02 U	0.0002 U	0.001 U	--	0.00150	0.001 U
G271	Compliance	03/21/2022	--	--	--	--	--	--	--	--	--	--	--	--	0.298 J	--	--
G271	Compliance	08/24/2022	0.00043 U	0.00069 U	0.0200	0.00059 U	0.00074 U	0.0028 U	0.00048 U	0.270	0.00022 U	0.005 U	0.00014 U	0.00310	1.57 J	0.00460	0.00038 U
G273	Compliance	02/10/2022	0.003 U	0.001 U	0.0290	0.001 U	0.001 U	0.004 U	0.002 U	0.352	0.001 U	0.02 U	0.0002 U	0.001 U	--	0.001 U	0.001 U
G273	Compliance	03/21/2022	--	--	--	--	--	--	--	--	--	--	--	--	0.113	--	--
G273	Compliance	08/25/2022	0.00043 U	0.00069 U	0.0290	0.00059 U	0.00074 U	0.0028 U	0.00048 U	0.360	0.00022 U	0.0055	0.00014 U	0.00078	0.21 B	0.00074 U	0.00038 U
G276	Compliance	02/09/2022	0.003 U	0.001 U	0.0480	0.001 U	0.001 U	0.004 U	0.002 U	0.329	0.001 U	0.02 U	0.0002 U	0.001 U	--	0.00110	0.001 U
G276	Compliance	03/21/2022	--	--	--	--	--	--	--	--	--	--	--	--	0.0292 J	--	--
G276	Compliance	09/20/2022	0.00043 U	0.00069 U	0.0560	0.00059 U	0.00074 U	0.0028 U	0.00048 U	0.474	0.00048	0.01	0.00019	0.00074 U	0.235	0.00092	0.00057
G279	Compliance	02/08/2022	0.003 U	0.001 U	0.0560	0.001 U	0.001 U	0.004 U	0.002 U	0.393	0.001 U	0.02 U	0.0002 U	0.001 U	0.913	0.001 U	0.001 U
G279	Compliance	08/24/2022	0.00043 U	0.00069 U	0.0460	0.00059 U	0.00074 U	0.0028 U	0.00048 U	0.373	0.00022 U	0.012	0.00014 U	0.00074 U	0.838 B	0.00140	0.00038 U

Notes:

mg/L = milligrams per liter

pCi/L = picoCuries per liter

- = not analyzed

U = The analyte was analyzed for, but was not detected above the level of the adjusted detection limit or quantitation limit, as appropriate. Lab reports may or may not report both the limit of detection and the limit of quantitation. Limits are provided in the electronic data deliverable. As such, the U-flagged result value provided in this table may not match the result value provided in the lab report.

J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.

J- = The result is an estimated quantity, but the result may be biased low.

B = The analyte was found in sample and in associated method blank.

TABLE 4
STATISTICAL BACKGROUND VALUES

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Parameter	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Background Value (LPL/UPL)
Boron (mg/L)	11/20/2015 - 07/18/2017	16	88	Non-parametric UPL	0.0290
Calcium (mg/L)	11/20/2015 - 07/18/2017	16	0	Non-parametric UPL	120
Chloride (mg/L)	11/20/2015 - 07/18/2017	16	0	Non-parametric UPL	54.0
Fluoride (mg/L)	11/20/2015 - 07/18/2017	16	0	Parametric UPL	0.500
pH (field) (SU)	11/20/2015 - 07/18/2017	16	0	Parametric LPL/UPL	6.6/7.5
Sulfate (mg/L)	11/20/2015 - 07/18/2017	16	0	Parametric UPL	104
Total Dissolved Solids (mg/L)	11/20/2015 - 07/18/2017	16	0	Parametric UPL	476

Notes:

LPL = lower prediction limit (applicable for pH only)

mg/L = milligrams per liter

SU = standard units

UPL = upper prediction limit

TABLE 5**GROUNDWATER PROTECTION STANDARDS**

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

COFFEEN POWER PLANT

104 - GMF RECYCLE POND

COFFEEN, IL

Parameter	Background					MCL/HBL	Groundwater Protection Standard*	Groundwater Protection Standard Source
	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Value			
Antimony (mg/L)	11/20/2015 - 07/18/2017	16	100	All ND - Last Reporting Limit	0.003	0.006	0.006	MCL/HBL
Arsenic (mg/L)	11/20/2015 - 07/18/2017	16	81	Non-parametric UTL	0.00660	0.010	0.010	MCL/HBL
Barium (mg/L)	11/20/2015 - 07/18/2017	16	0	Non-parametric UTL	0.110	2	2	MCL/HBL
Beryllium (mg/L)	11/20/2015 - 07/18/2017	16	100	All ND - Last Reporting Limit	0.001	0.004	0.004	MCL/HBL
Cadmium (mg/L)	11/20/2015 - 07/18/2017	16	100	All ND - Last Reporting Limit	0.001	0.005	0.005	MCL/HBL
Chromium (mg/L)	11/20/2015 - 07/18/2017	16	88	Non-parametric UTL	0.0190	0.1	0.1	MCL/HBL
Cobalt (mg/L)	11/20/2015 - 07/18/2017	16	94	Non-parametric UTL	0.00590	0.006	0.006	MCL/HBL
Fluoride (mg/L)	11/20/2015 - 07/18/2017	16	0	Parametric UTL	0.522	4.0	4.0	MCL/HBL
Lead (mg/L)	11/20/2015 - 07/18/2017	16	69	Non-parametric UTL	0.0120	0.015	0.015	MCL/HBL
Lithium (mg/L)	11/20/2015 - 07/18/2017	16	94	Non-parametric UTL	0.0190	0.04	0.04	MCL/HBL
Mercury (mg/L)	11/20/2015 - 07/18/2017	16	100	All ND - Last Reporting Limit	0.0002	0.002	0.002	MCL/HBL
Molybdenum (mg/L)	11/20/2015 - 07/18/2017	16	38	Non-parametric UTL	0.00450	0.1	0.1	MCL/HBL
Radium 226 + Radium 228 (pCi/L)	11/20/2015 - 07/18/2017	16	0	Parametric UTL	1.93	5	5	MCL/HBL
Selenium (mg/L)	11/20/2015 - 07/18/2017	16	38	Non-parametric UTL	0.00480	0.05	0.05	MCL/HBL
Thallium (mg/L)	11/20/2015 - 07/18/2017	16	100	All ND - Last Reporting Limit	0.001	0.002	0.002	MCL/HBL

Notes:

* Groundwater Protection Standard is the higher of the MCL/HBL or background.

MCL/HBL = maximum contaminant level/health-based level

mg/L = milligrams per liter

ND = non-detect

pCi/L = picoCuries per liter

UTL = upper tolerance limit

TABLE 6
DETERMINATION OF STATISTICALLY SIGNIFICANT LEVELS
2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
COFFEEN POWER PLANT
104 - GMF RECYCLE POND
COFFEEN, IL

Sample Location	Constituent	Result Unit	Event	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Result	GWPS	GWPS Source
G271	Antimony, total	mg/L	A5	11/23/2015 - 02/10/2022	14	100	All ND - Last	0.003	0.006	MCL/HBL
G271	Antimony, total	mg/L	A5D	11/23/2015 - 08/24/2022	15	100	All ND - Last	0.00043	0.006	MCL/HBL
G271	Arsenic, total	mg/L	A5	11/23/2015 - 02/10/2022	17	88	CI around median	0.00100	0.010	MCL/HBL
G271	Arsenic, total	mg/L	A5D	11/23/2015 - 08/24/2022	17	94	CI around median	0.00100	0.010	MCL/HBL
G271	Barium, total	mg/L	A5	11/23/2015 - 02/10/2022	17	0	CB around T-S line	0.0138	2	MCL/HBL
G271	Barium, total	mg/L	A5D	11/23/2015 - 08/24/2022	18	0	CB around T-S line	0.0139	2	MCL/HBL
G271	Beryllium, total	mg/L	A5	11/23/2015 - 02/10/2022	14	93	CI around median	0.00100	0.004	MCL/HBL
G271	Beryllium, total	mg/L	A5D	11/23/2015 - 08/24/2022	15	93	CI around median	0.00100	0.004	MCL/HBL
G271	Cadmium, total	mg/L	A5	11/23/2015 - 02/10/2022	14	93	CI around median	0.00100	0.005	MCL/HBL
G271	Cadmium, total	mg/L	A5D	11/23/2015 - 08/24/2022	15	93	CI around median	0.00100	0.005	MCL/HBL
G271	Chromium, total	mg/L	A5	11/23/2015 - 02/10/2022	16	88	CI around median	0.00400	0.1	MCL/HBL
G271	Chromium, total	mg/L	A5D	11/23/2015 - 08/24/2022	17	88	CI around median	0.00400	0.1	MCL/HBL
G271	Cobalt, total	mg/L	A5	11/23/2015 - 02/10/2022	16	94	CI around median	0.00200	0.006	MCL/HBL
G271	Cobalt, total	mg/L	A5D	11/23/2015 - 08/24/2022	17	94	CI around median	0.00200	0.006	MCL/HBL
G271	Fluoride, total	mg/L	A5	11/23/2015 - 02/10/2022	18	11	CI around mean	0.328	4.0	MCL/HBL
G271	Fluoride, total	mg/L	A5D	11/23/2015 - 08/24/2022	19	11	CI around mean	0.323	4.0	MCL/HBL
G271	Lead, total	mg/L	A5	11/23/2015 - 02/10/2022	17	65	CI around median	0.00100	0.015	MCL/HBL
G271	Lead, total	mg/L	A5D	11/23/2015 - 08/24/2022	18	67	CI around median	0.00100	0.015	MCL/HBL
G271	Lithium, total	mg/L	A5	11/23/2015 - 02/10/2022	17	100	All ND - Last	0.02	0.04	MCL/HBL
G271	Lithium, total	mg/L	A5D	11/23/2015 - 08/24/2022	18	100	All ND - Last	0.005	0.04	MCL/HBL
G271	Mercury, total	mg/L	A5	11/23/2015 - 02/10/2022	14	100	All ND - Last	0.0002	0.002	MCL/HBL
G271	Mercury, total	mg/L	A5D	11/23/2015 - 08/24/2022	15	100	All ND - Last	0.00014	0.002	MCL/HBL
G271	Molybdenum, total	mg/L	A5	11/23/2015 - 02/10/2022	17	65	CI around median	0.00100	0.1	MCL/HBL
G271	Molybdenum, total	mg/L	A5D	11/23/2015 - 08/24/2022	18	61	CI around median	0.00100	0.1	MCL/HBL
G271	Radium 226 + Radium 228, total	pCi/L	A5	11/23/2015 - 03/21/2022	17	0	CI around mean	0.385	5	MCL/HBL
G271	Radium 226 + Radium 228, total	pCi/L	A5D	11/23/2015 - 08/24/2022	18	0	CI around mean	0.406	5	MCL/HBL
G271	Selenium, total	mg/L	A5	11/23/2015 - 02/10/2022	17	6	CI around mean	0.00156	0.05	MCL/HBL
G271	Selenium, total	mg/L	A5D	11/23/2015 - 08/24/2022	17	6	CI around mean	0.00155	0.05	MCL/HBL
G271	Thallium, total	mg/L	A5	11/23/2015 - 02/10/2022	15	93	CI around median	0.00100	0.002	MCL/HBL

TABLE 6
DETERMINATION OF STATISTICALLY SIGNIFICANT LEVELS
2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
COFFEEN POWER PLANT
104 - GMF RECYCLE POND
COFFEEN, IL

Sample Location	Constituent	Result Unit	Event	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Result	GWPS	GWPS Source
G271	Thallium, total	mg/L	A5D	11/23/2015 - 08/24/2022	16	94	CI around median	0.00100	0.002	MCL/HBL
G273	Antimony, total	mg/L	A5	11/24/2015 - 02/10/2022	14	100	All ND - Last	0.003	0.006	MCL/HBL
G273	Antimony, total	mg/L	A5D	11/24/2015 - 08/25/2022	15	100	All ND - Last	0.00043	0.006	MCL/HBL
G273	Arsenic, total	mg/L	A5	11/24/2015 - 02/10/2022	17	82	CI around median	0.00100	0.010	MCL/HBL
G273	Arsenic, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	83	CI around median	0.00100	0.010	MCL/HBL
G273	Barium, total	mg/L	A5	11/24/2015 - 02/10/2022	17	0	CI around median	0.0280	2	MCL/HBL
G273	Barium, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	0	CI around median	0.0290	2	MCL/HBL
G273	Beryllium, total	mg/L	A5	11/24/2015 - 02/10/2022	14	100	All ND - Last	0.001	0.004	MCL/HBL
G273	Beryllium, total	mg/L	A5D	11/24/2015 - 08/25/2022	15	100	All ND - Last	0.00059	0.004	MCL/HBL
G273	Cadmium, total	mg/L	A5	11/24/2015 - 02/10/2022	14	93	CI around median	0.00100	0.005	MCL/HBL
G273	Cadmium, total	mg/L	A5D	11/24/2015 - 08/25/2022	15	93	CI around median	0.00100	0.005	MCL/HBL
G273	Chromium, total	mg/L	A5	11/24/2015 - 02/10/2022	16	100	All ND - Last	0.004	0.1	MCL/HBL
G273	Chromium, total	mg/L	A5D	11/24/2015 - 08/25/2022	17	100	All ND - Last	0.0028	0.1	MCL/HBL
G273	Cobalt, total	mg/L	A5	11/24/2015 - 02/10/2022	16	94	CI around median	0.00200	0.006	MCL/HBL
G273	Cobalt, total	mg/L	A5D	11/24/2015 - 08/25/2022	17	94	CI around median	0.00200	0.006	MCL/HBL
G273	Fluoride, total	mg/L	A5	11/24/2015 - 02/10/2022	18	17	CI around mean	0.303	4.0	MCL/HBL
G273	Fluoride, total	mg/L	A5D	11/24/2015 - 08/25/2022	19	16	CI around mean	0.297	4.0	MCL/HBL
G273	Lead, total	mg/L	A5	11/24/2015 - 02/10/2022	17	88	CI around median	0.00100	0.015	MCL/HBL
G273	Lead, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	89	CI around median	0.00100	0.015	MCL/HBL
G273	Lithium, total	mg/L	A5	11/24/2015 - 02/10/2022	17	88	CB around linear reg	0.0166	0.04	MCL/HBL
G273	Lithium, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	89	CB around T-S line	0.0100	0.04	MCL/HBL
G273	Mercury, total	mg/L	A5	11/24/2015 - 02/10/2022	14	100	All ND - Last	0.0002	0.002	MCL/HBL
G273	Mercury, total	mg/L	A5D	11/24/2015 - 08/25/2022	15	100	All ND - Last	0.00014	0.002	MCL/HBL
G273	Molybdenum, total	mg/L	A5	11/24/2015 - 02/10/2022	17	88	CI around median	0.00100	0.1	MCL/HBL
G273	Molybdenum, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	89	CI around median	0.00100	0.1	MCL/HBL
G273	Radium 226 + Radium 228, total	pCi/L	A5	11/24/2015 - 03/21/2022	17	0	CB around linear reg	-0.671	5	MCL/HBL
G273	Radium 226 + Radium 228, total	pCi/L	A5D	11/24/2015 - 08/25/2022	18	0	CB around linear reg	-0.629	5	MCL/HBL
G273	Selenium, total	mg/L	A5	11/24/2015 - 02/10/2022	17	94	CI around median	0.00100	0.05	MCL/HBL
G273	Selenium, total	mg/L	A5D	11/24/2015 - 08/25/2022	18	94	CI around median	0.00100	0.05	MCL/HBL

TABLE 6
DETERMINATION OF STATISTICALLY SIGNIFICANT LEVELS
 2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
 COFFEEN POWER PLANT
 104 - GMF RECYCLE POND
 COFFEEN, IL

Sample Location	Constituent	Result Unit	Event	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Result	GWPS	GWPS Source
G273	Thallium, total	mg/L	A5	11/24/2015 - 02/10/2022	15	87	CI around median	0.00100	0.002	MCL/HBL
G273	Thallium, total	mg/L	A5D	11/24/2015 - 08/25/2022	16	88	CI around median	0.00100	0.002	MCL/HBL
G276	Antimony, total	mg/L	A5	11/24/2015 - 02/09/2022	14	100	All ND - Last	0.003	0.006	MCL/HBL
G276	Antimony, total	mg/L	A5D	11/24/2015 - 09/20/2022	15	100	All ND - Last	0.00043	0.006	MCL/HBL
G276	Arsenic, total	mg/L	A5	11/24/2015 - 02/09/2022	17	100	All ND - Last	0.001	0.010	MCL/HBL
G276	Arsenic, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	100	All ND - Last	0.00069	0.010	MCL/HBL
G276	Barium, total	mg/L	A5	11/24/2015 - 02/09/2022	17	0	CB around linear reg	0.0406	2	MCL/HBL
G276	Barium, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	0	CB around linear reg	0.0390	2	MCL/HBL
G276	Beryllium, total	mg/L	A5	11/24/2015 - 02/09/2022	14	100	All ND - Last	0.001	0.004	MCL/HBL
G276	Beryllium, total	mg/L	A5D	11/24/2015 - 09/20/2022	15	100	All ND - Last	0.00059	0.004	MCL/HBL
G276	Cadmium, total	mg/L	A5	11/24/2015 - 02/09/2022	14	100	All ND - Last	0.001	0.005	MCL/HBL
G276	Cadmium, total	mg/L	A5D	11/24/2015 - 09/20/2022	15	100	All ND - Last	0.00074	0.005	MCL/HBL
G276	Chromium, total	mg/L	A5	11/24/2015 - 02/09/2022	16	100	All ND - Last	0.004	0.1	MCL/HBL
G276	Chromium, total	mg/L	A5D	11/24/2015 - 09/20/2022	17	100	All ND - Last	0.0028	0.1	MCL/HBL
G276	Cobalt, total	mg/L	A5	11/24/2015 - 02/09/2022	16	100	All ND - Last	0.002	0.006	MCL/HBL
G276	Cobalt, total	mg/L	A5D	11/24/2015 - 09/20/2022	17	100	All ND - Last	0.00048	0.006	MCL/HBL
G276	Fluoride, total	mg/L	A5	11/24/2015 - 02/09/2022	18	6	CI around median	0.355	4.0	MCL/HBL
G276	Fluoride, total	mg/L	A5D	11/24/2015 - 09/20/2022	19	5	CI around median	0.355	4.0	MCL/HBL
G276	Lead, total	mg/L	A5	11/24/2015 - 02/09/2022	17	94	CI around median	0.00100	0.015	MCL/HBL
G276	Lead, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	94	CI around median	0.00100	0.015	MCL/HBL
G276	Lithium, total	mg/L	A5	11/24/2015 - 02/09/2022	17	41	CB around linear reg	0.0168	0.04	MCL/HBL
G276	Lithium, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	44	CB around linear reg	0.0137	0.04	MCL/HBL
G276	Mercury, total	mg/L	A5	11/24/2015 - 02/09/2022	14	100	All ND - Last	0.0002	0.002	MCL/HBL
G276	Mercury, total	mg/L	A5D	11/24/2015 - 09/20/2022	15	100	All ND - Last	0.00019	0.002	MCL/HBL
G276	Molybdenum, total	mg/L	A5	11/24/2015 - 02/09/2022	17	82	CI around median	0.00100	0.1	MCL/HBL
G276	Molybdenum, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	83	CI around median	0.00100	0.1	MCL/HBL
G276	Radium 226 + Radium 228, total	pCi/L	A5	11/24/2015 - 03/21/2022	17	0	CI around geomean	0.322	5	MCL/HBL
G276	Radium 226 + Radium 228, total	pCi/L	A5D	11/24/2015 - 09/02/2022	18	0	CI around geomean	0.313	5	MCL/HBL
G276	Selenium, total	mg/L	A5	11/24/2015 - 02/09/2022	17	6	CI around mean	0.00135	0.05	MCL/HBL

TABLE 6
DETERMINATION OF STATISTICALLY SIGNIFICANT LEVELS
2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
COFFEEN POWER PLANT
104 - GMF RECYCLE POND
COFFEEN, IL

Sample Location	Constituent	Result Unit	Event	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Result	GWPS	GWPS Source
G276	Selenium, total	mg/L	A5D	11/24/2015 - 09/20/2022	18	11	CI around mean	0.00126	0.05	MCL/HBL
G276	Thallium, total	mg/L	A5	11/24/2015 - 02/09/2022	15	100	All ND - Last	0.001	0.002	MCL/HBL
G276	Thallium, total	mg/L	A5D	11/24/2015 - 09/20/2022	16	100	All ND - Last	0.00057	0.002	MCL/HBL
G279	Antimony, total	mg/L	A5	11/24/2015 - 02/08/2022	13	100	All ND - Last	0.003	0.006	MCL/HBL
G279	Antimony, total	mg/L	A5D	11/24/2015 - 08/24/2022	14	100	All ND - Last	0.00043	0.006	MCL/HBL
G279	Arsenic, total	mg/L	A5	11/24/2015 - 02/08/2022	15	93	CI around median	0.00100	0.010	MCL/HBL
G279	Arsenic, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	94	CI around median	0.00100	0.010	MCL/HBL
G279	Barium, total	mg/L	A5	11/24/2015 - 02/08/2022	15	0	CI around mean	0.0466	2	MCL/HBL
G279	Barium, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	0	CI around mean	0.0465	2	MCL/HBL
G279	Beryllium, total	mg/L	A5	11/24/2015 - 02/08/2022	13	100	All ND - Last	0.001	0.004	MCL/HBL
G279	Beryllium, total	mg/L	A5D	11/24/2015 - 08/24/2022	14	100	All ND - Last	0.00059	0.004	MCL/HBL
G279	Cadmium, total	mg/L	A5	11/24/2015 - 02/08/2022	13	100	All ND - Last	0.001	0.005	MCL/HBL
G279	Cadmium, total	mg/L	A5D	11/24/2015 - 08/24/2022	14	100	All ND - Last	0.00074	0.005	MCL/HBL
G279	Chromium, total	mg/L	A5	11/24/2015 - 02/08/2022	14	93	CI around median	0.00400	0.1	MCL/HBL
G279	Chromium, total	mg/L	A5D	11/24/2015 - 08/24/2022	15	93	CI around median	0.00400	0.1	MCL/HBL
G279	Cobalt, total	mg/L	A5	11/24/2015 - 02/08/2022	14	93	CI around median	0.00200	0.006	MCL/HBL
G279	Cobalt, total	mg/L	A5D	11/24/2015 - 08/24/2022	15	93	CI around median	0.00200	0.006	MCL/HBL
G279	Fluoride, total	mg/L	A5	11/24/2015 - 02/08/2022	16	0	CI around mean	0.338	4.0	MCL/HBL
G279	Fluoride, total	mg/L	A5D	11/24/2015 - 08/24/2022	17	0	CI around mean	0.340	4.0	MCL/HBL
G279	Lead, total	mg/L	A5	11/24/2015 - 02/08/2022	15	87	CI around median	0.00100	0.015	MCL/HBL
G279	Lead, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	88	CI around median	0.00100	0.015	MCL/HBL
G279	Lithium, total	mg/L	A5	11/24/2015 - 02/08/2022	15	60	CI around median	0.0100	0.04	MCL/HBL
G279	Lithium, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	62	CI around median	0.0100	0.04	MCL/HBL
G279	Mercury, total	mg/L	A5	11/24/2015 - 02/08/2022	13	100	All ND - Last	0.0002	0.002	MCL/HBL
G279	Mercury, total	mg/L	A5D	11/24/2015 - 08/24/2022	14	100	All ND - Last	0.00014	0.002	MCL/HBL
G279	Molybdenum, total	mg/L	A5	11/24/2015 - 02/08/2022	15	87	CI around median	0.00100	0.1	MCL/HBL
G279	Molybdenum, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	88	CI around median	0.00100	0.1	MCL/HBL
G279	Radium 226 + Radium 228, total	pCi/L	A5	11/24/2015 - 02/08/2022	17	0	CI around mean	0.644	5	MCL/HBL
G279	Radium 226 + Radium 228, total	pCi/L	A5D	11/24/2015 - 08/24/2022	18	0	CI around mean	0.657	5	MCL/HBL

TABLE 6
DETERMINATION OF STATISTICALLY SIGNIFICANT LEVELS
 2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT
 COFFEEN POWER PLANT
 104 - GMF RECYCLE POND
 COFFEEN, IL

Sample Location	Constituent	Result Unit	Event	Date Range	Sample Count	Percent Non-Detects	Statistical Calculation	Statistical Result	GWPS	GWPS Source
G279	Selenium, total	mg/L	A5	11/24/2015 - 02/08/2022	15	7	CI around mean	0.00397	0.05	MCL/HBL
G279	Selenium, total	mg/L	A5D	11/24/2015 - 08/24/2022	16	6	CB around linear reg	-0.00662	0.05	MCL/HBL
G279	Thallium, total	mg/L	A5	11/24/2015 - 02/08/2022	14	100	All ND - Last	0.001	0.002	MCL/HBL
G279	Thallium, total	mg/L	A5D	11/24/2015 - 08/24/2022	15	100	All ND - Last	0.00038	0.002	MCL/HBL

Notes:

mg/L = milligrams per liter

pCi/L = picocuries per liter

Sample Count = number of samples from Sampled Date Range used to calculate the Statistical Result

Statistical Calculation = method used to calculate the statistical result:

All ND - Last = All results were below the reporting limit, and the last determined reporting limit is shown

CB around linear reg = Confidence band around linear regression

CB around T-S line = Confidence band around Thiel-Sen line

CI around geomean = Confidence interval around the geometric mean

CI around mean = Confidence interval around the mean

CI around median = Confidence interval around the median

Statistical Result = calculated in accordance with Statistical Analysis Plan using constituent concentrations observed at monitoring well during all sampling events within the specified date range


GWPS = Groundwater Protection Standard

GWPS Source:

MCL/HBL = maximum contaminant level/health-based level

Background = background concentration

FIGURES




■ BACKGROUND WELL
■ COMPLIANCE WELL
■ 40 C.F.R. § 257 REGULATED UNIT
■ SUBJECT UNIT

■ SITE FEATURE
■ LIMITS OF FINAL COVER
■ PROPERTY BOUNDARY

MONITORING WELL LOCATION MAP

FIGURE 1



- BACKGROUND WELL
 - COMPLIANCE WELL
 - PORE WATER WELL
 - LEACHATE WELL
 - MONITORING WELL
 - STAFF GAGE, CCR UNIT
 - STAFF GAGE, RIVER
 - GROUNDWATER ELEVATION CONTOUR (2-FT CONTOUR INTERVAL, NAVD88)
 - - - INFERRED GROUNDWATER ELEVATION CONTOUR
 - GROUNDWATER FLOW DIRECTION
 - 40 C.F.R. § 257 REGULATED UNIT (SUBJECT UNIT)
 - LIMITS OF FINAL COVER
 - PROPERTY BOUNDARY

POTENTIOMETRIC SURFACE MAP
FEBRUARY 7, 2022

2022 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

GMF RECYCLE POND COFFEEN POWER PLANT

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.




RAMBOLL

NOTES:

1. ELEVATIONS IN PARENTHESES WERE NOT USED FOR CONTOURING.

1. ELEVATIONS IN PARENTHESES WERE NOT USED FOR CONTOURING.
2. ELEVATION CONTOURS SHOWN IN FEET, NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88).

A horizontal number line starting at 0 and ending at 550. Tick marks are present at 0, 275, and 550. The word "Feet" is written in a small font below the line.



POTENTIOMETRIC SURFACE MAP
AUGUST 23, 2022

2022 ANNUAL GROUNDWATER MONITORING
AND CORRECTIVE ACTION REPORT
GMF RECYCLE POND
COFFEEN POWER PLANT
COFFEEN, ILLINOIS

RAMBOLL AMERICAS
ENGINEERING SOLUTIONS, INC.

RAMBOLL

FIGURE 3

APPENDICES

APPENDIX A

LABORATORY REPORTS



Pace Analytical Services, LLC

2231 W. Altorfer Drive

Peoria, IL 61615

(800)752-6651

March 22, 2022

Eric Bauer
Ramboll - Milwaukee
234 W Florida Street, 5th Floor
Milwaukee, WI 53204

Dear Eric Bauer:

Please find enclosed the **revised** analytical results for the sample(s) the laboratory received. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the Director of Client Services, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

Gail J Schindler

Gail Schindler
Project Manager
(309) 692-9688 x1716
gail.schindler@pacelabs.com



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

SAMPLE RECEIPT CHECK LIST

Items not applicable will be marked as in compliance

Work Order FB01363

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
NO	Current PDC COC submitted
YES	Case narrative provided



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

Work Order FB01770

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
NO	Current PDC COC submitted
YES	Case narrative provided



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

Work Order FB02150

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
NO	Current PDC COC submitted
YES	Case narrative provided



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

Case Narrative

Well Cross Reference

G279 FB01363-01 = FB01362-01 = FB01360-02
G280 FB01363-02 = FB01362-02 = FB01360-03

Well Cross Reference:

G276 FB01768-08 = FB01770-01

Well Cross Reference:

G271 FB02150-01 = FB02152-06
G273 FB02150-02 = FB02151-08



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01363-01
Name: G279
Alias: COF_257_104

Sampled: 02/08/22 12:22
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	76	mg/L		02/09/22 20:57	10	10	02/09/22 20:57	CRD	EPA 300.0 REV 2.1
Fluoride	0.393	mg/L		02/09/22 20:39	1	0.250	02/09/22 20:39	CRD	EPA 300.0 REV 2.1
Sulfate	370	mg/L		02/09/22 21:15	100	100	02/09/22 21:15	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	22.72	Feet		02/08/22 00:00	1		02/08/22 00:00	FIELD	Field
Dissolved oxygen, Field	7.0	mg/L		02/08/22 00:00	1		02/08/22 00:00	FIELD	Field
Oxidation Reduction Potential	-9.70	mV		02/08/22 00:00	1	-500	02/08/22 00:00	FIELD	Field
pH, Field Measured	6.70	pH Units		02/08/22 00:00	1		02/08/22 00:00	FIELD	Field
Specific Conductance, Field Measured	1483	umhos/cm		02/08/22 00:00	1		02/08/22 00:00	FIELD	Field
Temperature, Field Measured	13.8	°C		02/08/22 00:00	1		02/08/22 00:00	FIELD	Field
Turbidity, Field Measured	0.670	NTU		02/08/22 00:00	1	0.00	02/08/22 00:00	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	400	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	1100	mg/L		02/10/22 12:10	1	17	02/10/22 14:17	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/14/22 12:51	5	3.0	02/15/22 15:47	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Barium	56	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Boron	420	ug/L		02/14/22 12:51	5	10	02/16/22 10:39	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/16/22 10:39	JMW	EPA 6020A
Calcium	190	mg/L		02/14/22 12:51	5	0.20	02/16/22 10:39	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/14/22 12:51	5	4.0	02/16/22 10:39	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		02/14/22 12:51	5	2.0	02/16/22 10:39	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Magnesium	86	mg/L		02/14/22 12:51	5	0.10	03/14/22 11:54	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/14/22 12:51	5	0.20	02/15/22 15:47	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Potassium	0.32	mg/L		02/14/22 12:51	5	0.10	02/16/22 10:39	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01363-01
Name: G279
Alias: COF_257_104

Sampled: 02/08/22 12:22
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Selenium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Sodium	81	mg/L		02/14/22 12:51	5	0.10	02/16/22 10:39	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:47	JMW	EPA 6020A
Lithium	< 20	ug/L		02/14/22 12:51	1	20	02/15/22 09:30	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01363-02
Name: G280
Alias: COF_257_104

Sampled: 02/08/22 11:05
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	51	mg/L		02/09/22 21:51	10	10	02/09/22 21:51	CRD	EPA 300.0 REV 2.1
Fluoride	0.383	mg/L		02/09/22 21:33	1	0.250	02/09/22 21:33	CRD	EPA 300.0 REV 2.1
Sulfate	82	mg/L		02/09/22 21:51	10	10	02/09/22 21:51	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	4.71	Feet		02/08/22 11:05	1		02/08/22 11:05	FIELD	Field
Dissolved oxygen, Field	4.3	mg/L		02/08/22 11:05	1		02/08/22 11:05	FIELD	Field
Oxidation Reduction Potential	-15.2	mV		02/08/22 11:05	1	-500	02/08/22 11:05	FIELD	Field
pH, Field Measured	7.17	pH Units		02/08/22 11:05	1		02/08/22 11:05	FIELD	Field
Specific Conductance, Field Measured	780.8	umhos/cm		02/08/22 11:05	1		02/08/22 11:05	FIELD	Field
Temperature, Field Measured	9.9	°C		02/08/22 11:05	1		02/08/22 11:05	FIELD	Field
Turbidity, Field Measured	11.2	NTU		02/08/22 11:05	1	0.00	02/08/22 11:05	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	220	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	440	mg/L		02/10/22 12:10	1	17	02/10/22 14:17	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/10/22 09:21	5	3.0	03/14/22 09:38	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Barium	42	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Beryllium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Boron	< 10	ug/L		02/10/22 09:21	5	10	02/11/22 12:09	WJM	EPA 6020A
Cadmium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Calcium	68	mg/L		02/10/22 09:21	5	0.20	02/11/22 12:09	KMC	EPA 6020A
Chromium	< 4.0	ug/L		02/10/22 09:21	5	4.0	02/11/22 12:09	KMC	EPA 6020A
Cobalt	< 2.0	ug/L		02/10/22 09:21	5	2.0	02/11/22 12:09	KMC	EPA 6020A
Lead	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Magnesium	30	mg/L		02/10/22 09:21	5	0.10	03/14/22 11:58	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/10/22 09:21	5	0.20	02/11/22 12:09	KMC	EPA 6020A
Molybdenum	1.7	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Potassium	6.7	mg/L		02/10/22 09:21	5	0.10	03/14/22 09:38	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01363-02
Name: G280
Alias: COF_257_104

Sampled: 02/08/22 11:05
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Selenium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Sodium	53	mg/L		02/10/22 09:21	5	0.10	03/14/22 11:58	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:09	KMC	EPA 6020A
Lithium	< 20	ug/L		02/10/22 09:21	1	20	02/15/22 10:03	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01770-01
Name: G276
Alias: COF_257_104

Sampled: 02/09/22 15:41
Received: 02/09/22 16:30
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	23	mg/L		02/15/22 09:35	10	10	02/15/22 09:35	CRD	EPA 300.0 REV 2.1
Fluoride	0.329	mg/L		02/15/22 09:17	1	0.250	02/15/22 09:17	CRD	EPA 300.0 REV 2.1
Sulfate	270	mg/L		02/15/22 09:53	100	100	02/15/22 09:53	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	27.37	Feet		02/09/22 15:41	1		02/09/22 15:41	FIELD	Field
Dissolved oxygen, Field	3.8	mg/L		02/09/22 15:41	1		02/09/22 15:41	FIELD	Field
Oxidation Reduction Potential	112	mV		02/09/22 15:41	1	-500	02/09/22 15:41	FIELD	Field
pH, Field Measured	7.02	pH Units		02/09/22 15:41	1		02/09/22 15:41	FIELD	Field
Specific Conductance, Field Measured	1379	umhos/cm		02/09/22 15:41	1		02/09/22 15:41	FIELD	Field
Temperature, Field Measured	12.8	°C		02/09/22 15:41	1		02/09/22 15:41	FIELD	Field
Turbidity, Field Measured	< 0.00	NTU		02/09/22 15:41	1	0.00	02/09/22 15:41	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	460	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	860	mg/L		02/11/22 15:13	1	17	02/11/22 16:21	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/15/22 07:51	5	3.0	02/17/22 14:38	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Barium	48	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Boron	21	ug/L		02/15/22 07:51	5	10	02/18/22 11:43	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Calcium	140	mg/L		02/15/22 07:51	5	0.20	02/17/22 14:38	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/15/22 07:51	5	4.0	02/17/22 14:38	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		02/15/22 07:51	5	2.0	02/17/22 14:38	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Magnesium	66	mg/L		02/15/22 07:51	5	0.10	02/18/22 11:43	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/15/22 07:51	5	0.20	02/17/22 14:38	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Potassium	0.55	mg/L		02/15/22 07:51	5	0.10	02/17/22 14:38	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01770-01
Name: G276
Alias: COF_257_104

Sampled: 02/09/22 15:41
Received: 02/09/22 16:30
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Selenium	1.1	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Sodium	96	mg/L		02/15/22 07:51	5	0.10	02/18/22 11:43	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/15/22 07:51	5	1.0	02/17/22 14:38	JMW	EPA 6020A
Lithium	< 20	ug/L		02/15/22 07:51	1	20	02/15/22 11:38	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB02150-01
Name: G271
Alias: COF_257_104

Sampled: 02/10/22 11:39
Received: 02/11/22 07:17
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	58	mg/L	Q4	03/03/22 16:25	10	10	03/03/22 16:25	CRD	EPA 300.0 REV 2.1
Fluoride	0.368	mg/L	Q3	03/03/22 15:30	1	0.250	03/03/22 15:30	CRD	EPA 300.0 REV 2.1
Sulfate	340	mg/L	Q4	03/03/22 16:43	100	100	03/03/22 16:43	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	8.83	Feet		02/10/22 11:39	1		02/10/22 11:39	FIELD	Field
Dissolved oxygen, Field	3.2	mg/L		02/10/22 11:39	1		02/10/22 11:39	FIELD	Field
Oxidation Reduction Potential	-20.0	mV		02/10/22 11:39	1	-500	02/10/22 11:39	FIELD	Field
pH, Field Measured	7.35	pH Units		02/10/22 11:39	1		02/10/22 11:39	FIELD	Field
Specific Conductance, Field Measured	1010	umhos/cm		02/10/22 11:39	1		02/10/22 11:39	FIELD	Field
Temperature, Field Measured	10.8	°C		02/10/22 11:39	1		02/10/22 11:39	FIELD	Field
Turbidity, Field Measured	< 0.00	NTU		02/10/22 11:39	1	0.00	02/10/22 11:39	FIELD	Field
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	870	mg/L		02/15/22 14:48	1	17	02/15/22 16:33	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/15/22 12:31	5	3.0	02/18/22 13:10	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Barium	19	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Boron	1400	ug/L		02/15/22 12:31	5	10	02/18/22 13:10	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Calcium	120	mg/L		02/15/22 12:31	5	0.20	02/18/22 13:10	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/15/22 12:31	5	4.0	02/18/22 13:10	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		02/15/22 12:31	5	2.0	02/18/22 13:10	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Magnesium	56	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:10	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/15/22 12:31	5	0.20	02/18/22 13:10	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Potassium	0.39	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:10	JMW	EPA 6020A
Selenium	1.5	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Sodium	86	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:10	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:10	JMW	EPA 6020A
Lithium	< 20	ug/L		02/15/22 12:31	1	20	02/18/22 10:17	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB02150-02
Name: G273
Alias: COF_257_104

Sampled: 02/10/22 13:50
Received: 02/11/22 07:17
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	69	mg/L		02/23/22 20:43	10	10	02/23/22 20:43	CRD	EPA 300.0 REV 2.1
Fluoride	0.352	mg/L		02/23/22 20:23	1	0.250	02/23/22 20:23	CRD	EPA 300.0 REV 2.1
Sulfate	410	mg/L		02/23/22 21:44	100	100	02/23/22 21:44	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	9.75	Feet		02/10/22 13:50	1		02/10/22 13:50	FIELD	Field
Dissolved oxygen, Field	1.8	mg/L		02/10/22 13:50	1		02/10/22 13:50	FIELD	Field
Oxidation Reduction Potential	50.0	mV		02/10/22 13:50	1	-500	02/10/22 13:50	FIELD	Field
pH, Field Measured	7.25	pH Units		02/10/22 13:50	1		02/10/22 13:50	FIELD	Field
Specific Conductance, Field Measured	1528	umhos/cm		02/10/22 13:50	1		02/10/22 13:50	FIELD	Field
Temperature, Field Measured	12.0	°C		02/10/22 13:50	1		02/10/22 13:50	FIELD	Field
Turbidity, Field Measured	< 0.00	NTU		02/10/22 13:50	1	0.00	02/10/22 13:50	FIELD	Field
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	1100	mg/L		02/15/22 14:48	1	17	02/15/22 16:33	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/15/22 12:31	5	3.0	02/18/22 13:14	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Barium	29	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Boron	59	ug/L		02/15/22 12:31	5	10	02/18/22 13:14	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Calcium	160	mg/L		02/15/22 12:31	5	0.20	02/18/22 13:14	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/15/22 12:31	5	4.0	02/18/22 13:14	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		02/15/22 12:31	5	2.0	02/18/22 13:14	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Magnesium	77	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:14	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/15/22 12:31	5	0.20	02/18/22 13:14	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Potassium	0.44	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:14	JMW	EPA 6020A
Selenium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Sodium	99	mg/L		02/15/22 12:31	5	0.10	02/18/22 13:14	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 13:14	JMW	EPA 6020A
Lithium	< 20	ug/L		02/15/22 12:31	1	20	02/18/22 10:19	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224022 - SW 3015 - EPA 6020A</u>									
Blank (B224022-BLK1)									
Antimony	< 3.0	ug/L							
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224022-BS1)									
Antimony	547	ug/L		555.6		98	80-120		
Arsenic	523	ug/L		555.6		94	80-120		
Barium	542	ug/L		555.6		98	80-120		
Beryllium	535	ug/L		555.6		96	80-120		
Boron	517	ug/L		555.6		93	80-120		
Cadmium	528	ug/L		555.6		95	80-120		
Calcium	5.80	mg/L		5.556		104	80-120		
Chromium	545	ug/L		555.6		98	80-120		
Cobalt	545	ug/L		555.6		98	80-120		
Lead	540	ug/L		555.6		97	80-120		
Magnesium	6.07	mg/L		5.556		109	80-120		
Mercury	51.4	ug/L		55.56		93	80-120		
Molybdenum	504	ug/L		555.6		91	80-120		
Potassium	5.84	mg/L		5.556		105	80-120		
Selenium	535	ug/L		555.6		96	80-120		
Sodium	6.02	mg/L		5.556		108	80-120		
Thallium	539	ug/L		555.6		97	80-120		
Lithium	526	ug/L		555.6		95	80-120		
<u>Batch B224043 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224043-CCB1)									
Chloride	0.469	mg/L							
Sulfate	0.0350	mg/L							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224043 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224043-CCB1)									
Fluoride	0.00	mg/L			Prepared & Analyzed: 02/09/22				
Calibration Check (B224043-CCV1)									
Sulfate	4.67	mg/L		5.000		93	90-110		
Fluoride	4.85	mg/L		5.000		97	90-110		
Chloride	4.58	mg/L		5.000		92	90-110		
<u>Batch B224051 - No Prep - SM 2540C</u>									
Blank (B224051-BLK1)									
Solids - total dissolved solids (TDS)	< 17	mg/L			Prepared & Analyzed: 02/10/22				
LCS (B224051-BS1)									
Solids - total dissolved solids (TDS)	960	mg/L		1000		96	84.9-109		
<u>Batch B224238 - No Prep - SM 2540C</u>									
Blank (B224238-BLK1)									
Solids - total dissolved solids (TDS)	< 17	mg/L			Prepared & Analyzed: 02/11/22				
LCS (B224238-BS1)									
Solids - total dissolved solids (TDS)	900	mg/L		1000		90	84.9-109		
<u>Batch B224309 - No Prep - SM 2320B 1997</u>									
Blank (B224309-BLK1)									
Alkalinity - carbonate as CaCO3	2.50	mg/L			Prepared & Analyzed: 02/10/22				
Blank (B224309-BLK2)									
Alkalinity - carbonate as CaCO3	2.50	mg/L			Prepared & Analyzed: 02/10/22				
<u>Batch B224310 - No Prep - SM 2320B 1997</u>									
Blank (B224310-BLK1)									
Alkalinity - bicarbonate as CaCO3	2.50	mg/L			Prepared & Analyzed: 02/10/22				
Blank (B224310-BLK2)									
Alkalinity - bicarbonate as CaCO3	2.50	mg/L			Prepared & Analyzed: 02/10/22				
<u>Batch B224335 - SW 3015 - EPA 6020A</u>									
Blank (B224335-BLK1)									
Antimony	< 3.0	ug/L			Prepared: 02/14/22 Analyzed: 02/15/22				
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224335 - SW 3015 - EPA 6020A</u>									
Blank (B224335-BLK1)									
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224335-BS1)									
Antimony	552	ug/L		555.6		99	80-120		
Arsenic	527	ug/L		555.6		95	80-120		
Barium	547	ug/L		555.6		98	80-120		
Beryllium	542	ug/L		555.6		98	80-120		
Boron	568	ug/L		555.6		102	80-120		
Cadmium	542	ug/L		555.6		98	80-120		
Calcium	6.56	mg/L		5.556		118	80-120		
Chromium	581	ug/L		555.6		105	80-120		
Cobalt	558	ug/L		555.6		100	80-120		
Lead	585	ug/L		555.6		105	80-120		
Magnesium	6.23	mg/L		5.556		112	80-120		
Mercury	56.0	ug/L		55.56		101	80-120		
Molybdenum	536	ug/L		555.6		97	80-120		
Potassium	6.22	mg/L		5.556		112	80-120		
Selenium	555	ug/L		555.6		100	80-120		
Sodium	6.53	mg/L		5.556		118	80-120		
Thallium	562	ug/L		555.6		101	80-120		
Lithium	511	ug/L		555.6		92	80-120		
<u>Batch B224401 - SW 3015 - EPA 6020A</u>									
Blank (B224401-BLK1)									
Antimony	< 3.0	ug/L							
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	0.101	mg/L	B						



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224401 - SW 3015 - EPA 6020A</u>									
Blank (B224401-BLK1)									
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224401-BS1)									
Antimony	542	ug/L		555.6		97	80-120		
Arsenic	520	ug/L		555.6		94	80-120		
Barium	572	ug/L		555.6		103	80-120		
Beryllium	528	ug/L		555.6		95	80-120		
Boron	504	ug/L		555.6		91	80-120		
Cadmium	534	ug/L		555.6		96	80-120		
Calcium	6.37	mg/L		5.556		115	80-120		
Chromium	564	ug/L		555.6		101	80-120		
Cobalt	550	ug/L		555.6		99	80-120		
Lead	565	ug/L		555.6		102	80-120		
Magnesium	6.25	mg/L		5.556		112	80-120		
Mercury	53.1	ug/L		55.56		96	80-120		
Molybdenum	513	ug/L		555.6		92	80-120		
Potassium	6.60	mg/L		5.556		119	80-120		
Selenium	537	ug/L		555.6		97	80-120		
Sodium	6.49	mg/L		5.556		117	80-120		
Thallium	557	ug/L		555.6		100	80-120		
Lithium	519	ug/L		555.6		93	80-120		
<u>Batch B224468 - SW 3015 - EPA 6020A</u>									
Blank (B224468-BLK1)									
Antimony	< 3.0	ug/L							
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224468-BS1)									
Antimony	537	ug/L		555.6		97	80-120		



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224468 - SW 3015 - EPA 6020A</u>									
LCS (B224468-BS1)									
Arsenic	527	ug/L		555.6		95	80-120		
Barium	555	ug/L		555.6		100	80-120		
Beryllium	518	ug/L		555.6		93	80-120		
Boron	506	ug/L		555.6		91	80-120		
Cadmium	547	ug/L		555.6		99	80-120		
Calcium	6.28	mg/L		5.556		113	80-120		
Chromium	580	ug/L		555.6		104	80-120		
Cobalt	572	ug/L		555.6		103	80-120		
Lead	550	ug/L		555.6		99	80-120		
Magnesium	6.23	mg/L		5.556		112	80-120		
Mercury	54.4	ug/L		55.56		98	80-120		
Molybdenum	558	ug/L		555.6		100	80-120		
Potassium	6.42	mg/L		5.556		116	80-120		
Selenium	547	ug/L		555.6		99	80-120		
Sodium	6.46	mg/L		5.556		116	80-120		
Thallium	548	ug/L		555.6		99	80-120		
Lithium	574	ug/L		555.6		103	80-120		
<u>Batch B224493 - No Prep - SM 2540C</u>									
Blank (B224493-BLK1)									
Solids - total dissolved solids (TDS)	< 17	mg/L			Prepared & Analyzed: 02/15/22				
LCS (B224493-BS1)									
Solids - total dissolved solids (TDS)	947	mg/L		1000		95	84.9-109		
<u>Batch B224516 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224516-CCB1)									
Fluoride	0.00	mg/L			Prepared & Analyzed: 02/14/22				
Chloride	0.554	mg/L							
Sulfate	0.00	mg/L							
Calibration Blank (B224516-CCB2)									
Fluoride	0.00	mg/L			Prepared & Analyzed: 02/14/22				
Chloride	0.494	mg/L							
Sulfate	0.00410	mg/L							
Calibration Check (B224516-CCV1)									
Chloride	5.12	mg/L		5.000		102	90-110		
Fluoride	5.29	mg/L		5.000		106	90-110		
Sulfate	5.10	mg/L		5.000		102	90-110		
Calibration Check (B224516-CCV2)									
Chloride	4.94	mg/L		5.000		99	90-110		
Fluoride	5.24	mg/L		5.000		105	90-110		
Sulfate	4.99	mg/L		5.000		100	90-110		
<u>Batch B224606 - No Prep - SM 2320B 1997</u>									
Blank (B224606-BLK1)									
					Prepared & Analyzed: 02/15/22				



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224606 - No Prep - SM 2320B 1997</u>									
Blank (B224606-BLK1)					Prepared & Analyzed: 02/15/22				
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L							
Blank (B224606-BLK2)					Prepared & Analyzed: 02/15/22				
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L							
Blank (B224606-BLK3)					Prepared & Analyzed: 02/15/22				
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L							
<u>Batch B224607 - No Prep - SM 2320B 1997</u>									
Blank (B224607-BLK1)					Prepared & Analyzed: 02/15/22				
Alkalinity - carbonate as CaCO ₃	< 2.0	mg/L							
Blank (B224607-BLK2)					Prepared & Analyzed: 02/15/22				
Alkalinity - carbonate as CaCO ₃	< 2.0	mg/L							
<u>Batch B225386 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B225386-CCB1)					Prepared & Analyzed: 02/23/22				
Fluoride	0.00	mg/L							
Chloride	0.550	mg/L							
Sulfate	0.0684	mg/L							
Calibration Check (B225386-CCV1)					Prepared & Analyzed: 02/23/22				
Chloride	4.96	mg/L		5.000		99	90-110		
Fluoride	4.80	mg/L		5.000		96	90-110		
Sulfate	5.07	mg/L		5.000		101	90-110		
<u>Batch B226075 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B226075-CCB1)					Prepared & Analyzed: 03/03/22				
Sulfate	0.0629	mg/L							
Fluoride	0.00	mg/L							
Chloride	0.606	mg/L							
Calibration Check (B226075-CCV1)					Prepared & Analyzed: 03/03/22				
Chloride	4.95	mg/L		5.000		99	90-110		
Sulfate	5.09	mg/L		5.000		102	90-110		
Fluoride	5.22	mg/L		5.000		104	90-110		
Matrix Spike (B226075-MS1)	Sample: FB02150-01				Prepared & Analyzed: 03/03/22				
Sulfate	1.00E9	mg/L	Q4	1.500	339	NR	80-120		
Fluoride	0.361	mg/L	Q1	1.500	0.368	NR	80-120		
Chloride	1.0E9	mg/L	Q4	1.500	58	NR	80-120		
Matrix Spike Dup (B226075-MSD1)	Sample: FB02150-01				Prepared & Analyzed: 03/03/22				
Sulfate	1.00E9	mg/L	Q4	1.500	339	NR	80-120	0	20
Fluoride	0.361	mg/L	Q2	1.500	0.368	NR	80-120	0.1	20
Chloride	1.0E9	mg/L	Q4	1.500	58	NR	80-120	0	20



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Memos

Revised Report - added field sheets and corrected time collected for G279

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279
Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230
Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553
Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)
Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)
Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389
TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080
Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050
Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050

Qualifiers

- B Present in the method blank at 101 ug/L.
- Q1 Matrix Spike failed % recovery acceptance limits. The associated blank spike recovery was acceptable.
- Q2 Matrix Spike Duplicate failed % recovery acceptance limits. The associated blank spike recovery was acceptable.
- Q3 Matrix Spike/Matrix Spike Duplicate both failed % recovery acceptance limits. The associated blank spike recovery was acceptable.
- Q4 The matrix spike recovery result is unusable since the analyte concentration in the sample is greater than four times the spike level.
The associated blank spike was acceptable.

Certified by: Gail Schindler, Project Manager



WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION

Site: Coffeen GMF Recycle Pond		Client: RAMBOLL									
Project Number: 2285	Task #: Unit 104	Start Date: 2/10/2022	Time: 1016								
Field Personnel: Aaron Pemberton		Finish Date: 2/10/2022	Time: 1139								
WELL INFORMATION		EVENT TYPE		PURGE INFORMATION							
Well ID: G271		<input type="checkbox"/> Well Development	<input type="checkbox"/> Low-Flow / Low-Stress Sampling	Purge Method: <input type="checkbox"/> Bailer	<input checked="" type="checkbox"/> Pump						
Casing ID: 2	Inches	<input checked="" type="checkbox"/> Well Volume Approach Sampling	<input type="checkbox"/> Other (Specify below)	Bailer Type: n/a							
Screen Interval: 4.35'				Pump Type and Serial #: n/a							
Borehole Diameter: n/a	Inches			Tube/Pump Intake Depth: n/a							
Filter Pack Interval: n/a				Stabilized Pumping Rate: 100 ml/min							
DEPTH MEASUREMENTS			VOLUME CALCULATION AND PRODUCTION INFORMATION								
	INITIAL		FINAL		Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole						
	Depth FT BTOC	Date/Time (24-Hour)	Depth FT BTOC	Date/Time (24-Hour)							
LNAPL	n/a	n/a	n/a	Volume Per Foot:							
Groundwater	8.83	1023	10.32	Standing Water Column:	feet						
DNAPL	n/a	n/a	n/a	1 Well Volume: n/a Gallons	3 Well Volumes: n/a Gallons						
Casing Base	n/a	n/a	n/a	5 Well Volumes: n/a Gallons	10 Well Volumes: n/a Gallons						
Water Level Serial #:	Damon Dwyer - T # 4774-T		Water Quality Probe Type and Serial #	A7600 B762098							
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (μs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	10.23	0	8.83	0							
purge	1035	1200	9.97	1.14	10.76	7.40	1025.3	3.38	0.04	-6.6	clear
	1037	1400	9.97	1.14	10.76	7.38	1030.9	3.33	0.00	-12.8	clear
	1039	1600	10.00	1.17	10.81	7.35	1010.1	3.24	0.00	-20.0	clear
NOTES						ABBREVIATIONS					
Quarterly filled here MS/MSD/Dup Filled here						Cond. - Actual Conductivity FT BTOC - Feet Below Top of Casing n/a - Not Applicable nm - Not Measured ORP - Oxidation-Reduction Potential SEC - Specific Electrical Conductance SU - Standard Units Temp - Temperature °C - Degrees Celcius					

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION

Site: Coffeen GMF Recycle Pond				Client: RAMBOLL							
Project Number: 2285		Task #: Unit 104		Start Date: 2/10/2022		Time: 12 45					
Field Personnel: Aaron Pemberton				Finish Date: 2/10/2022		Time: 13 50					
WELL INFORMATION		EVENT TYPE		PURGE INFORMATION							
Well ID: G273 Casing ID: 2 Inches Screen Interval: 5.48' Borehole Diameter: n/a Inches Filter Pack Interval: n/a		<input type="checkbox"/> Well Development <input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling <input type="checkbox"/> Well Volume Approach Sampling <input type="checkbox"/> Other (Specify below)		Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Pump Bailer Type: n/a Pump Type and Serial #: n/a Tube/Pump Intake Depth: n/a Stabilized Pumping Rate: 100 ml/min							
DEPTH MEASUREMENTS				VOLUME CALCULATION AND PRODUCTION INFORMATION							
	INITIAL		FINAL		Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole Volume Per Foot: Standing Water Column: feet						
	Depth FT BTOC	Date/Time (24-Hour)	Depth FT BTOC	Date/Time (24-Hour)	1 Well Volume: n/a Gallons 3 Well Volumes: n/a Gallons 5 Well Volumes: n/a Gallons 10 Well Volumes: n/a Gallons Total Volumes Produced: n/a Gallons Well Purged Dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
LNAPL	n/a	n/a	n/a								
Groundwater	9.75	12.55	10.00								
DNAPL	n/a	n/a	n/a								
Casing Base	n/a	n/a	n/a								
Water Level Serial #:	Heron Digger - T 4718-T		Water Quality Probe Type and Serial #	A1600 4762098							
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	1255	0	9.75	0	~	-	-	-	-	-	-
purge	1307	1200	10.00	0.25	11.97	7.25	1508.6	1.81	0.00	50.5	Clear
	1309	1400	10.00	0.25	11.94	7.25	1530.3	1.93	0.00	50.2	Clear
	1311	1600	10.00	0.25	12.02	7.25	1528.3	1.79	0.00	50.0	Clear
NOTES										ABBREVIATIONS	
<i>Quartermaster Collected here</i>										Cond. - Actual Conductivity FT BTOC - Feet Below Top of Casing na - Not Applicable nm - Not Measured ORP - Oxidation-Reduction Potential SEC - Specific Electrical Conductance SU - Standard Units Temp - Temperature °C - Degrees Celsius	

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION

Site: Coffeen GMF Recycle Pond				Client: RAMBOLL							
Project Number: 2285		Task #: Unit 104		Start Date: 2/19/2022		Time: 12:08					
Field Personnel: Aaron Robertson				Finish Date: 2/19/2022		Time: 15:41					
WELL INFORMATION		EVENT TYPE		PURGE INFORMATION							
Well ID: G276 Casing ID: 2 Inches Screen Interval: 4.81' Borehole Diameter: n/a Inches Filter Pack Interval: n/a		<input type="checkbox"/> Well Development <input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling <input type="checkbox"/> Well Volume Approach Sampling <input type="checkbox"/> Other (Specify below)		Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Pump Bailer Type: n/a Pump Type and Serial #: n/a Tube/Pump Intake Depth: n/a Stabilized Pumping Rate: 100 ml/min							
DEPTH MEASUREMENTS				VOLUME CALCULATION AND PRODUCTION INFORMATION							
	INITIAL		FINAL		Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole						
	Depth FT BTOC	Date/Time (24-Hour)	Depth FT BTOC	Date/Time (24-Hour)	Volume Per Foot:						
LNAPL	n/a	n/a	n/a	Standing Water Column: feet							
Groundwater	27.31	1410	28.50	1 Well Volume: n/a Gallons 3 Well Volumes: n/a Gallons							
DNAPL	n/a	n/a	n/a	5 Well Volumes: n/a Gallons 10 Well Volumes: n/a Gallons							
Casing Base	n/a	n/a	n/a	Total Volumes Produced: n/a Gallons							
Water Level Serial #:	Heron Diga - 7 # 4778-7			Water Quality Probe Type and Serial # AT600 #762098							
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (μs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	1410	0	27.31	0	-	-	-	-	-	-	-
purge	1422	1200	27.85	0.48	12.96	7.00	1375.5	3.72	0.00	111.5	clear
	1424	1400	27.85	0.48	12.80	7.02	1377.5	3.64	0.00	111.4	clear
	1426	1600	27.85	0.48	12.79	7.02	1378.7	3.78	0.00	111.9	clear
											
NOTES										ABBREVIATIONS	
<i>Quarterly filled here</i>										Cond. - Actual Conductivity FT BTOC - Feet Below Top of Casing n/a - Not Applicable nm - Not Measured	
										ORP - Oxidation-Reduction Potential SEC - Specific Electrical Conductance SU - Standard Units Temp - Temperature °C - Degrees Celsius	

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION

Site: Coffeen GMF Recycle Pond		Client: RAMBOLL									
Project Number: 2285	Task #: Unit 104	Start Date: 2/8/22	Time: 11:14								
Field Personnel: Tracy Carroll, Terry O'Conor		Finish Date: 2/8/22	Time: 12:22								
WELL INFORMATION		EVENT TYPE	PURGE INFORMATION								
Well ID: G279	<input type="checkbox"/> Well Development <input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling <input type="checkbox"/> Well Volume Approach Sampling <input type="checkbox"/> Other (Specify below)		Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Pump Bailer Type: n/a Pump Type and Serial #: n/a Tube/Pump Intake Depth: n/a Stabilized Pumping Rate: 100 ml/min								
Casing ID: 2 Inches	Screen Interval: 4.39'	Borehole Diameter: n/a Inches	Filter Pack Interval: n/a								
DEPTH MEASUREMENTS		VOLUME CALCULATION AND PRODUCTION INFORMATION									
	INITIAL		FINAL		Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole Volume Per Foot: Standing Water Column: feet 1 Well Volume: n/a Gallons 3 Well Volumes: n/a Gallons 5 Well Volumes: n/a Gallons 10 Well Volumes: n/a Gallons Total Volumes Produced: n/a Gallons Well Purged Dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
	Depth FT BTOP	Date/Time (24-Hour)	Depth FT BTOP	Date/Time (24-Hour)							
LNAPL	n/a	n/a	n/a								
Groundwater	22.72	21.51/22 11:14	22.83	2/8/22 12:22							
DNAPL	n/a	n/a	n/a								
Casing Base	n/a	n/a	n/a								
Water Level Serial #:	Heron 14 PP 21110 LS HB		Water Quality Probe Type and Serial #	AT600 739480							
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	11:14	0	22.72								
purge	11:30	1000	22.83	0.11	14.33	6.68	1426.4	6.75	0.54	-15.0	Clear
	11:31	1100	22.83	0.11	14.25	6.69	1507.8	6.90	0.53	-13.6	Clear
	11:32	1200	22.83	0.11	14.05	6.69	1467.7	7.08	0.48	-12.1	Clear
	11:33	1300	22.83	0.11	13.90	6.70	1480.2	7.67	0.50	-11.1	Clear
	11:34	1400	22.83	0.11	13.79	6.70	1483.3	6.97	0.67	-9.7	Clear
NOTES										ABBREVIATIONS	
										Cond. - Actual Conductivity	ORP - Oxidation-Reduction Potential
										FT BTOP - Feet Below Top of Casing	SEC - Specific Electrical Conductance
										n/a - Not Applicable	SU - Standard Units
										nm - Not Measured	Temp - Temperature
										°C - Degrees Celsius	

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION

Site: Coffeen GMF Recycle Pond				Client: RAMBOLL								
Project Number: 2285 Task #: Unit 104				Start Date: 2/8/22				Time: 9:39				
Field Personnel: Tracy Carroll Tracy Carroll				Finish Date: 2/8/22				Time: 11:05				
WELL INFORMATION		EVENT TYPE			PURGE INFORMATION							
Well ID: G280		<input type="checkbox"/> Well Development	<input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling	<input type="checkbox"/> Well Volume Approach Sampling	<input type="checkbox"/> Other (Specify below)	Purge Method:	<input type="checkbox"/> Bailer	<input checked="" type="checkbox"/> Pump	Bailer Type:	n/a	Pump Type and Serial #:	n/a
Casing ID: 2	Inches					Tube/Pump Intake Depth:	n/a			Stabilized Pumping Rate:	100 ml/min	
Screen Interval: 4.84'												
Borehole Diameter: n/a	Inches											
Filter Pack Interval: n/a												
DEPTH MEASUREMENTS					VOLUME CALCULATION AND PRODUCTION INFORMATION							
	INITIAL		FINAL		Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole							
	Depth FT BTOPC	Date/Time (24-Hour)	Depth FT BTOPC	Date/Time (24-Hour)	Volume Per Foot:							
LNAPL	n/a	n/a	n/a	n/a	Standing Water Column: feet							
Groundwater	4.71	2/8/22	4.84	2/8/22	1 Well Volume:	n/a	Gallons	3 Well Volumes:	n/a	Gallons		
DNAPL	n/a	n/a	n/a	n/a	5 Well Volumes:	n/a	Gallons	10 Well Volumes:	n/a	Gallons		
Casing Base	n/a	n/a	n/a	n/a	Total Volumes Produced: n/a Gallons							
Water Level Serial #:	Heron 19FF211015HB			Water Quality Probe Type and Serial # AT600 739450								
WATER QUALITY INDICATOR PARAMETERS												
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (μs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity	
initial	9:39	0	4.71									
purge	10:07	1000	4.84	0.13	10.09	7.15	792.39	4.98	12.54	-2.5	Clear	
	10:08	1100	4.84	0.13	10.02	7.16	786.92	4.82	13.54	-7.5	Clear	
	10:09	1200	4.84	0.13	9.99	7.17	781.87	4.56	16.98	-10.0	Clear	
	10:10	1300	4.84	0.13	9.93	7.17	784.23	4.40	11.88	-14.1	Clear	
	10:11	1400	4.84	0.13	9.92	7.17	780.82	4.34	11.15	-15.2	Clear	
NOTES							ABBREVIATIONS					
GYPE1 CCR							Cond. - Actual Conductivity	ORP - Oxidation-Reduction Potential				
							FT BTOPC - Feet Below Top of Casing	SEC - Specific Electrical Conductance				
							na - Not Applicable	SU - Standard Units				
							nm - Not Measured	Temp - Temperature				
								°C - Degrees Celcius				

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Matt Julian</i>		Date:	<i>2/18/22</i>	
Weather conditions:	<i>54° - 57°F P. cloudy wind 10-20 mph SW</i>		Signature:	<i>[Signature]</i>	
Make/Model	AquaTroll 600		S/N	<i>762215</i>	
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.					
Sources					
pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22
Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22
RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*:		
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	1GF668	
Prepared by:	PDC Tech Services, Inc:		exp:	Mar-22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:					Calibrate?	Adjusted Reading
Buffer	Check Value	Units	Range	Pass/Fail		
4a	4.00	s.u.	± 0.1 s.u.	Pass	No	NA
7a	7.04	s.u.	± 0.1 s.u.			
10a	10.06	s.u.	± 0.1 s.u.			
SC Zero (DI)	23.51	$\mu\text{S}/\text{cm}$	0<25 $\mu\text{S}/\text{cm}$			
SC 2000	2004.7	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
ORP	243.2 @ 150 mV	mV	± 15 mV			
DO (Zero pt)	0.03	mg/L	± 0.1			
DO (Saturated)	99.72	%	97-100%			
Turbidity (DI)	0.92	NTU	<2 NTU	✓		✓

ICV (Initial Calibration Verification) 1054					Action Taken?
Buffer	Check Value	Units	Range	Pass/Fail	
4b	4.09	s.u.	± 0.15 s.u.	Pass	None
7b	6.91	s.u.	± 0.15 s.u.		
10b	9.98	s.u.	± 0.15 s.u.		✓
SC1000	986.19	$\mu\text{S}/\text{cm}$	$\pm 5\%$	✓	

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.05	s.u.	± 0.1 s.u.	Pass	No	NA
7	7.07	s.u.	± 0.1 s.u.			
10	10.09	s.u.	± 0.1 s.u.			
SC 1000	991.32	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)	0.08	mg/L	± 0.1 mg/L			
Turbidity (DI)	1.02	NTU	<2 NTU	✓		✓

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	± 0.1 s.u.			
7*		s.u.	± 0.1 s.u.			
10		s.u.	± 0.1 s.u.			
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)		mg/L	± 0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature: 	Date: 2/18/22
--	---------------

Multiparameter Meter Field Calibration Checklist

Field Personnel	Tracy Carroll	Date:	2/8/22
Weather conditions:	25-43 °F Partly Cloudy	Signature:	Tracy Carroll
Make/Model	AquaTroll 600	S/N	729250
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.			
Sources			
pH Buffers			
Primary Source:			
pH: 4a	4.00	pH: 7a	7.00
Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	K063-05	Lot #:	K134-08
exp:	6/8/23	exp:	6/23/23
			12/17/22
Secondary Source:			
pH: 4b	4.00	pH: 7b	7.00
Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	LabChem
Lot #:	OGD046	Lot #:	J214-24
exp:	AUG/23	exp:	APR/23
			May/23
Spec Con.			
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000
Range:	Not Measured	Range:	+/- 1
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical
Received:		Lot #:	4002A08
		exp:	Dec/22
			Apr/22

3/21/22
TC

RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*: 245.9	@ 10°C	
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	OGC1145	
Prepared by:	PDC Tech Services, Inc.		exp:	AUG/22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:					8:42	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.93	s.u.	± 0.1 s.u.	P	No	
7a	6.94	s.u.	± 0.1 s.u.			
10a	10.03	s.u.	± 0.1 s.u.			
SC Zero (DI)	22.35	$\mu\text{S}/\text{cm}$	0<25 $\mu\text{S}/\text{cm}$			
SC 2000	2119.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
ORP (0.1)	240.9	mV	± 15 mV			
DO (Zero pt)	0.05	mg/L	± 0.1			
DO (Saturated)	142.20	%	97-100%	F	Y	100
Turbidity (DI)	0.17	NTU	<2 NTU	P	No	

ICV (Initial Calibration Verification)					9:08	
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	
4b	3.93	s.u.	± 0.15 s.u.	P		
7b	6.87	s.u.	± 0.15 s.u.			
10b	9.94	s.u.	± 0.15 s.u.			
SC1000	1035.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$			

CCV (Continued Calibration Verification):					14:56	
Buffer	Check Value	Units	Range	Pass/Fail	Approx. every 4 hrs, unless only one well	
4	4.03	s.u.	± 0.1 s.u.	P	No	NA
7	6.99	s.u.	± 0.1 s.u.			
10	9.99	s.u.	± 0.1 s.u.			
SC 1000	995.77	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)	0.09	mg/L	± 0.1 mg/L			
Turbidity (DI)	0.83	NTU	<2 NTU			

CCV (Continued Calibration Verification):					16:48		
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	
4	4.02	s.u.	± 0.1 s.u.	P	N	NA	
7*	7.02	s.u.	± 0.1 s.u.				
10	10.04	s.u.	± 0.1 s.u.				
SC 1000	1009.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$				
DO (Zero pt)	0.10	mg/L	± 0.1 mg/L				
Turbidity (DI)	0.18	NTU	<2 NTU				
Comments:							

Signature:	Date:
<i>Jerry Cuzzorti</i>	2/8/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	MJN	Date:	3/8/22
Weather conditions:	21-46°, sunny, NE6 mph wind	Signature:	Linda Burkhardt
Make/Model	AquaTroll 600	S/N	8446000

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22

Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*:	
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes:	*See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 0820

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	<u>4.04</u>	s.u.	± 0.1 s.u.			
7a	<u>7.05</u>	s.u.	± 0.1 s.u.			
10a	<u>10.03</u>	s.u.	± 0.1 s.u.			
SC Zero (DI)	<u>13.07</u>	$\mu\text{S}/\text{cm}$	$0 < 25 \mu\text{S}/\text{cm}$			
SC 2000	<u>2015</u>	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
ORP	<u>-242</u>	mV	± 15 mV			
DO (Zero pt)	<u>0.03</u>	mg/L	± 0.1			
DO (Saturated)	<u>98.47</u>	%	97-100%			
Turbidity (DI)	<u>0.01</u>	NTU	<2 NTU			

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	<u>4.04</u>	s.u.	± 0.15 s.u.		
7b	<u>6.91</u>	s.u.	± 0.15 s.u.		
10b	<u>10.05</u>	s.u.	± 0.15 s.u.		
SC1000	<u>1007</u>	$\mu\text{S}/\text{cm}$	$\pm 5\%$		

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	± 0.1 s.u.			
7		s.u.	± 0.1 s.u.			
10		s.u.	± 0.1 s.u.			
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)		mg/L	± 0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	± 0.1 s.u.			
7*		s.u.	± 0.1 s.u.			
10		s.u.	± 0.1 s.u.			
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)		mg/L	± 0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:



Date:

2/8/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>James Montano</i>	Date:	<i>2/18/2022</i>
Weather conditions:	<i>30-45°F Sunny Wind 8-10 mph</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>762098</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regimen (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.

Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO		Sodium Sulfite in DI Water		ORP		Zobell's Standard	
Value:	0	Value*:		242	<i>@ 15°C</i>		
Range:	+/- 0.01	Range:			+/- 10 mV		
Manufacturer:	Fisher Chemical	Manufacturer:			In-Situ		
Lot #:	168261	Lot #:			1GF668		
Prepared by:	PDC Tech Services, Inc:	exp:			Mar-22		
Turbidity (if required)							
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10		
Range:	Not Measured	Range:		Range:			
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:			
Lot #:	NA	Lot #:		Lot #:			
exp:	NA	exp:		exp:			

Notes:	*See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 1248

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.03	s.u.	±0.1 s.u.	pass	no	NA
7a	7.06	s.u.	±0.1 s.u.	pass	no	NA
10a	10.05	s.u.	±0.1 s.u.	pass	no	NA
SC Zero (DI)	6.27	µS/cm	0<25 µS/cm	pass	no	NA
SC 2000	1992.7	µS/cm	±5%	pass	no	NA
ORP	235.6	mV	±15 mV	pass	no	NA
DO (Zero pt)	0.08	mg/L	±0.1	pass	no	NA
DO (Saturated)	97.23	%	97-100%	pass	no	NA
Turbidity (DI)	0.00	NTU	<2 NTU	pass	no	NA

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.02	s.u.	±0.15 s.u.	pass	NA
7b	6.96	s.u.	±0.15 s.u.	pass	NA
10b	10.00	s.u.	±0.15 s.u.	pass	NA
SC1000	991.00	µS/cm	±5%	pass	NA

CCV (Continued Calibration Verification): 1520

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.05	s.u.	±0.1 s.u.	pass	no	NA
7	7.00	s.u.	±0.1 s.u.	pass	no	NA
10	10.00	s.u.	±0.1 s.u.	pass	no	NA
SC 1000	1013.1	µS/cm	±5%	pass	no	NA
DO (Zero pt)	0.05	mg/L	±0.1 mg/L	pass	no	NA
Turbidity (DI)	0.00	NTU	<2 NTU	pass	no	NA

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:

Date:

2/18/2022

Multiparameter Meter Field Calibration Checklist

Field Personnel	Terry Carroll	Date:	2/9/22
Weather conditions:	44° Wind Partly Cloudy 5-10 mph	Signature:	Jerry Carroll
Make/Model	AquaTroll 600	S/N	739450

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers

Primary Source:	pH Buffers				
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	K063-05	Lot #:	K134-08	Lot #:	J235-04
exp:	10/8/23	exp:	4/23/23	exp:	12/17/23

3/21/22
TC

Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	LabChem	Manufacturer:	Geotech
Lot #:	OGD046	Lot #:	J214-24	Lot #:	OGC851
exp:	AUG 1/23	exp:	APR 1/23	exp:	MAY 1/23

Spec Con.

µS/cm: DI water	0	µS/cm: SC1000	1000	µS/cm: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4002A08	Lot #:	OGA078
		exp:	Dec 1/22	exp:	APR 1/22

RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard
Value:	0	Value*:	237.1	(0 + 3°)
Range:	+/- 0.01	Range:		+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:		In-Situ
Lot #:	168261	Lot #:		OGC1145
Prepared by:	PDC Tech Services, Inc:	exp:		AUG 1/22

Turbidity (If required)

0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

8:15

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.92	s.u.	±0.1 s.u.	P	N	NA
7a	6.91	s.u.	±0.1 s.u.			
10a	10.00	s.u.	±0.1 s.u.			
SC Zero (DI)	13.43	µS/cm	0<25 µS/cm			
SC 2000	2031.2	µS/cm	±5%			
ORP	237.9	mV	±15 mV			
DO (Zero pt)	0.03	mg/L	±0.1			
DO (Saturated)	97.15	%	97-100%			
Turbidity (DI)	0.20	NTU	<2 NTU	↙	↓	↙

ICV (Initial Calibration Verification)

Action Taken?

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.87	s.u.	±0.15 s.u.	P	NA
7b	6.95	s.u.	±0.15 s.u.		
10b	9.94	s.u.	±0.15 s.u.		
SC1000	1086.2	µS/cm	±5%	↙	↓

CCV (Continued Calibration Verification):

1530
Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.07	s.u.	±0.1 s.u.	P	↙	NA
7	7.06	s.u.	±0.1 s.u.			
10	10.09	s.u.	±0.1 s.u.			
SC 1000	1031.6	µS/cm	±5%			
DO (Zero pt)	0.10	mg/L	±0.1 mg/L	↙		
Turbidity (DI)	0.37	NTU	<2 NTU	↙		

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:

Jenny Carroll

Date:

29/08/2022
TR

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Matt Julian</i>	Date:	<i>2/9/22</i>
Weather conditions:	<i>44°F sunny - P. cloudy wind w 5-10 mph</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>762215</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.

$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO Sodium Sulfite in DI Water

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*:	
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)

0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.96	s.u.	±0.1 s.u.	Pass	No	N/A
7a	7.04	s.u.	±0.1 s.u.			
10a	10.07	s.u.	±0.1 s.u.			
SC Zero (DI)	18.39	µS/cm	0<25 µS/cm			
SC 2000	2003.0	µS/cm	±5%			
ORP	237.70	mV	±15 mV			
DO (Zero pt)	0.04	mg/L	±0.1			
DO (Saturated)	99.05	%	97-100%			
Turbidity (DI)	0.89	NTU	<2 NTU	✓	✓	✓

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.07	s.u.	±0.15 s.u.	Pass	No
7b	6.91	s.u.	±0.15 s.u.		
10b	9.99	s.u.	±0.15 s.u.		
SC1000	1010.3	µS/cm	±5%	✓	✓

CCV (Continued Calibration Verification):

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.03	s.u.	±0.1 s.u.	Pass	No	N/A
7	7.04	s.u.	±0.1 s.u.			
10	10.10	s.u.	±0.1 s.u.			
SC 1000	996.15	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	1.07	NTU	<2 NTU	✓	✓	✓

CCV (Continued Calibration Verification):

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

MHR
2/19/22

Signature:

Date:

2/19/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	Luke Giovannini	Date:	2/9/2022
Weather conditions:		Signature:	<i>Luke Giovannini</i>
Make/Model	AquaTroll 600	S/N	739449

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22

Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	OGJ268	Lot #:	OGJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*: 240.9	② FPL
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22
Turbidity (if required)			
0 NTU	0 (DI Water)	1 NTU	10
Range:	Not Measured	Range:	Range:
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	Manufacturer:
Lot #:	NA	Lot #:	Lot #:
exp:	NA	exp:	exp:

Notes:	*See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.49	s.u.	±0.1 s.u.	P	No	/
7a	7.07	s.u.	±0.1 s.u.	/	/	/
10a	10.09	s.u.	±0.1 s.u.	/	/	/
SC Zero (DI)	6.49	µS/cm	0<25 µS/cm	/	/	/
SC 2000	1992.5	µS/cm	±5%	/	/	/
ORP	240.4	mV	±15 mV	/	/	/
DO (Zero pt)	0.07	mg/L	±0.1	/	/	/
DO (Saturated)	92.67	%	97-100%	F	No	100%
Turbidity (DI)	0.00	NTU	<2 NTU	P	No	/

ICV (Initial Calibration Verification)

10:50

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.49	s.u.	±0.15 s.u.	P	/
7b	6.46	s.u.	±0.15 s.u.	/	/
10b	9.93	s.u.	±0.15 s.u.	/	/
SC1000	1009.3	µS/cm	±5%	/	/

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.10	s.u.	±0.1 s.u.	P	No	/
7	7.15	s.u.	±0.1 s.u.	F	Yes	/
10	9.92	s.u.	±0.1 s.u.	F	No	7.00
SC 1000	1012.2	µS/cm	±5%	F	/	/
DO (Zero pt)	0.07	mg/L	±0.1 mg/L	F	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	F	/	/

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.09	s.u.	±0.1 s.u.	F	No	/
7*	6.99	s.u.	±0.1 s.u.	/	/	/
10	9.91	s.u.	±0.1 s.u.	/	/	/
SC 1000	1016.6	µS/cm	±5%	/	/	/
DO (Zero pt)	0.07	mg/L	±0.1 mg/L	/	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	/	/	/

Comments:

Signature:

Date:

2/9/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	Tracy Crivell	Date:	2/10/22
Weather conditions:	Sunny 31-39°F with rain 10 mi/h	Signature:	Tracy Crivell
Make/Model	AquaTroll 600	S/N	739487

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) Instrument and calibration cup rinsed between each buffer.

Sources		pH Buffers					
Primary Source:		pH: 4a	4.00	pH: 7a	7.00		
		Range:	+/- 0.02	Range:	+/- 0.02		
		Manufacturer:	MSI	Manufacturer:	MSI		
		Lot #:	K063-05	Lot #:	K134-08		
		exp:	6/8/23	exp:	10/23/23		
Secondary Source:		pH: 4b	4.00	pH: 7b	7.00		
		Range:	+/- 0.01	Range:	+/- 0.01		
		Manufacturer:	Geotech	Manufacturer:	LabChem		
		Lot #:	OGD046	Lot #:	J214-24		
		exp:	AUG 1/23	exp:	APR 1/23		
Spec Con.		µS/cm: DI water					
		µS/cm: DI water	0	µS/cm: SC1000	1000	µS/cm: SC2000	2000
		Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
		Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
		Received:		Lot #:	4002A08	Lot #:	OGA078
		exp:		exp:	Dec 22	exp:	APR 22
RDO		Sodium Sulfite in DI Water		ORP	Zobell's Standard		
		Value:	0	Value*: 221.3	at 13°C		
		Range:	+/- 0.01	Range:	+/- 10 mV		
		Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ		
		Lot #:	168261	Lot #:	OGC1145		
		Prepared by:	PDC Tech Services, Inc:	exp:	AUG 1/22		
Turbidity (if required)							
		0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
		Range:	Not Measured	Range:	*	Range:	
		Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
		Lot #:	NA	Lot #:		Lot #:	
		exp:	NA	exp:		exp:	
Notes:		*See bottle for chart of values based on Temperature					

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:					3.25	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.90	s.u.	±0.1 s.u.	P	N	NA
7a	6.94	s.u.	±0.1 s.u.			
10a	10.03	s.u.	±0.1 s.u.			
SC Zero (DI)	21.04	µS/cm	0<25 µS/cm			
SC 2000	2051.8	µS/cm	±5%			
ORP @ 13	237.3	mV	±15 mV			
DO (Zero pt)	0.09	mg/L	±0.1			
DO (Saturated)	99.99	%	97-100%			
Turbidity (DI)	0.28	NTU	<2 NTU	D	J	↓

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.00	s.u.	±0.15 s.u.	P	NA
7b	6.85	s.u.	±0.15 s.u.		
10b	9.93	s.u.	±0.15 s.u.		
SC1000	1534.4	µS/cm	±5%	V	H

CCV (Continued Calibration Verification):

1417
Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.10	s.u.	±0.1 s.u.	P	N	NA
7	7.15	s.u.	±0.1 s.u.			
10	10.09	s.u.	±0.1 s.u.			
SC 1000	1060.3	µS/cm	±5%			
DO (Zero pt)	0.09	mg/L	±0.1 mg/L			
Turbidity (DI)	0.42	NTU	<2 NTU	ab	✓	✓

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:

Jerry Carroll

Date:

2/10/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Sam Grant</i>	Date:	<i>2/17/22</i>	
Weather conditions:	<i>31-51°F, sunny, wind w 0-10 mph</i>	Signature:	<i>Sam Grant</i>	
Make/Model	AquaTroll 600	S/N	<i>730449</i>	
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.				
Sources				
		pH Buffers		
Primary Source:				
pH: 4a	4.00	pH: 7a	7.00	pH: 10a
Range:	+/- 0.02	Range:	+/- 0.02	Range:
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:
Lot #:	K063-05	Lot #:	K134-08	Lot #:
exp:	<i>6/8/23</i>	exp:	<i>6/23/23</i>	exp:
Secondary Source:				
pH: 4b	4.00	pH: 7b	7.00	pH: 10b
Range:	+/- 0.01	Range:	+/- 0.01	Range:
Manufacturer:	Geotech	Manufacturer:	LabChem	Manufacturer:
Lot #:	OGD046	Lot #:	J214-24	Lot #:
exp:	<i>Aug/23</i>	exp:	<i>APR/23</i>	exp:
Spec Con.				
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000
Range:	Not Measured	Range:	+/- 1	Range:
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:
Received:		Lot #:	4002A08	Lot #:
		exp:	<i>Dec/22</i>	exp:
RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard
Value:	0		Value*:	<i>242 mV @ 16C</i>
Range:	+/- 0.01		Range:	+/- 10 mV
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ
Lot #:	168261		Lot #:	OGC1145
Prepared by:	PDC Tech Services, Inc:		exp:	<i>Aug/22</i>
Turbidity (if required)				
0 NTU	0 (DI Water)	1 NTU	1	10 NTU
Range:	Not Measured	Range:		Range:
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:
Lot #:	NA	Lot #:		Lot #:
exp:	NA	exp:		exp:
Notes:	*See bottle for chart of values based on Temperature			

*3/21/22
TC*

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

08:55

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.89	s.u.	±0.1 s.u.	Fail	3-pt.	4.00
7a	6.90	s.u.	±0.1 s.u.	Fail	3-pt.	7.00
10a	9.88	s.u.	±0.1 s.u.	Fail	3-pt.	10.00
SC Zero (DI)	17.44	µS/cm	0<25 µS/cm	Pass	No	NA
SC 2000	1962.5	µS/cm	±5%			
ORP	242.9 @ 18°C	mV	±15 mV			
DO (Zero pt)	0.09	mg/L	±0.1			
DO (Saturated)	100.00	%	97-100%			
Turbidity (DI)	0.00	NTU	<2 NTU			

ICV (Initial Calibration Verification)

09:00

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.95	s.u.	±0.15 s.u.	Pass	None
7b	6.96	s.u.	±0.15 s.u.		
10b	9.94	s.u.	±0.15 s.u.		
SC1000	990.31	µS/cm	±5%		

14:48

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.10	s.u.	±0.1 s.u.	Pass	No	NA
7	7.10	s.u.	±0.1 s.u.			
10	10.09	s.u.	±0.1 s.u.			
SC 1000	985.83	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	0.00	NTU	<2 NTU			

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:

Date:

2/10/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Anna M. Johnson</i>	Date:	<i>2-Nov-2015</i>
Weather conditions:	<i>Cloudy, N.W. wind 10 mph</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>701097</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

	pH Buffers				
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.

$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*:	<i>242 @ 15°C</i>	
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	1GF668	
Prepared by:	PDC Tech Services, Inc:		exp:	Mar-22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 0840

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.00	s.u.	±0.1 s.u.	Pass	No	N/A
7a	7.06	s.u.	±0.1 s.u.			
10a	10.00	s.u.	±0.1 s.u.			
SC Zero (DI)	17.55	µS/cm	0<25 µS/cm			
SC 2000	2000 7.4	µS/cm	±5%			
ORP	245.6	mV	±15 mV			
DO (Zero pt)	0.07	mg/L	±0.1			
DO (Saturated)	97.82	%	97-100%			
Turbidity (DI)	0.00	NTU	<2 NTU			

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.06	s.u.	±0.15 s.u.	Pass	N/A
7b	6.89	s.u.	±0.15 s.u.		
10b	9.90	s.u.	±0.15 s.u.		
SC1000	0.176	µS/cm	±5%		

CCV (Continued Calibration Verification): 1632

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.05	s.u.	±0.1 s.u.	Pass	No	N/A
7	7.04	s.u.	±0.1 s.u.			
10	10.03	s.u.	±0.1 s.u.			
SC 1000	1941.12	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	0.56	NTU	<2 NTU			

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

Signature:

Date:

21/10/2022

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Moffatt J. Carter</i>	Date:	<i>2/10/22</i>
Weather conditions:	<i>32 - 39° F sunny wind NW 5-10 mph</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>762215</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.

$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO Sodium Sulfite in DI Water

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*:	
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)

0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 0829

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.94	s.u.	±0.1 s.u.	Pass	No	N/A
7a	6.98	s.u.	±0.1 s.u.			
10a	10.02	s.u.	±0.1 s.u.			
SC Zero (DI)	23.48	µS/cm	0<25 µS/cm			
SC 2000	2019.9	µS/cm	±5%			
ORP	239.1 @ 1mV	mV	±15 mV			
DO (Zero pt)	0.09	mg/L	±0.1			
DO (Saturated)	99.06	%	97-100%			
Turbidity (DI)	0.96	NTU	<2 NTU	✓	✓	✓

ICV (Initial Calibration Verification) 0833

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.96	s.u.	±0.15 s.u.	Pass	None
7b	6.86	s.u.	±0.15 s.u.		
10b	9.86	s.u.	±0.15 s.u.		
SC1000	981.74	µS/cm	±5%	✓	✓

CCV (Continued Calibration Verification): 1607

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.08	s.u.	±0.1 s.u.	Pass	No	N/A
7	7.09	s.u.	±0.1 s.u.			
10	10.10	s.u.	±0.1 s.u.			
SC 1000	991.34	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	1.15	NTU	<2 NTU	✓	✓	✓

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:



Date:

2/10/22

RAMBOLL
234 W. FLORIDA STREET, 5th FLOOR
MILWAUKEE, WI 53204
TEL: 414.837.3607

TEL: 414.837.3607

RAMBOLL - MILWAUKEE
NRT COFFEEN CCR GMF RECYCLE POND

FB1363-02 KEG

CHAIN OF CUSTODY #

DATE: 28.2.22

PAGE: 1 OF 1

6.2°C



RAMBOLL
234 W. FLORIDA STREET, 5th FLOOR
MILWAUKEE, WI 53204
TEL: 414.837.3607

RAMBOLL - MILWAUKEE
NRT COFFEEN CCR GMF RECYCLE POND

FB01770-01 KEG

CHAIN OF CUSTODY # 1
DATE: 2/19/22

PAGE: _____ OF _____

LABORATORY SAMPLES SUBMITTED TO: Pace Analytical Services								PROJECT NUMBER / TASK NUMBER:												
ADDRESS: 2231 W Altorfer Drive								2285 / Unit 104												
CITY: Peoria, IL 61615								QUOTE NO.:												
TEL: 309-683-1716		FAX: 309-692-9689	E-MAIL: gschindler@pdclab.com				Coffeen GMF Recycle Pond													
TURNAROUND TIME <input type="checkbox"/> STANDARD <input type="checkbox"/> 24 HR <input checked="" type="checkbox"/> 48 HR <input type="checkbox"/> 2 HR <input checked="" type="checkbox"/> 5 DAYS								PROJECT CONTACT: Gail Schindler SAMPLER(S): (SIGNATURE) 												
Data Package: <u>Level 2</u> Level 4				Preservatives: A = none, B= HCL, C = H ₂ SO ₄ , D = HNO ₃ , E = methanol, F = Sodium Bisulfate, G = zinc acetate, H = other				Preservation Code (pick letter) Filtered (Y or N)												
SPECIAL REQUIREMENTS																				
LAB USE ONLY	SAMPLE ID	QC SAMPLE	FIELD COMMENTS	SAMPLE		MATRIX	SAMPLE TYPE	SAMPLE INTERVAL (ft)		#CONT	Method Number and Analytes									
				DATE	TIME			TOP	BOTTOM		A A D D D A N N N N N N									
G276			2/9/22 1541	Gw	Gmbs			3	X X X X X X	6/6 2/28/22										
Relinquished by: (Signature) 				Received by: (Signature) 				Date: 2/9/22	Time: 16:30											
Relinquished by: (Signature) 				Received by: (Signature) 				Date: 2/9/22	Time: 18:45											
Relinquished by: (Signature) 				Received by: (Signature) 				Date: 2/10/22	Time: 14:30											

7.6°C

RAMBOLL
234 W. FLORIDA STREET, 5th FLOOR
MILWAUKEE, WI 53204
TEL: 414.837.3607

IEEE 414.001.10001

RAMBOLL - MILWAUKEE
NRT COFFEEN CCR GMF RECYCLE POND

FB ① 2150 -02

Key

CHAIN OF CUSTODY # 1
DATE: 2/10/22

PAGE: _____ OF _____

LABORATORY SAMPLES SUBMITTED TO: Pace Analytical Services										PROJECT NUMBER / TASK NUMBER 2285 / Unit 104							
ADDRESS: 2231 W Altorfer Drive												QUOTE NO.: Gail Schindler					
CITY: Peoria, IL 61615																	
TEL: 309-683-1716		FAX: 309-692-9689	E-MAIL gschindler@pdclab.com	Coffeen GMF Recycle Pond		PROJECT CONTACT: Gail Schindler											
TURNAROUND TIME <input type="checkbox"/> STANDARD <input type="checkbox"/> 24 HR <input checked="" type="checkbox"/> 48 HR <input type="checkbox"/> 2 HR <input checked="" type="checkbox"/> 5 DAYS										SAMPLER(S): (Signature)							
Data Package: Level 2 Level 4				Preservatives: A = none, B= HCL, C = H ₂ SO ₄ , D = HNO ₃ , E = methanol, F = Sodium Bisulfate, G = zinc acetate, H = other		Preservation Code (pick letter) Filtered (Y or N)		REQUESTED ANALYSIS									
SPECIAL REQUIREMENTS										Method Number and Analytes							
LAB USE ONLY	SAMPLE ID	QC SAMPLE	FIELD COMMENTS	SAMPLE		MATRIX	TYPE	SAMPLE	SAMPLE INTERVAL (ft)		#COMPS	Method Number and Analytes					
				DATE	TIME				TOP	BOTTOM							
	G271		MS/MSD/Dip	2/10/22	1139	GW	Grab			4		Cl	F	SO ₄	TDS		
	G273			2/10/22	1350	GW	Grab			3		Si	As	Ba	Be	B	
												Ca	Cr	Co	Pb		
												Mg	Al	K		L	
												Na	Hg				
												Se					
Relinquished by: (Signature)				Received by: (Signature)						Date:	2/11/22	Time:	0720				
Relinquished by: (Signature)				Received by: (Signature)						Date:	2/11/22	Time:	0830				
Relinquished by: (Signature)				Received by: (Signature)						Date:	2/11/22	Time:	1030				

2.6 °C



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

March 31, 2022

Eric Bauer
Ramboll - Milwaukee
234 W Florida Street, 5th Floor
Milwaukee, WI 53204

Dear Eric Bauer:

Please find enclosed the **revised** analytical results for the sample(s) the laboratory received. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise. We are always trying to improve our customer service and we welcome you to contact the Director of Client Services, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

Gail G Schindler

Gail Schindler
Project Manager
(309) 692-9688 x1716
gail.schindler@pacelabs.com



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651



SAMPLE RECEIPT CHECK LIST

Items not applicable will be marked as in compliance

Work Order FB01364

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
YES	Current PDC COC submitted
YES	Case narrative provided



Work Order FB01774

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
NO	Current PDC COC submitted
YES	Case narrative provided



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

Case Narrative

Well Cross Reference:

G403 FB01364-01 = FB01360-05
G404 FB01364-02 = FB01360-06
G405 FB01364-03 = FB01360-07
G270 FB01360-01 = FB01362-03 = FB01364-04

Well Cross Reference:

G401 FB01773-01 = FB01774-01
G402 FB01773-02 = FB01774-02



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651



ANALYTICAL RESULTS

Sample: FB01364-01
Name: G403
Alias: COF_257_102

Sampled: 02/08/22 09:46
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	5.0	mg/L		02/09/22 23:03	1	1.0	02/09/22 23:03	CRD	EPA 300.0 REV 2.1
Fluoride	0.365	mg/L		02/09/22 23:03	1	0.250	02/09/22 23:03	CRD	EPA 300.0 REV 2.1
Sulfate	53	mg/L		02/09/22 23:22	10	10	02/09/22 23:22	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	6.36	Feet		02/08/22 09:46	1		02/08/22 09:46	FIELD	Field
Dissolved oxygen, Field	3.6	mg/L		02/08/22 09:46	1		02/08/22 09:46	FIELD	Field
Oxidation Reduction Potential	19.5	mV		02/08/22 09:46	1	-500	02/08/22 09:46	FIELD	Field
pH, Field Measured	7.02	pH Units		02/08/22 09:46	1		02/08/22 09:46	FIELD	Field
Specific Conductance, Field Measured	685.9	umhos/cm		02/08/22 09:46	1		02/08/22 09:46	FIELD	Field
Temperature, Field Measured	11.1	°C		02/08/22 09:46	1		02/08/22 09:46	FIELD	Field
Turbidity, Field Measured	446	NTU		02/08/22 09:46	1	0.00	02/08/22 09:46	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	310	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
Solids - total dissolved solids (TDS)	400	mg/L		02/10/22 12:10	1	26	02/10/22 14:17	ADM	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/10/22 09:21	5	3.0	02/11/22 12:16	KMC	EPA 6020A
Arsenic	1.3	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Barium	130	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Beryllium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Boron	< 10	ug/L		02/10/22 09:21	5	10	02/11/22 12:16	WJM	EPA 6020A
Cadmium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Calcium	76	mg/L		02/10/22 09:21	5	0.20	02/11/22 12:16	KMC	EPA 6020A
Chromium	< 4.0	ug/L		02/10/22 09:21	5	4.0	02/11/22 12:16	KMC	EPA 6020A
Cobalt	2.3	ug/L		02/10/22 09:21	5	2.0	02/11/22 12:16	KMC	EPA 6020A
Lead	1.2	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Magnesium	35	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:16	KMC	EPA 6020A
Mercury	< 0.20	ug/L		02/10/22 09:21	5	0.20	02/11/22 12:16	KMC	EPA 6020A
Molybdenum	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Potassium	0.76	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:16	KMC	EPA 6020A
Selenium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Sodium	25	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:16	KMC	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-01
Name: G403
Alias: COF_257_102

Sampled: 02/08/22 09:46
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Thallium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:16	KMC	EPA 6020A
Lithium	< 20	ug/L		02/10/22 09:21	1	20	02/15/22 10:08	TJJ	EPA 6010B



ANALYTICAL RESULTS

Sample: FB01364-02

Name: G404

Alias: COF_257_102

Sampled: 02/08/22 10:43

Received: 02/08/22 17:45

Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	160	mg/L		02/10/22 00:52	100	100	02/10/22 00:52	CRD	EPA 300.0 REV 2.1
Fluoride	< 0.250	mg/L		02/10/22 00:16	1	0.250	02/10/22 00:16	CRD	EPA 300.0 REV 2.1
Sulfate	480	mg/L		02/10/22 00:52	100	100	02/10/22 00:52	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	3.5	Feet		02/08/22 10:43	1		02/08/22 10:43	FIELD	Field
Dissolved oxygen, Field	4.4	mg/L		02/08/22 10:43	1		02/08/22 10:43	FIELD	Field
Oxidation Reduction Potential	229	mV		02/08/22 10:43	1	-500	02/08/22 10:43	FIELD	Field
pH, Field Measured	6.91	pH Units		02/08/22 10:43	1		02/08/22 10:43	FIELD	Field
Specific Conductance, Field Measured	1822	umhos/cm		02/08/22 10:43	1		02/08/22 10:43	FIELD	Field
Temperature, Field Measured	8.9	°C		02/08/22 10:43	1		02/08/22 10:43	FIELD	Field
Turbidity, Field Measured	< 0.00	NTU		02/08/22 10:43	1	0.00	02/08/22 10:43	FIELD	Field
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	310	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/10/22 07:37	1	10	02/10/22 07:37	JAA	SM 2320B 1997
Solids - total dissolved solids (TDS)	1300	mg/L		02/10/22 12:10	1	26	02/10/22 14:17	ADM	SM 2540C
Total Metals - PIA									
Antimony	< 3.0	ug/L		02/10/22 09:21	5	3.0	02/11/22 12:20	KMC	EPA 6020A
Arsenic	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Barium	28	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Beryllium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Boron	5000	ug/L		02/10/22 09:21	5	10	02/11/22 12:20	KMC	EPA 6020A
Cadmium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Calcium	200	mg/L		02/10/22 09:21	5	0.20	02/11/22 12:20	KMC	EPA 6020A
Chromium	< 4.0	ug/L		02/10/22 09:21	5	4.0	02/11/22 12:20	KMC	EPA 6020A
Cobalt	< 2.0	ug/L		02/10/22 09:21	5	2.0	02/11/22 12:20	KMC	EPA 6020A
Lead	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Magnesium	97	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:20	KMC	EPA 6020A
Mercury	< 0.20	ug/L		02/10/22 09:21	5	0.20	02/11/22 12:20	KMC	EPA 6020A
Molybdenum	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Potassium	0.42	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:20	KMC	EPA 6020A
Selenium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Sodium	72	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:20	KMC	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-02
Name: G404
Alias: COF_257_102

Sampled: 02/08/22 10:43
Received: 02/08/22 17:45
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Thallium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:20	KMC	EPA 6020A
Lithium	< 20	ug/L		02/10/22 09:21	1	20	02/15/22 10:16	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-03

Name: G405

Alias: COF_257_102

Sampled: 02/08/22 12:02

Received: 02/08/22 17:45

Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	6.2	mg/L		02/10/22 01:10	1	1.0	02/10/22 01:10	CRD	EPA 300.0 REV 2.1
Fluoride	0.364	mg/L		02/10/22 01:10	1	0.250	02/10/22 01:10	CRD	EPA 300.0 REV 2.1
Sulfate	1000	mg/L		02/10/22 20:46	250	250	02/10/22 22:27	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	6.22	Feet		02/08/22 12:02	1		02/08/22 12:02	FIELD	Field
Dissolved oxygen, Field	1.4	mg/L		02/08/22 12:02	1		02/08/22 12:02	FIELD	Field
Oxidation Reduction Potential	152	mV		02/08/22 12:02	1	-500	02/08/22 12:02	FIELD	Field
pH, Field Measured	7.03	pH Units		02/08/22 12:02	1		02/08/22 12:02	FIELD	Field
Specific Conductance, Field Measured	2185	umhos/cm		02/08/22 12:02	1		02/08/22 12:02	FIELD	Field
Temperature, Field Measured	9.6	°C		02/08/22 12:02	1		02/08/22 12:02	FIELD	Field
Turbidity, Field Measured	1.63	NTU		02/08/22 12:02	1	0.00	02/08/22 12:02	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	250	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Solids - total dissolved solids (TDS)	1400	mg/L		02/11/22 10:15	1	26	02/11/22 11:45	ADM	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/10/22 09:21	5	3.0	02/11/22 12:24	KMC	EPA 6020A
Arsenic	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Barium	15	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Beryllium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Boron	10000	ug/L		02/10/22 09:21	5	10	02/11/22 12:24	KMC	EPA 6020A
Cadmium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Calcium	260	mg/L		02/10/22 09:21	5	0.20	02/11/22 12:24	KMC	EPA 6020A
Chromium	< 4.0	ug/L		02/10/22 09:21	5	4.0	02/11/22 12:24	KMC	EPA 6020A
Cobalt	< 2.0	ug/L		02/10/22 09:21	5	2.0	02/11/22 12:24	KMC	EPA 6020A
Lead	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Magnesium	120	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:24	KMC	EPA 6020A
Mercury	< 0.20	ug/L		02/10/22 09:21	5	0.20	02/11/22 12:24	KMC	EPA 6020A
Molybdenum	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Potassium	0.46	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:24	KMC	EPA 6020A
Selenium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Sodium	110	mg/L		02/10/22 09:21	5	0.10	02/11/22 12:24	KMC	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-03

Name: G405

Alias: COF_257_102

Sampled: 02/08/22 12:02

Received: 02/08/22 17:45

Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Thallium	< 1.0	ug/L		02/10/22 09:21	5	1.0	02/11/22 12:24	KMC	EPA 6020A
Lithium	< 20	ug/L		02/10/22 09:21	1	20	02/15/22 10:19	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-04

Name: G270

Alias: COF_257_102

Sampled: 02/08/22 13:50

Received: 02/08/22 17:45

Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	8.7	mg/L		02/09/22 22:09	1	1.0	02/09/22 22:09	CRD	EPA 300.0 REV 2.1
Fluoride	0.378	mg/L		02/09/22 22:09	1	0.250	02/09/22 22:09	CRD	EPA 300.0 REV 2.1
Sulfate	53	mg/L		02/09/22 19:45	10	10	02/09/22 19:45	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	2.51	Feet		02/08/22 13:50	1		02/08/22 13:50	FIELD	Field
Dissolved oxygen, Field	2.1	mg/L		02/08/22 13:50	1		02/08/22 13:50	FIELD	Field
Oxidation Reduction Potential	101	mV		02/08/22 13:50	1	-500	02/08/22 13:50	FIELD	Field
pH, Field Measured	7.20	pH Units		02/08/22 13:50	1		02/08/22 13:50	FIELD	Field
Specific Conductance, Field Measured	645.2	umhos/cm		02/08/22 13:50	1		02/08/22 13:50	FIELD	Field
Temperature, Field Measured	10.4	°C		02/08/22 13:50	1		02/08/22 13:50	FIELD	Field
Turbidity, Field Measured	1.28	NTU		02/08/22 13:50	1	0.00	02/08/22 13:50	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	340	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	410	mg/L		02/10/22 12:10	1	17	02/10/22 14:17	adm	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/14/22 12:51	5	3.0	02/15/22 15:50	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Barium	33	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Boron	12	ug/L		02/14/22 12:51	5	10	02/16/22 10:42	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/16/22 10:42	JMW	EPA 6020A
Calcium	53	mg/L		02/14/22 12:51	5	0.20	02/16/22 10:42	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/14/22 12:51	5	4.0	02/16/22 10:42	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		02/14/22 12:51	5	2.0	02/16/22 10:42	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Magnesium	22	mg/L		02/14/22 12:51	5	0.10	02/17/22 11:59	KMC	EPA 6020A
Mercury	< 0.20	ug/L		02/14/22 12:51	5	0.20	02/15/22 15:50	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Potassium	0.58	mg/L		02/14/22 12:51	5	0.10	02/16/22 10:42	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01364-04

Name: G270

Alias: COF_257_102

Sampled: 02/08/22 13:50

Received: 02/08/22 17:45

Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Selenium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Sodium	89	mg/L		02/14/22 12:51	5	0.10	02/16/22 10:42	JMW	EPA 6020A
Thallium	< 1.0	ug/L		02/14/22 12:51	5	1.0	02/15/22 15:50	JMW	EPA 6020A
Lithium	< 20	ug/L		02/14/22 12:51	1	20	02/15/22 09:27	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01774-01
Name: G401
Alias: COF_257_102

Sampled: 02/09/22 11:52
Received: 02/09/22 16:03
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	6.4	mg/L		02/15/22 14:24	5	5.0	02/15/22 14:24	CRD	EPA 300.0 REV 2.1
Sulfate	2000	mg/L		02/15/22 12:00	500	500	02/15/22 14:42	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	20.68	Feet		02/09/22 11:52	1		02/09/22 11:52	FIELD	Field
Dissolved oxygen, Field	0.90	mg/L		02/09/22 11:52	1		02/09/22 11:52	FIELD	Field
Oxidation Reduction Potential	78.1	mV		02/09/22 11:52	1	-500	02/09/22 11:52	FIELD	Field
pH, Field Measured	5.76	pH Units		02/09/22 11:52	1		02/09/22 11:52	FIELD	Field
Specific Conductance, Field Measured	2917	umhos/cm		02/09/22 11:52	1		02/09/22 11:52	FIELD	Field
Temperature, Field Measured	13.1	°C		02/09/22 11:52	1		02/09/22 11:52	FIELD	Field
Turbidity, Field Measured	50.3	NTU		02/09/22 11:52	1	0.00	02/09/22 11:52	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	75	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Fluoride	< 0.250	mg/L		02/24/22 12:18	1	0.250	02/24/22 12:18	TTH	SM 4500F C 1997
Solids - total dissolved solids (TDS)	2800	mg/L		02/16/22 08:36	1	26	02/16/22 10:01	ADM	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/15/22 12:31	5	3.0	02/18/22 12:47	JMW	EPA 6020A
Arsenic	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Barium	11	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Boron	3500	ug/L		02/15/22 12:31	5	10	02/18/22 12:47	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Calcium	450	mg/L		02/15/22 12:31	5	0.20	02/18/22 12:47	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/15/22 12:31	5	4.0	02/18/22 12:47	JMW	EPA 6020A
Cobalt	150	ug/L		02/15/22 12:31	5	2.0	02/18/22 12:47	JMW	EPA 6020A
Lead	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Magnesium	140	mg/L		02/15/22 12:31	5	0.10	02/18/22 12:47	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/15/22 12:31	5	0.20	02/18/22 12:47	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Potassium	3.2	mg/L		02/15/22 12:31	5	0.10	02/18/22 12:47	JMW	EPA 6020A
Selenium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Sodium	81	mg/L		02/15/22 12:31	5	0.10	02/18/22 12:47	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01774-01
Name: G401
Alias: COF_257_102

Sampled: 02/09/22 11:52
Received: 02/09/22 16:03
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Thallium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/18/22 12:47	JMW	EPA 6020A
Lithium	39	ug/L		02/15/22 12:31	1	20	02/18/22 09:49	TJJ	EPA 6010B



ANALYTICAL RESULTS

Sample: FB01774-02
Name: G402
Alias: COF_257_102

Sampled: 02/09/22 13:20
Received: 02/09/22 16:03
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	2.5	mg/L		02/11/22 10:19	1	1.0	02/11/22 10:19	CRD	EPA 300.0 REV 2.1
Fluoride	0.274	mg/L		02/11/22 10:19	1	0.250	02/11/22 10:19	CRD	EPA 300.0 REV 2.1
Sulfate	690	mg/L		02/15/22 12:00	100	100	02/15/22 15:00	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	8.15	Feet		02/09/22 13:20	1		02/09/22 13:20	FIELD	Field
Dissolved oxygen, Field	3.2	mg/L		02/09/22 13:20	1		02/09/22 13:20	FIELD	Field
Oxidation Reduction Potential	95.8	mV		02/09/22 13:20	1	-500	02/09/22 13:20	FIELD	Field
pH, Field Measured	6.96	pH Units		02/09/22 13:20	1		02/09/22 13:20	FIELD	Field
Specific Conductance, Field Measured	1225	umhos/cm		02/09/22 13:20	1		02/09/22 13:20	FIELD	Field
Temperature, Field Measured	12.1	°C		02/09/22 13:20	1		02/09/22 13:20	FIELD	Field
Turbidity, Field Measured	117	NTU		02/09/22 13:20	1	0.00	02/09/22 13:20	FIELD	Field
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	490	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		02/15/22 07:51	1	10	02/15/22 07:51	ADM/JAA	SM 2320B 1997
Solids - total dissolved solids (TDS)	1300	mg/L		02/16/22 08:36	1	26	02/16/22 10:01	ADM	SM 2540C
<u>Total Metals - PIA</u>									
Antimony	< 3.0	ug/L		02/15/22 12:31	5	3.0	02/21/22 11:07	JMW	EPA 6020A
Arsenic	4.8	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Barium	27	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Beryllium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Boron	5200	ug/L		02/15/22 12:31	5	10	02/21/22 11:07	JMW	EPA 6020A
Cadmium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Calcium	230	mg/L		02/15/22 12:31	5	0.20	02/21/22 11:07	JMW	EPA 6020A
Chromium	< 4.0	ug/L		02/15/22 12:31	5	4.0	02/21/22 11:07	JMW	EPA 6020A
Cobalt	4.4	ug/L		02/15/22 12:31	5	2.0	02/21/22 11:07	JMW	EPA 6020A
Lead	2.1	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Magnesium	140	mg/L		02/15/22 12:31	5	0.10	02/21/22 11:07	JMW	EPA 6020A
Mercury	< 0.20	ug/L		02/15/22 12:31	5	0.20	02/21/22 11:07	JMW	EPA 6020A
Molybdenum	2.2	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Potassium	1.2	mg/L		02/15/22 12:31	5	0.10	02/21/22 11:07	JMW	EPA 6020A
Selenium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Sodium	53	mg/L		02/15/22 12:31	5	0.22	02/21/22 11:07	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FB01774-02
Name: G402
Alias: COF_257_102

Sampled: 02/09/22 13:20
Received: 02/09/22 16:03
Matrix: Ground Water - Grab

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Thallium	< 1.0	ug/L		02/15/22 12:31	5	1.0	02/21/22 11:07	JMW	EPA 6020A
Lithium	34	ug/L		02/15/22 12:31	1	20	02/18/22 09:56	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224022 - SW 3015 - EPA 6020A</u>									
Blank (B224022-BLK1)									
Antimony	< 3.0	ug/L							
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224022-BS1)									
Antimony	547	ug/L		555.6		98	80-120		
Arsenic	523	ug/L		555.6		94	80-120		
Barium	542	ug/L		555.6		98	80-120		
Beryllium	535	ug/L		555.6		96	80-120		
Boron	517	ug/L		555.6		93	80-120		
Cadmium	528	ug/L		555.6		95	80-120		
Calcium	5.80	mg/L		5.556		104	80-120		
Chromium	545	ug/L		555.6		98	80-120		
Cobalt	545	ug/L		555.6		98	80-120		
Lead	540	ug/L		555.6		97	80-120		
Magnesium	6.07	mg/L		5.556		109	80-120		
Mercury	51.4	ug/L		55.56		93	80-120		
Molybdenum	504	ug/L		555.6		91	80-120		
Potassium	5.84	mg/L		5.556		105	80-120		
Selenium	535	ug/L		555.6		96	80-120		
Sodium	6.02	mg/L		5.556		108	80-120		
Thallium	539	ug/L		555.6		97	80-120		
Lithium	526	ug/L		555.6		95	80-120		
<u>Batch B224043 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224043-CCB1)									
Chloride	0.469	mg/L							
Sulfate	0.0350	mg/L							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224043 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224043-CCB1)					Prepared & Analyzed: 02/09/22				
Fluoride	0.00	mg/L							
<u>Calibration Check (B224043-CCV1)</u>									
Sulfate	4.67	mg/L		5.000		93	90-110		
Fluoride	4.85	mg/L		5.000		97	90-110		
Chloride	4.58	mg/L		5.000		92	90-110		
<u>Batch B224051 - No Prep - SM 2540C</u>									
Blank (B224051-BLK1)					Prepared & Analyzed: 02/10/22				
Solids - total dissolved solids (TDS)	< 17	mg/L							
Solids - total dissolved solids (TDS)	< 17	mg/L							
<u>LCS (B224051-BS1)</u>									
Solids - total dissolved solids (TDS)	960	mg/L		1000		96	84.9-109		
Solids - total dissolved solids (TDS)	960	mg/L		1000		96	84.9-109		
<u>Batch B224172 - No Prep - SM 2540C</u>									
Blank (B224172-BLK1)					Prepared & Analyzed: 02/11/22				
Solids - total dissolved solids (TDS)	< 17	mg/L							
<u>LCS (B224172-BS1)</u>									
Solids - total dissolved solids (TDS)	940	mg/L		1000		94	84.9-109		
<u>Batch B224222 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224222-CCB1)					Prepared & Analyzed: 02/10/22				
Sulfate	0.104	mg/L							
<u>Batch B224309 - No Prep - SM 2320B 1997</u>									
Blank (B224309-BLK1)					Prepared & Analyzed: 02/10/22				
Alkalinity - carbonate as CaCO3	2.50	mg/L							
<u>Blank (B224309-BLK2)</u>									
Alkalinity - carbonate as CaCO3	2.50	mg/L							
<u>Batch B224310 - No Prep - SM 2320B 1997</u>									
Blank (B224310-BLK1)					Prepared & Analyzed: 02/10/22				
Alkalinity - bicarbonate as CaCO3	2.50	mg/L							
<u>Blank (B224310-BLK2)</u>									
Alkalinity - bicarbonate as CaCO3	2.50	mg/L							
<u>Batch B224335 - SW 3015 - EPA 6020A</u>									
Blank (B224335-BLK1)					Prepared: 02/14/22 Analyzed: 02/15/22				
Antimony	< 3.0	ug/L							
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224335 - SW 3015 - EPA 6020A</u>									
Blank (B224335-BLK1)									
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224335-BS1)									
Antimony	552	ug/L		555.6		99	80-120		
Arsenic	527	ug/L		555.6		95	80-120		
Barium	547	ug/L		555.6		98	80-120		
Beryllium	542	ug/L		555.6		98	80-120		
Boron	568	ug/L		555.6		102	80-120		
Cadmium	542	ug/L		555.6		98	80-120		
Calcium	6.56	mg/L		5.556		118	80-120		
Chromium	581	ug/L		555.6		105	80-120		
Cobalt	558	ug/L		555.6		100	80-120		
Lead	585	ug/L		555.6		105	80-120		
Magnesium	6.23	mg/L		5.556		112	80-120		
Mercury	56.0	ug/L		55.56		101	80-120		
Molybdenum	536	ug/L		555.6		97	80-120		
Potassium	6.22	mg/L		5.556		112	80-120		
Selenium	555	ug/L		555.6		100	80-120		
Sodium	6.53	mg/L		5.556		118	80-120		
Thallium	562	ug/L		555.6		101	80-120		
Lithium	511	ug/L		555.6		92	80-120		
<u>Batch B224339 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224339-CCB1)									
Chloride	0.294	mg/L							
Fluoride	0.00	mg/L							
Calibration Check (B224339-CCV1)									
Fluoride	5.10	mg/L		5.000		102	90-110		
Chloride	4.85	mg/L		5.000		97	90-110		
<u>Batch B224468 - SW 3015 - EPA 6020A</u>									
Blank (B224468-BLK1)									
Antimony	< 3.0	ug/L							
Prepared: 02/14/22 Analyzed: 02/15/22									



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B224468 - SW 3015 - EPA 6020A</u>									
Blank (B224468-BLK1)									
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Beryllium	< 1.0	ug/L							
Boron	< 10	ug/L							
Cadmium	< 1.0	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Mercury	< 0.20	ug/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B224468-BS1)									
Antimony	537	ug/L		555.6		97	80-120		
Arsenic	527	ug/L		555.6		95	80-120		
Barium	555	ug/L		555.6		100	80-120		
Beryllium	518	ug/L		555.6		93	80-120		
Boron	506	ug/L		555.6		91	80-120		
Cadmium	547	ug/L		555.6		99	80-120		
Calcium	6.28	mg/L		5.556		113	80-120		
Chromium	580	ug/L		555.6		104	80-120		
Cobalt	572	ug/L		555.6		103	80-120		
Lead	550	ug/L		555.6		99	80-120		
Magnesium	6.23	mg/L		5.556		112	80-120		
Mercury	54.4	ug/L		55.56		98	80-120		
Molybdenum	558	ug/L		555.6		100	80-120		
Potassium	6.42	mg/L		5.556		116	80-120		
Selenium	547	ug/L		555.6		99	80-120		
Sodium	6.46	mg/L		5.556		116	80-120		
Thallium	548	ug/L		555.6		99	80-120		
Lithium	574	ug/L		555.6		103	80-120		
<u>Batch B224516 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B224516-CCB1)									
Chloride	0.554	mg/L							
Sulfate	0.00	mg/L							
Calibration Blank (B224516-CCB2)									
Chloride	0.494	mg/L							
Sulfate	0.00410	mg/L							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit					
<u>Batch B224516 - IC No Prep - EPA 300.0 REV 2.1</u>														
Calibration Check (B224516-CCV1)														
Sulfate	5.10	mg/L		5.000		102	90-110							
Chloride	5.12	mg/L		5.000		102	90-110							
Calibration Check (B224516-CCV2)														
Sulfate	4.99	mg/L		5.000		100	90-110							
Chloride	4.94	mg/L		5.000		99	90-110							
<u>Batch B224541 - No Prep - SM 2540C</u>														
Blank (B224541-BLK1)														
Solids - total dissolved solids (TDS)	< 17	mg/L			Prepared & Analyzed: 02/16/22									
LCS (B224541-BS1)														
Solids - total dissolved solids (TDS)	940	mg/L		1000		94	84.9-109							
<u>Batch B224606 - No Prep - SM 2320B 1997</u>														
Blank (B224606-BLK1)														
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L			Prepared & Analyzed: 02/15/22									
Blank (B224606-BLK2)														
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L			Prepared & Analyzed: 02/15/22									
Blank (B224606-BLK3)														
Alkalinity - bicarbonate as CaCO ₃	2.50	mg/L			Prepared & Analyzed: 02/15/22									
<u>Batch B224607 - No Prep - SM 2320B 1997</u>														
Blank (B224607-BLK1)														
Alkalinity - carbonate as CaCO ₃	< 2.0	mg/L			Prepared & Analyzed: 02/15/22									
Blank (B224607-BLK2)														
Alkalinity - carbonate as CaCO ₃	< 2.0	mg/L			Prepared & Analyzed: 02/15/22									
<u>Batch B225340 - No Prep - SM 4500F C 1997</u>														
Calibration Blank (B225340-CCB1)														
Fluoride	0.00600	mg/L			Prepared & Analyzed: 02/24/22									
Calibration Blank (B225340-CCB2)														
Fluoride	0.0120	mg/L			Prepared & Analyzed: 02/24/22									
Calibration Check (B225340-CCV1)														
Fluoride	0.706	mg/L		0.7000		101	90-110							
Calibration Check (B225340-CCV2)														
Fluoride	0.706	mg/L		0.7000		101	90-110							



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Memos

Revised Report - added missing field calibration information

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553

Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)

Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050

Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050

Certified by: Gail Schindler, Project Manager



WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION											
Site: Coffeen Ash Pond 2	Client: RAMBOLL	Start Date: <u>2/01/2022</u>	Time: <u>10:31</u>								
Project Number: 22285	Task #: Unit 102	Finish Date: <u>2/01/2022</u>	Time: <u>11:52</u>								
Field Personnel: <u>Aaron Remelton</u>											
WELL INFORMATION											
Well ID: G401	Event Type	PURGE INFORMATION									
Casing ID: 2	<input type="checkbox"/> Well Development	Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Pump									
Screen Interval: 4.43'	<input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling	Bailer Type: n/a									
Borehole Diameter: n/a	<input type="checkbox"/> Well Volume Approach Sampling	Pump Type and Serial #: n/a									
Filter Pack Interval: n/a	<input type="checkbox"/> Other (Specify below)	Tube/Pump Intake Depth: n/a									
		Stabilized Pumping Rate: <u>100 ml/min</u>									
DEPTH MEASUREMENTS											
INITIAL	FINAL										
Depth FT BTOT	Date/Time (24-Hour)	Depth FT BTOT	Date/Time (24-Hour)								
n/a	n/a	n/a	n/a	Standing Water Column:							
Groundwater	<u>20.68</u>	<u>20.45</u>	<u>20.95</u>	1 Well Volume: n/a	feet						
DNAPL	n/a	n/a	n/a	5 Well Volumes: n/a	Gallons						
Casing Base	n/a	n/a	n/a	Total Volumes Produced: n/a	Gallons						
Water Level Serial #:	<u>1045</u>	<u>1045</u>	<u>1045</u>	Well Purged Dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
				Water Quality Probe Type and Serial # <u>AT600</u>							
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	<u>10:45</u>	<u>0</u>	<u>20.68</u>	<u>0</u>	<u>13.03</u>	<u>5.72</u>	<u>2786.6</u>	<u>.10</u>	<u>56.21</u>	<u>844.2</u>	<u>clear</u>
purge	<u>10:57</u>	<u>1200</u>	<u>20.95</u>	<u>0.27</u>							
	<u>10:59</u>	<u>1400</u>	<u>20.95</u>	<u>0.27</u>	<u>13.01</u>	<u>5.74</u>	<u>2850.3</u>	<u>0.06</u>	<u>64.92</u>	<u>80.2</u>	<u>clear</u>
	<u>11:01</u>	<u>1600</u>	<u>20.95</u>	<u>0.27</u>	<u>13.07</u>	<u>5.76</u>	<u>2916.1</u>	<u>0.10</u>	<u>50.24</u>	<u>78.1</u>	<u>clear</u>
ABBREVIATIONS											
Cond. - Actual Conductivity FT BTOT - Feet Below Top of Casing na - Not Applicable nm - Not Measured C - Degrees Celsius											
NOTES											
<u>GWT filled bore</u> <u>MS MSD 110' filled here</u>											


WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION																																																																																	
Site: Coffeen Ash Pond 2		Client: RAMBOLL		Start Date: 2/01/2022		Time: 1707																																																																											
Project Number: 2285		Task #: Unit 102		Finish Date: 2/01/2022		Time: 1320																																																																											
Field Personnel: <i>Aaron Remben</i>																																																																																	
WELL INFORMATION		EVENT TYPE		PURGE INFORMATION																																																																													
Well ID: G402	<input type="checkbox"/> Well Development	<input type="checkbox"/> Low-Flow / Low-Stress Sampling	<input type="checkbox"/> Well Volume Approach Sampling	<input type="checkbox"/> Other (Specify below)	Purge Method: <input type="checkbox"/> Bailer	<input checked="" type="checkbox"/> Pump	Bailer Type: n/a	Pump Type and Serial #: n/a	Tube/Pump Intake Depth: n/a																																																																								
Casing ID: 2	Inches	Screen Interval: 10'																																																																															
Borehole Diameter: n/a	Inches	Filter Pack Interval: n/a																																																																															
DEPTH MEASUREMENTS		FINAL		VOLUME CALCULATION AND PRODUCTION INFORMATION																																																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">INITIAL</th> <th colspan="2" style="text-align: center;">DEPTH</th> <th colspan="2" style="text-align: center;">DATE/TIME</th> <th colspan="2" style="text-align: center;">VOLUME PER FOOT:</th> <th colspan="2" style="text-align: center;">VOLUME CALCULATION TYPE:</th> </tr> <tr> <th>Depth</th> <th>FT BTOTC</th> <th>Date/Time</th> <th>(24-Hour)</th> <th>FT BTOTC</th> <th>(24-Hour)</th> <th>n/a</th> <th>Standing Water Column:</th> <th><input checked="" type="checkbox"/> Well Casing</th> <th><input type="checkbox"/> Borehole</th> </tr> </thead> <tbody> <tr> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>(220)</td> <td>8.45</td> <td>1320</td> <td>n/a</td> <td>1 Well Volume: n/a</td> <td>n/a</td> <td>feet</td> </tr> <tr> <td><i>S + 15'</i></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>5 Well Volumes: n/a</td> <td>n/a</td> <td>Gallons</td> </tr> <tr> <td>DNAPL</td> <td>n/a</td> <td>n/a</td> <td></td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>Total Volumes Produced: n/a</td> <td>n/a</td> <td></td> </tr> <tr> <td>Casing Base</td> <td>n/a</td> <td>n/a</td> <td></td> <td>n/a</td> <td>n/a</td> <td>n/a</td> <td>Well Purged Dry? <input type="checkbox"/> Yes</td> <td><input checked="" type="checkbox"/> No</td> <td>Gallons</td> </tr> <tr> <td>Water Level Serial #:</td> <td><i>Heaton Diff - 7</i></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Water Quality Probe Type and Serial #</td> <td><i>AC 005</i></td> <td><i>162000</i></td> </tr> </tbody> </table>		INITIAL		DEPTH		DATE/TIME		VOLUME PER FOOT:		VOLUME CALCULATION TYPE:		Depth	FT BTOTC	Date/Time	(24-Hour)	FT BTOTC	(24-Hour)	n/a	Standing Water Column:	<input checked="" type="checkbox"/> Well Casing	<input type="checkbox"/> Borehole	n/a	n/a	n/a	(220)	8.45	1320	n/a	1 Well Volume: n/a	n/a	feet	<i>S + 15'</i>							5 Well Volumes: n/a	n/a	Gallons	DNAPL	n/a	n/a		n/a	n/a	n/a	Total Volumes Produced: n/a	n/a		Casing Base	n/a	n/a		n/a	n/a	n/a	Well Purged Dry? <input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Gallons	Water Level Serial #:	<i>Heaton Diff - 7</i>						Water Quality Probe Type and Serial #	<i>AC 005</i>	<i>162000</i>										
INITIAL		DEPTH		DATE/TIME		VOLUME PER FOOT:		VOLUME CALCULATION TYPE:																																																																									
Depth	FT BTOTC	Date/Time	(24-Hour)	FT BTOTC	(24-Hour)	n/a	Standing Water Column:	<input checked="" type="checkbox"/> Well Casing	<input type="checkbox"/> Borehole																																																																								
n/a	n/a	n/a	(220)	8.45	1320	n/a	1 Well Volume: n/a	n/a	feet																																																																								
<i>S + 15'</i>							5 Well Volumes: n/a	n/a	Gallons																																																																								
DNAPL	n/a	n/a		n/a	n/a	n/a	Total Volumes Produced: n/a	n/a																																																																									
Casing Base	n/a	n/a		n/a	n/a	n/a	Well Purged Dry? <input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Gallons																																																																								
Water Level Serial #:	<i>Heaton Diff - 7</i>						Water Quality Probe Type and Serial #	<i>AC 005</i>	<i>162000</i>																																																																								
WATER QUALITY INDICATOR PARAMETERS																																																																																	
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)																																																																							
initial	1220	0	8.15	0	-	-	-	-	-	-																																																																							
purge	1232	1200	8.45	0.30	12.04	6.95	1305.6	3.24	12160	88.3																																																																							
	1234	1400	8.45	0.30	12.04	6.95	1500.5	3.16	118.88	10.6																																																																							
	1236	1600	8.45	0.30	12.11	6.96	1225.3	3.22	117.26	95.8																																																																							
NOTES																																																																																	
<i>GM 2 miles west</i>																																																																																	

ABBREVIATIONS

ORP - Oxidation-Reduction Potential
 SEC - Specific Electrical Conductance
 SU - Standard Units
 Temp - Temperature
 °C - Degrees Celsius
 FT BTOTC - Feet Below Top of Casing
 na - Not Applicable
 nm - Not Measured

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION											
Site: Coffeen Ash Pond 2	Client: RAMBOLL	Start Date: 2/8/17	Time: 08:57								
Project Number: 22285	Task #: Unit 102	Finish Date: 2/8/17	Time: 09:46								
Field Personnel: Anat Nenick											
WELL INFORMATION											
Well ID: G403	<input type="checkbox"/> Well Development <input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling <input type="checkbox"/> Well Volume Approach Sampling <input type="checkbox"/> Other (Specify below)	Purge Method: <input type="checkbox"/> Bailler <input checked="" type="checkbox"/> Pump	Bailler Type: n/a	Pump Type and Serial #: n/a	PURGE INFORMATION						
Casing ID: 2	Inches										
Screen Interval: 4.67'											
Borehole Diameter: n/a	Inches										
Filter Pack Interval: n/a											
DEPTH MEASUREMENTS											
INITIAL		FINAL		VOLUME CALCULATION AND PRODUCTION INFORMATION							
	Depth FT BTOPC	Date/Time (24-Hour)	Depth FT BTOPC	Date/Time (24-Hour)	Volume Calculation Type: <input checked="" type="checkbox"/> Well Casing <input type="checkbox"/> Borehole						
LNAPL	n/a	n/a	n/a	n/a	Standing Water Column: feet						
Groundwater	1.34	08:58	10.40	09:43	1 Well Volume: n/a Gallons						
DNAPL	n/a	n/a	n/a	n/a	5 Well Volumes: n/a Gallons						
Casing Base	n/a	n/a	n/a	n/a	Total Volumes Produced: n/a Gallons						
Water Level Serial #:	Scalins L-	42-61860	Water Quality Probe Type and Serial #:	A7600 846000	Well Purged Dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No						
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (su)	SEC or Cond. (us/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
initial	0909	1500	8.40	—	11.22	7.04	687.12	3.74	487.67	17.1	Mod. color
purge	0913	1900	8.48	0.08	11.09	7.03	687.10	3.68	441.27	18.3	tan
	0914	2000	8.88	0.20	11.10	7.02	685.86	3.56	445.93	19.5	slightly tan
	0915	2100	9.02	0.14							
NOTES											
											

ABBREVIATIONS

Cond. - Actual Conductivity
 FT BTOPC - Feet Below Top of Casing
 na - Not Applicable
 nm - Not Measured
 SEC - Specific Electrical Conductance
 SU - Standard Units
 Temp - Temperature
 °C - Degrees Celsius

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION											
Site: Coffeen Ash Pond 2			Client: RAMBOLL								
Project Number: 2285			Task #: Unit 102			Start Date: <u>2/8/2023</u>					
Field Personnel: <u>Aaron Pennington</u>						Finish Date: <u>2/8/2023</u>					
						Time: <u>0934</u>					
						Time: <u>1043</u>					
WELL INFORMATION					EVENT TYPE						
<p>Well ID: G404</p> <p>Casing ID: 2 Inches</p> <p>Screen Interval: 4.75'</p> <p>Borehole Diameter: n/a Inches</p> <p>Filter Pack Interval: n/a</p>					<p><input type="checkbox"/> Well Development</p> <p><input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling</p> <p><input type="checkbox"/> Well Volume Approach Sampling</p> <p><input type="checkbox"/> Other (Specify below)</p>						
					<p>Purge Method: <input type="checkbox"/> Pump</p> <p>Bailer Type: n/a</p> <p>Pump Type and Serial #: n/a</p> <p>Tube/Pump Intake Depth: n/a</p> <p>Stabilized Pumping Rate: <u>100 ml/min</u></p>						
PURGE INFORMATION											
<p><input type="checkbox"/> Bailer</p> <p><input checked="" type="checkbox"/> Pump</p>											
DEPTH MEASUREMENTS											
INITIAL					FINAL						
	Depth FT BTOC	Date/Time (24-Hour)	Depth FT BTOC	Date/Time (24-Hour)							
LNAPL	n/a	n/a	n/a	n/a	1041.3	1041.3	1041.3	1041.3	1041.3		
Groundwater	<u>3.50</u>	<u>061442</u>	<u>3.016</u>	<u>061442</u>							
DNAPL	n/a	n/a	n/a	n/a							
Casing Base	n/a	n/a	n/a	n/a							
Water Level Serial #:	<u>Hebron D-141 - 7</u>				<u>#4778-7</u>	Water Quality Probe Type and Serial #	<u>#4778-7</u>				
WATER QUALITY INDICATOR PARAMETERS											
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)	Visual Clarity
Initial	0042	0	3.50	0	-	-	-	-	-	-	-
purge	0054	1200	3.46	0.46	8.92	6.91	1822.4	4.40	0.00	233.4	Slight hazy
	0056	1400	3.46	0.46	8.94	6.92	1822.7	4.34	0.00	231.8	Slight haze
	0058	1600	3.46	0.46	8.91	6.91	1822.5	4.38	0.00	229.1	Slight haze
NOTES											
<p><u>Graz Diles here</u></p>											
ABBREVIATIONS											
<p>Cond - Actual Conductivity FT BTOC - Feet Below Top of Casing na - Not Applicable nm - Not Measured C - Degrees Celsius</p>											
<p>ORP - Oxidation-Reduction Potential SEC - Specific Electrical Conductance SU - Standard Units Temp - Temperature</p>											

WELL DEVELOPMENT AND GROUNDWATER SAMPLING FIELD FORM

PROJECT INFORMATION										
Site: Coffeen Ash Pond 2	Project Number: 2380	Task #: 8	Field Personnel: <u>Aaron Johnson</u>	Client: RAMBOLL	Start Date: <u>2/18/2022</u>	Finish Date: <u>2/18/2022</u>	Time: <u>10:50</u>	Time: <u>12:02</u>		
WELL INFORMATION					EVENT TYPE					
Well ID: G405	Casing ID: 2	Screen Interval:	Borehole Diameter: n/a	Filter Pack Interval: n/a	<input type="checkbox"/> Well Development	<input checked="" type="checkbox"/> Low-Flow / Low-Stress Sampling	<input type="checkbox"/> Well Volume Approach Sampling	<input type="checkbox"/> Other (Specify below)	Purge Method: <input type="checkbox"/> Bailer <input checked="" type="checkbox"/> Pump	
Bailer Type: n/a	Pump Type and Serial #:	Tube/Pump Intake Depth: n/a	Stabilized Pumping Rate: 100 ml/min							
DEPTH MEASUREMENTS					VOLUME CALCULATION AND PRODUCTION INFORMATION					
INITIAL			FINAL		Volume Calculation Type:			Well Casing <input type="checkbox"/> Borehole		
Depth FT BTOC	Date/Time (24-Hour)	Depth FT BTOC	Depth (24-Hour)	Date/Time (24-Hour)	Standing Water Column:	n/a	Gallons	3 Well Volumes:	n/a	
LNAPL	n/a	n/a	n/a	n/a	1 Well Volume:	n/a	Gallons	10 Well Volumes:	n/a	
Groundwater	<u>6.22</u>	<u>1053</u>	<u>6.43</u>	<u>1007</u>	5 Well Volumes:	n/a	Gallons	10 Well Volumes:	n/a	
DNAPL	n/a	n/a	n/a	n/a	Total Volumes Produced:	n/a	Gallons			
Casing Base	n/a	n/a	n/a	n/a	Well Purged Dry?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
Water Level Serial #:	<u>Hean Differ -7</u>	<u>#4778-7</u>			Water Quality Probe Type and Serial #	<u>AT600 #762008</u>				
WATER QUALITY INDICATOR PARAMETERS										
Sampling Stage	Time (military)	Volume Removed (mls)	Depth to Water (Feet)	Drawdown (Feet)	Temp (°C)	pH (SU)	SEC or Cond. (µs/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP (mV)
initial	<u>1051</u>	<u>0</u>	<u>6.22</u>	<u>0</u>	<u>21.87</u>	<u>7.02</u>	<u>2082.7</u>	<u>0.23</u>	<u>5.64</u>	<u>172.8</u>
purge	<u>1107</u>	<u>1400</u>	<u>6.43</u>	<u>0.21</u>	<u>21.85</u>	<u>7.02</u>	<u>2153.2</u>	<u>0.20</u>	<u>1.41</u>	<u>169.3</u>
	<u>1109</u>	<u>1800</u>	<u>6.43</u>	<u>0.21</u>	<u>21.72</u>	<u>7.03</u>	<u>2015.6</u>	<u>1.25</u>	<u>1.20</u>	<u>159.3</u>
	<u>1111</u>	<u>1800</u>	<u>6.43</u>	<u>0.21</u>	<u>21.64</u>	<u>7.04</u>	<u>2183.4</u>	<u>1.38</u>	<u>2.61</u>	<u>158.1</u>
	<u>1113</u>	<u>2000</u>	<u>6.43</u>	<u>0.21</u>	<u>21.56</u>	<u>7.03</u>	<u>2184.7</u>	<u>1.44</u>	<u>1.63</u>	<u>151.8</u>
NOTES										
<u>BNZ Dilled here</u>										
ABBREVIATIONS										
Cond. - Actual Conductivity FT BTOC - Feet Below Top of Casing na - Not Applicable nm - Not Measured °C - Degrees Celsius										

SITE

COFFEEN GMZ

WELL/SAMPLE POINT

G270

Date: 2/18/22 Start Time: 1243 Finish/Sample Time: 1350

Well Depth (Bottom) From MP: 21.13 ft

Depth to Water From MP: 2.51 ft Well Water Volume: 11.52 L

Water Column Length: 19.02 ft Total Purge Volume: 2100 mL/L

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP
(Units)		(s.u.)	(umhos/cm)	(deg C)	(mg/L)	(NTU)	(mV)
1	1243	7.20	687.09	10.40	2.19	1.70	96.6
2	1258	7.21	705.69	10.39	2.11	1.96	97.8
3	1300	7.20	642.56	10.40	2.08	2.02	99.0
4	1302	7.20	681.93	10.35	2.05	1.59	100.0
5	1304	7.20	645.20	10.38	+2.08	1.28	100.9

Sampled with: bladder pumpFinal DTV
2.80 ft

Sample Appearance: Odor: None Slight Mod. Strong
Color: None Slight Mod. Strong
Turb: None Slight Mod. Strong

Weather/Environment

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A,G,250mL, H ₂ SO ₄)
GMZ + 1	Cyanide (P, 250mL, NaOH)
GMZ + 1	Metals (P, 250mL, HNO ₃)
GMZ + 1	General (P, 500mL)
GMZ 1	HNO ₃ (P, 2.5L)

Filtered	
Qty	Bottles
GMZ + 1	Metals (P,250mL, HNO ₃)
1	General (P,500mL)
	In-Line Filters Used

Samples

5 GMZ 6 Quart

Sampler's Signature:

Multiparameter Meter Field Calibration Checklist

Field Personnel	MJN	Date:	3/8/22
Weather conditions:	21-46°, sunny, NE6 mph wind	Signature:	<i>Juan Pachuk</i>
Make/Model	AquaTroll 600	S/N	841600

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources					
pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22
Spec Con.					
µS/cm: DI water	0	µS/cm: SC1000	1000	µS/cm: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22
RDO					
Sodium Sulfite in DI Water			ORP	Zobell's Standard	
Value:	0		Value*:		
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	1GF668	
Prepared by:	PDC Tech Services, Inc:		exp:	Mar-22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes: *See bottle for chart of values based on Temperature					

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 0820						
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.04	s.u.	± 0.1 s.u.			
7a	7.05	s.u.	± 0.1 s.u.			
10a	10.03	s.u.	± 0.1 s.u.			
SC Zero (DI)	13.07	$\mu\text{S}/\text{cm}$	0<25 $\mu\text{S}/\text{cm}$			
SC 2000	2015	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
ORP	-242	mV	± 15 mV			
DO (Zero pt)	0.03	mg/L	± 0.1			
DO (Saturated)	98.47	%	97-100%			
Turbidity (DI)	0.01	NTU	<2 NTU			

ICV (Initial Calibration Verification)					Action Taken?
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.04	s.u.	± 0.15 s.u.		
7b	6.91	s.u.	± 0.15 s.u.		
10b	10.05	s.u.	± 0.15 s.u.		
SC1000	1007	$\mu\text{S}/\text{cm}$	$\pm 5\%$		

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	± 0.1 s.u.			
7		s.u.	± 0.1 s.u.			
10		s.u.	± 0.1 s.u.			
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)		mg/L	± 0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	± 0.1 s.u.			
7*		s.u.	± 0.1 s.u.			
10		s.u.	± 0.1 s.u.			
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)		mg/L	± 0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:	Date:
	2/8/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	Tracy Carroll	Date:	9/8/22
Weather conditions:	25-43 °C 0-10 mph Partly Cloudy	Signature:	Tracy Carroll
Make/Model	AquaTroll 600	S/N	739450
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.			

Sources					
pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	K063-05	Lot #:	K134-08	Lot #:	J235-04
exp:	6/8/23	exp:	6/23/23	exp:	12/17/22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	LabChem	Manufacturer:	Geotech
Lot #:	OGD046	Lot #:	J214-24	Lot #:	OGC851
exp:	Aug 23	exp:	APR 23	exp:	May 23
Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4002A08	Lot #:	0GA078
	exp:	Dec 22	exp:	exp:	APR 122
RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*:	245.9	20 10°C
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	OGC1145	
Prepared by:	PDC Tech Services, Inc.		exp:	Aug 22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:					8.42	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.93	s.u.	± 0.1 s.u.	P	No	
7a	6.96	s.u.	± 0.1 s.u.			
10a	10.03	s.u.	± 0.1 s.u.			
SC Zero (DI)	22.85	$\mu\text{S}/\text{cm}$	0<25 $\mu\text{S}/\text{cm}$			
SC 2000	2118.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
ORP @ 10	246.9	mV	± 15 mV	L		
DO (Zero pt)	0.05	mg/L	± 0.1			
DO (Saturated)	147.20	%	97-100%	F	Y	100
Turbidity (DI)	0.17	NTU	<2 NTU	P	No	/

ICV (Initial Calibration Verification)					9.08	
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	
4b	3.93	s.u.	± 0.15 s.u.	P		
7b	6.87	s.u.	± 0.15 s.u.	L	/	
10b	9.94	s.u.	± 0.15 s.u.		/	
SC1000	1033.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$	L		

CCV (Continued Calibration Verification):					1456	
Buffer	Check Value	Units	Range	Pass/Fail	Approx. every 4 hrs, unless only one well	
4	4.03	s.u.	± 0.1 s.u.	P	No	NA
7	6.99	s.u.	± 0.1 s.u.			
10	9.99	s.u.	± 0.1 s.u.	L		/
SC 1000	995.71	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)	0.09	mg/L	± 0.1 mg/L			
Turbidity (DI)	0.83	NTU	<2 NTU			

CCV (Continued Calibration Verification):					16:48	
Buffer	Check Value	Units	Range	Pass/Fail	Approx. every 4 hrs, unless only one well	
4	4.02	s.u.	± 0.1 s.u.	P	No	NA
7*	7.02	s.u.	± 0.1 s.u.			
10	10.04	s.u.	± 0.1 s.u.	L		/
SC 1000	1009.0	$\mu\text{S}/\text{cm}$	$\pm 5\%$			
DO (Zero pt)	0.10	mg/L	± 0.1 mg/L			
Turbidity (DI)	0.18	NTU	<2 NTU			

Comments:

Signature:	Date:
<i>Jerry Cuzzani</i>	2/8/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>David P. M. Miller</i>	Date:	<i>2/18/2022</i>
Weather conditions:	<i>30°-45° F Sunny Wind Sust Gales</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>762078</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

	pH Buffers				
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	OGJ268	Lot #:	OGJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

	Spec Con.				
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1%
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water		ORP	Zobell® Standard	
Value:	0	Value*:	<i>2462 @ 15°c</i>		
Range:	+/- 0.01	Range:		+/- 10 mV	
Manufacturer:	Fisher Chemical	Manufacturer:		In-Situ	
Lot #:	168261	Lot #:		1GF668	
Prepared by:	PDC Tech Services, Inc:	exp:		Mar-22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 1/24/22

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.03	s.u.	±0.1 s.u.	pass	no	NA
7a	7.06	s.u.	±0.1 s.u.	/	/	/
10a	10.05	s.u.	±0.1 s.u.	/	/	/
SC Zero (DI)	6.27	µS/cm	0<25 µS/cm	/	/	/
SC 2000	1992.7	µS/cm	±5%	/	/	/
ORP	235.6	mV	±15 mV	/	/	/
DO (Zero pt)	0.08	mg/L	±0.1	/	/	/
DO (Saturated)	97.23	%	97-100%	/	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	/	/	/

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.02	s.u.	±0.15 s.u.	pass	NA
7b	6.96	s.u.	±0.15 s.u.	/	/
10b	10.00	s.u.	±0.15 s.u.	/	/
SC1000	991.00	µS/cm	±5%	/	/

CCV (Continued Calibration Verification): 1/20

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.05	s.u.	±0.1 s.u.	pass	no	NA
7	7.00	s.u.	±0.1 s.u.	/	/	/
10	10.00	s.u.	±0.1 s.u.	/	/	/
SC 1000	1013.1	µS/cm	±5%	/	/	/
DO (Zero pt)	0.06	mg/L	±0.1 mg/L	/	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	/	/	/

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

Signature:

Date:

2/8/2022

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Matt Julian</i>	Date:	<i>2/9/22</i>		
Weather conditions:	<i>44° P sunny - P. cloudy W 14 d w 5-10 mph</i>	Signature:	<i>[Signature]</i>		
Make/Model	AquaTroll 600	S/N	<i>762215</i>		
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.					
Sources					
pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22
Spec Con.					
µS/cm: DI water	0	µS/cm: SC1000	1000	µS/cm: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22
RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*:		
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	1GF668	
Prepared by:	PDC Tech Services, Inc:		exp:	Mar-22	
Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.96	s.u.	±0.1 s.u.	Pass	No	No
7a	7.04	s.u.	±0.1 s.u.			
10a	10.07	s.u.	±0.1 s.u.			
SC Zero (DI)	18.39	µS/cm	0<25 µS/cm			
SC 2000	2003.0	µS/cm	±5%			
ORP	237.7 @ +4°C	mV	±15 mV			
DO (Zero pt)	0.04	mg/L	±0.1			
DO (Saturated)	99.05	%	97-100%			
Turbidity (DI)	0.89	NTU	<2 NTU	✓	✓	✓

ICV (Initial Calibration Verification)

11/28

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.07	s.u.	±0.15 s.u.	Pass	No
7b	6.91	s.u.	±0.15 s.u.		
10b	9.99	s.u.	±0.15 s.u.		
SC1000	1010.3	µS/cm	±5%	✓	

CCV (Continued Calibration Verification):

17/10

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.03	s.u.	±0.1 s.u.	Pass	No	No
7	7.04	s.u.	±0.1 s.u.			
10	10.10	s.u.	±0.1 s.u.			
SC 1000	996.15	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	1.07	NTU	<2 NTU	✓	✓	✓

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

M6
2/9/22

Signature:

Date:

2/19/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Matt Julian</i>	Date:	<i>2/18/22</i>
Weather conditions:	<i>54° - 57°F P. cloudy wind 10-20 mph SW</i>	Signature:	<i>[Signature]</i>
Make/Model	AquaTroll 600	S/N	<i>762215</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22

Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*:	
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)				
0 NTU	0 (DI Water)	1 NTU	1	10 NTU
Range:	Not Measured	Range:		Range:
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:
Lot #:	NA	Lot #:		Lot #:
exp:	NA	exp:		exp:

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.00	s.u.	±0.1 s.u.	Pass	No	NA
7a	7.04	s.u.	±0.1 s.u.			
10a	10.06	s.u.	±0.1 s.u.			
SC Zero (DI)	23.51	µS/cm	0<25 µS/cm			
SC 2000	2004.7	µS/cm	±5%			
ORP	243.2 @ 15°C mV	mV	±15 mV			
DO (Zero pt)	0.08	mg/L	±0.1			
DO (Saturated)	99.72	%	97-100%			
Turbidity (DI)	0.92	NTU	<2 NTU	✓	✓	✓

ICV (Initial Calibration Verification) 1054

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.09	s.u.	±0.15 s.u.	PASS	None
7b	6.91	s.u.	±0.15 s.u.		
10b	9.98	s.u.	±0.15 s.u.		
SC1000	986.0	µS/cm	±5%	✓	✓

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.05	s.u.	±0.1 s.u.	Pass	No	NA
7	7.07	s.u.	±0.1 s.u.			
10	10.09	s.u.	±0.1 s.u.			
SC 1000	991.32	µS/cm	±5%			
DO (Zero pt)	0.08	mg/L	±0.1 mg/L			
Turbidity (DI)	1.02	NTU	<2 NTU	✓	✓	✓

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			
Comments:						

Signature:

Date:

2/18/22

Multiparameter Meter Field Calibration Checklist

Field Personnel	Terry Carroll	Date:	2/9/22
Weather conditions:	44° Wind 5-10 mph Partly Cloudy	Signature:	Jillie Carroll
Make/Model	AquaTroll 600	S/N	739450
Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.			

Sources		pH Buffers			
Primary Source:		pH: 4.00	pH: 7a	pH: 7.00	pH: 10a
pH: 4a		Range: +/- 0.02	Range: +/- 0.02	Range: +/- 0.02	Range: +/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	K063-05	Lot #:	K134-08	Lot #:	J235-04
exp:	10/8/23	exp:	10/23/23	exp:	12/17/22
Secondary Source:		pH: 4.00	pH: 7b	pH: 7.00	pH: 10b
pH: 4b		Range: +/- 0.01	Range: +/- 0.01	Range: +/- 0.01	Range: +/- 0.01
Manufacturer:	Geotech	Manufacturer:	LabChem	Manufacturer:	Geotech
Lot #:	OGD046	Lot #:	J214-24	Lot #:	OGC851
exp:	AUG 23	exp:	APR 23	exp:	MAY 23
Spec Con.		$\mu\text{S}/\text{cm}$: DI water	$\mu\text{S}/\text{cm}$: SC1000	$\mu\text{S}/\text{cm}$: SC2000	$\mu\text{S}/\text{cm}$: 2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4002A08	Lot #:	0GA078
		exp:	Dec 22	exp:	APR 22
RDO	Sodium Sulfite in DI Water		ORP	Zobell's Standard	
Value:	0		Value*: 237.9	0.13°	
Range:	+/- 0.01		Range:	+/- 10 mV	
Manufacturer:	Fisher Chemical		Manufacturer:	In-Situ	
Lot #:	168261		Lot #:	OGC1145	
Prepared by:	PDC Tech Services, Inc:		exp:	AUG 22	
Turbidity (If required)					
0 NTU	O (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	
Notes:	*See bottle for chart of values based on Temperature				

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
 CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:					8:15	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.92	s.u.	±0.1 s.u.	P	N	NA
7a	6.91	s.u.	±0.1 s.u.	I	I	I
10a	10.00	s.u.	±0.1 s.u.	I	I	I
SC Zero (DI)	13.43	µS/cm	0<25 µS/cm	I	I	I
SC 2000	2031.2	µS/cm	±5%	I	I	I
ORP (0-13)	237.9	mV	±15 mV	I	I	I
DO (Zero pt)	0.03	mg/L	±0.1	I	I	I
DO (Saturated)	97.15	%	97-100%	I	I	I
Turbidity (DI)	0.30	NTU	<2 NTU	D	D	D

ICV (Initial Calibration Verification)						
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	
4b	3.87	s.u.	±0.15 s.u.	P	NA	
7b	6.85	s.u.	±0.15 s.u.	I	I	
10b	9.94	s.u.	±0.15 s.u.	I	I	
SC1000	1030.2	µS/cm	±5%	b	b	

CCV (Continued Calibration Verification):					1530	
					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.07	s.u.	±0.1 s.u.	P	N	NA
7	7.04	s.u.	±0.1 s.u.	I	I	I
10	10.09	s.u.	±0.1 s.u.	I	I	I
SC 1000	1030.6	µS/cm	±5%	I	I	I
DO (Zero pt)	0.10	mg/L	±0.1 mg/L	D	D	D
Turbidity (DI)	0.37	NTU	<2 NTU	D	D	D

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7*		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

Signature:	Date:
<i>Mary Carroll</i>	2/9/2022

Multiparameter Meter Field Calibration Checklist

Field Personnel	Austin Penick	Date:	2015-06-23
Weather conditions:	36 - 43°C Sunny wind 2-3 m/s	Signature:	
Make/Model	AquaTroll 600	S/N	760018

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

	pH Buffers				
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.					
$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1%
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*:	242 (at 18°C)
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)					
0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes:	*See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration: 0830

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	4.00	s.u.	±0.1 s.u.	Pass	No	N/A
7a	7.00	s.u.	±0.1 s.u.			
10a	10.00	s.u.	±0.1 s.u.			
SC Zero (DI)	2.56	µS/cm	0<25 µS/cm			
SC 2000	2013.2	µS/cm	±5%			
ORP	235.7	mV	±15 mV			
DO (Zero pt)	0.08	mg/L	±0.1			
DO (Saturated)	98.28	%	97-100%			
Turbidity (DI)	0.00	NTU	<2 NTU			

ICV (Initial Calibration Verification)

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	4.05	s.u.	±0.15 s.u.	Pass	N/A
7b	6.96	s.u.	±0.15 s.u.		
10b	10.03	s.u.	±0.15 s.u.		
SC1000	991.52	µS/cm	±5%		

CCV (Continued Calibration Verification): 1351

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.0	s.u.	±0.1 s.u.	Pass	No	N/A
7	7.00	s.u.	±0.1 s.u.			
10	10.02	s.u.	±0.1 s.u.			
SC 1000	1006.6	µS/cm	±5%			
DO (Zero pt)	0.07	mg/L	±0.1 mg/L			
Turbidity (DI)	0.00	NTU	<2 NTU			

CCV (Continued Calibration Verification):

Approx. every 4 hrs, unless only one well

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4		s.u.	±0.1 s.u.			
7		s.u.	±0.1 s.u.			
10		s.u.	±0.1 s.u.			
SC 1000		µS/cm	±5%			
DO (Zero pt)		mg/L	±0.1 mg/L			
Turbidity (DI)		NTU	<2 NTU			

Comments:

Signature:

Date:

Multiparameter Meter Field Calibration Checklist

Field Personnel	<i>Luke Giovannini</i>	Date:	<i>2/9/2022</i>
Weather conditions:		Signature:	<i>Luke Giovannini</i>
Make/Model	AquaTroll 600	S/N	<i>F39449</i>

Instrument unpacked/RDO sensor installed from storage solution and rinsed with pH 4 buffer then triple rinsed with DI water prior. Instrument then subjected to calibration check/calibration regiment (pH 4, then pH 7, then pH 10, followed by Spec Con., ORP, and RDO) instrument and calibration cup rinsed between each buffer.

Sources

pH Buffers					
Primary Source:					
pH: 4a	4.00	pH: 7a	7.00	pH: 10a	10.00
Range:	+/- 0.02	Range:	+/- 0.02	Range:	+/- 0.02
Manufacturer:	MSI	Manufacturer:	MSI	Manufacturer:	MSI
Lot #:	L159-11	Lot #:	L146-06	Lot #:	K344-09
exp:	10-Jun-23	exp:	1-Jun-23	exp:	17-Dec-22
Secondary Source:					
pH: 4b	4.00	pH: 7b	7.00	pH: 10b	10.00
Range:	+/- 0.01	Range:	+/- 0.01	Range:	+/- 0.01
Manufacturer:	Geotech	Manufacturer:	Geotech	Manufacturer:	Geotech
Lot #:	1GD680	Lot #:	0GJ268	Lot #:	0GJ170
exp:	Apr-23	exp:	Oct-22	exp:	Oct-22

Spec Con.

$\mu\text{S}/\text{cm}$: DI water	0	$\mu\text{S}/\text{cm}$: SC1000	1000	$\mu\text{S}/\text{cm}$: SC2000	2000
Range:	Not Measured	Range:	+/- 1	Range:	+/- 1 %
Manufacturer:	PDC Laboratories, Inc	Manufacturer:	RICCA Chemical	Manufacturer:	Geotech
Received:		Lot #:	4101A25	Lot #:	1GF629
		exp:	Dec-22	exp:	Jun-22

RDO

RDO	Sodium Sulfite in DI Water	ORP	Zobell's Standard
Value:	0	Value*: <i>240 mV</i>	<i>@ 17°C</i>
Range:	+/- 0.01	Range:	+/- 10 mV
Manufacturer:	Fisher Chemical	Manufacturer:	In-Situ
Lot #:	168261	Lot #:	1GF668
Prepared by:	PDC Tech Services, Inc:	exp:	Mar-22

Turbidity (if required)

0 NTU	0 (DI Water)	1 NTU	1	10 NTU	10
Range:	Not Measured	Range:		Range:	
Manufacturer:	PDC Laboratories, Inc	Manufacturer:		Manufacturer:	
Lot #:	NA	Lot #:		Lot #:	
exp:	NA	exp:		exp:	

Notes: *See bottle for chart of values based on Temperature

Multiparameter Meter Calibration Checklist (continued)

Values are tested at the beginning of the day, at mid-day, and at the end of the day to document potential drift.
CCV checks are conducted ~ every 4 hours, unless only one well is read then is not required.

Initial Calibration Check/Calibration:

Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4a	3.44	s.u.	±0.1 s.u.	P	No	/
7a	7.07	s.u.	±0.1 s.u.	/	/	/
10a	10.09	s.u.	±0.1 s.u.	/	/	/
SC Zero (DI)	6.44	µS/cm	0<25 µS/cm	/	/	/
SC 2000	1992.5	µS/cm	±5%	/	/	/
ORP	240.4	mV	±15 mV	/	/	/
DO (Zero pt)	0.07	mg/L	±0.1	/	/	/
DO (Saturated)	92.67	%	97-100%	F	No Yes	100%
Turbidity (DI)	0.00	NTU	<2 NTU	P	No	/

ICV (Initial Calibration Verification)

10:50

Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?
4b	3.44	s.u.	±0.15 s.u.	P	/
7b	6.46	s.u.	±0.15 s.u.	/	/
10b	9.93	s.u.	±0.15 s.u.	/	/
SC1000	1007.3	µS/cm	±5%	/	/

14:33

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.10	s.u.	±0.1 s.u.	P	No	/
7	7.15	s.u.	±0.1 s.u.	F	Yes	7.00
10	9.91	s.u.	±0.1 s.u.	F	No	/
SC 1000	1016.2	µS/cm	±5%	F	/	/
DO (Zero pt)	0.07	mg/L	±0.1 mg/L	F	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	F	/	/

16:20

CCV (Continued Calibration Verification):					Approx. every 4 hrs, unless only one well	
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading
4	4.09	s.u.	±0.1 s.u.	F	No	/
7*	6.99	s.u.	±0.1 s.u.	/	/	/
10	9.91	s.u.	±0.1 s.u.	/	/	/
SC 1000	1016.6	µS/cm	±5%	/	/	/
DO (Zero pt)	0.07	mg/L	±0.1 mg/L	/	/	/
Turbidity (DI)	0.00	NTU	<2 NTU	/	/	/

Comments:

Signature:

Date:

2/9/22

RAMBOLL
1234 W. FLORIDA STREET, 5th FLOOR
MILWAUKEE, WI 53204
TEL: 414-837-3607

RAMBOLL - MILWAUKEE
NRT COFFEEEN CCR ASH 2

CHAIN OF CUSTODY #
DATE: 2/8/22

FB01774-02 1423

RAMBOLL
2234 W. FLORIDA STREET, 5th FLOOR
MILWAUKEE, WI 53204
TEL: 414.837.3607

RAMBOLL - MILWAUKEE
NRT COFFEE CCR ASH 2

CHAIN OF CUSTODY #
DATE: 02/09/2023



ANALYTICAL REPORT

March 03, 2022

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

PDC Laboratory, Inc.

Sample Delivery Group: L1461490

Samples Received: 02/14/2022

Project Number: FB01360

Description:

Report To: Gail Schindler
2231 W. Altorfer Drive
Peoria, IL 61615

Entire Report Reviewed By:

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	5	⁴ Cn
Sr: Sample Results	6	⁵ Sr
FB01360-01 L1461490-01	6	⁶ Qc
FB01360-02 L1461490-02	7	⁷ Gl
FB01360-03 L1461490-03	8	⁸ Al
FB01360-04 L1461490-04	9	⁹ Sc
FB01360-05 L1461490-05	10	
FB01360-06 L1461490-06	11	
FB01360-07 L1461490-07	12	
FB01360-08 L1461490-08	13	
FB01360-09 L1461490-09	14	
FB01360-10 L1461490-10	15	
FB01360-11 L1461490-11	16	
Qc: Quality Control Summary	17	
Radiochemistry by Method 904/9320	17	
Radiochemistry by Method SM7500Ra B M	18	
Gl: Glossary of Terms	19	
Al: Accreditations & Locations	20	
Sc: Sample Chain of Custody	21	

SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
				02/08/22 13:50	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 12:22	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 11:05	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 12:12	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 09:46	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 15:05	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 10:43	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
				02/08/22 12:02	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 15:56	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 14:30	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 13:21	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/08/22 15:38	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 GI
- 8 Al
- 9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

FB01360-01

Collected date/time: 02/08/22 13:50

SAMPLE RESULTS - 01

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.203	<u>U</u>	0.331	0.632	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	103			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	104			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.000	<u>U</u>	0.365	0.709	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	-0.0399	<u>U</u>	0.154	0.321	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	92.5			30.0-143	02/23/2022 22:28	WG1819523

FB01360-02

Collected date/time: 02/08/22 12:22

SAMPLE RESULTS - 02

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.715		0.309	0.555	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	95.7			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	94.7			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.913		0.358	0.583	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.198		0.181	0.178	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	93.1			30.0-143	02/23/2022 22:28	WG1819523

FB01360-03

Collected date/time: 02/08/22 11:05

SAMPLE RESULTS - 03

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.0952	<u>U</u>	0.297	0.563	02/22/2022 14:50	WG1817742
(T) Barium	95.6			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	94.1			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.111	<u>U</u>	0.343	0.622	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.111	<u>J</u>	0.172	0.265	02/23/2022 22:28	WG1819523
(T) Barium-133	88.6			30.0-143	02/23/2022 22:28	WG1819523

FB01360-04

Collected date/time: 02/08/22 12:12

SAMPLE RESULTS - 04

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.149	<u>U</u>	0.389	0.728	02/22/2022 14:50	WG1817742
(T) Barium	111			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	95.8			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.214	<u>U</u>	0.415	0.775	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0649	<u>U</u>	0.146	0.266	02/23/2022 22:28	WG1819523
(T) Barium-133	90.8			30.0-143	02/23/2022 22:28	WG1819523

FB01360-05

Collected date/time: 02/08/22 09:46

SAMPLE RESULTS - 05

L1461490

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	1.15		0.362	0.636	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	103			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	102			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	1.25		0.435	0.751	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	0.104	<u>U</u>	0.241	0.400	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	94.2			30.0-143	02/23/2022 22:28	WG1819523

FB01360-06

Collected date/time: 02/08/22 10:43

SAMPLE RESULTS - 06

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.300	J	0.296	0.546	02/22/2022 14:50	WG1817742
(T) Barium	86.4			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	103			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.353	J	0.336	0.624	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0525	U	0.159	0.303	02/23/2022 22:28	WG1819523
(T) Barium-133	99.7			30.0-143	02/23/2022 22:28	WG1819523

FB01360-07

Collected date/time: 02/08/22 12:02

SAMPLE RESULTS - 07

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.968	<u>U</u>	0.303	0.609	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	89.7			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	105			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.000	<u>U</u>	0.333	0.691	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	-0.00247	<u>U</u>	0.138	0.326	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	95.4			30.0-143	02/23/2022 22:28	WG1819523

FB01360-08

Collected date/time: 02/08/22 15:56

SAMPLE RESULTS - 08

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.844		0.279	0.493	02/22/2022 14:50	<u>WG1817742</u>
(<i>T</i>) Barium	98.1			62.0-143	02/22/2022 14:50	<u>WG1817742</u>
(<i>T</i>) Yttrium	105			79.0-136	02/22/2022 14:50	<u>WG1817742</u>

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.949		0.330	0.568	02/23/2022 22:28	<u>WG1819523</u>

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.105	<u>U</u>	0.177	0.283	02/23/2022 22:28	<u>WG1819523</u>
(<i>T</i>) Barium-133	92.0			30.0-143	02/23/2022 22:28	<u>WG1819523</u>

FB01360-09

Collected date/time: 02/08/22 14:30

SAMPLE RESULTS - 09

L1461490

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	2.28		0.294	0.467	02/22/2022 14:50	WG1817742
(T) Barium	106			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	98.8			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	2.28		0.299	0.516	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	-0.0184	<u>U</u>	0.0538	0.219	02/23/2022 22:28	WG1819523
(T) Barium-133	97.3			30.0-143	02/23/2022 22:28	WG1819523

FB01360-10

Collected date/time: 02/08/22 13:21

SAMPLE RESULTS - 10

L1461490

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.0154	<u>U</u>	0.260	0.492	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	102			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	93.8			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.173	<u>U</u>	0.308	0.524	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.173	<u>J</u>	0.166	0.181	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	99.7			30.0-143	02/23/2022 22:28	WG1819523

FB01360-11

Collected date/time: 02/08/22 15:38

SAMPLE RESULTS - 11

L1461490

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	1.55		0.304	0.511	02/22/2022 14:50	WG1817742
(T) Barium	92.6			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	103			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	1.71		0.350	0.553	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	0.158	J	0.174	0.211	02/23/2022 22:28	WG1819523
(T) Barium-133	95.0			30.0-143	02/23/2022 22:28	WG1819523

WG1817742

Radiochemistry by Method 904/9320

QUALITY CONTROL SUMMARY

[L1461490-01,02,03,04,05,06,07,08,09,10,11](#)

Method Blank (MB)

(MB) R3764674-1 02/22/22 14:50

Analyte	MB Result	MB Qualifier	MB Uncertainty	MB MDA	Cp
	pCi/l	+ / -	pCi/l		
Radium-228	-0.170	U	0.223	0.420	
(T) Barium	98.2		98.2		
(T) Yttrium	105		105		

L1461488-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1461488-01 02/22/22 14:50 • (DUP) R3764674-5 02/22/22 14:50

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l		%			%	
Radium-228	0.172	0.341	0.636	-0.0749	0.894	0.636	1	200	0.258	U	20	3
(T) Barium	93.8			97.9	97.9							
(T) Yttrium	108			93.3	93.3							

Laboratory Control Sample (LCS)

(LCS) R3764674-2 02/22/22 14:50

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	Cp
	pCi/l	pCi/l	%	%		
Radium-228	5.00	5.92	118	80.0-120		
(T) Barium			99.1			
(T) Yttrium			96.5			

L1461484-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1461484-01 02/22/22 14:50 • (MS) R3764674-3 02/22/22 14:50 • (MSD) R3764674-4 02/22/22 14:50

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%		%			%		
Radium-228	16.7	1.15	16.3	15.9	90.7	88.6	1	70.0-130			2.17		20
(T) Barium		91.0		101		89.5							
(T) Yttrium		103		99.2		109							

1 Cp
 2 Tc
 3 Ss
 4 Cn
 5 Sr
 6 Qc
 7 Gl
 8 Al
 9 Sc

ACCOUNT:
PDC Laboratory, Inc.PROJECT:
FB01360SDG:
L1461490DATE/TIME:
03/03/22 10:53PAGE:
17 of 23

WG1819523

Radiochemistry by Method SM7500Ra B M

QUALITY CONTROL SUMMARY

[L1461490-01,02,03,04,05,06,07,08,09,10,11](#)

Method Blank (MB)

(MB) R3765862-1 02/23/22 22:28

Analyte	MB Result	MB Qualifier	MB Uncertainty	MB MDA
	pCi/l	+ / -	pCi/l	
Radium-226	0.0249	U	0.0535	0.0876
(T) Barium-133	95.8		95.8	

L1461490-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1461490-11 02/23/22 22:28 • (DUP) R3765862-5 02/23/22 22:28

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%		%	%	%
Radium-226	0.158	0.174	0.211	0.0677	0.134	0.211	1	80.0	0.411	U	20	3
(T) Barium-133	95.0			91.0	91.0							

Laboratory Control Sample (LCS)

(LCS) R3765862-2 02/23/22 22:28

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	pCi/l	pCi/l	%	%	
Radium-226	5.02	5.45	109	80.0-120	
(T) Barium-133			95.9		

L1461484-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1461484-03 02/23/22 22:28 • (MS) R3765862-3 02/23/22 22:28 • (MSD) R3765862-4 02/23/22 22:28

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%	%	%	%	%	%
Radium-226	20.1	-0.00238	20.0	19.0	99.5	94.4	1	75.0-125			5.18		20
(T) Barium-133		92.6			91.1	96.3							

ACCOUNT:
PDC Laboratory, Inc.PROJECT:
FB01360SDG:
L1461490DATE/TIME:
03/03/22 10:53PAGE:
18 of 23
¹Cp
²Tc
³Ss
⁴Cn
⁵Sr
⁶Qc
⁷Gl
⁸Al
⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

SUBCONTRACT ORDER
Transfer Chain of Custody

Pace Analytical Services, LLC

K009

SENDING LABORATORY

PDC Laboratories, Inc.
2231 W Altorfer Dr
Peoria, IL 61615
(800) 752-6651

RECEIVING LABORATORY

Pace Analytical - Mt Juliet, Tn
12065 Lebanon Rd
Mt Juliet, TN 37122
(615) 758-5858

Page 82 of 99

Sample: FB01360-01

Name: G270

Sampled: 02/08/22 13:50
Matrix: Ground Water
Preservative: HNO3, pH <2

-01

Analysis

Due

Expires

Comments

01-Radium 226/228 combined

03/10/22 16:00

08/07/22 13:50

Sample: FB01360-02
Name: G279

Sampled: 02/08/22 12:22
Matrix: Ground Water
Preservative: HNO3, pH <2

-02

Analysis

Due

Expires

Comments

01-Radium 226/228 combined

03/10/22 16:00

08/07/22 12:22

Sample: FB01360-03
Name: G280

Sampled: 02/08/22 11:05
Matrix: Ground Water
Preservative: HNO3, pH <2

-03

Analysis

Due

Expires

Comments

01-Radium 226/228 combined

03/10/22 16:00

08/07/22 11:05

Sample: FB01360-04
Name: G281

Sampled: 02/08/22 12:12
Matrix: Ground Water
Preservative: HNO3, pH <2

-04

Analysis

Due

Expires

Comments

01-Radium 226/228 combined

03/10/22 16:00

08/07/22 12:12

Sample: FB01360-05
Name: G403

Sampled: 02/08/22 09:46
Matrix: Ground Water
Preservative: HNO3, pH <2

-05

Analysis

Due

Expires

Comments

01-Radium 226/228 combined

03/10/22 16:00

08/07/22 09:46

SUBCONTRACT ORDER
Transfer Chain of Custody
Pace Analytical Services, LLC

FB01360

SENDING LABORATORY

PDC Laboratories, Inc.
2231 W Altoner Dr
Peoria, IL 61615
(800) 752-6651

RECEIVING LABORATORY

Pace Analytical - Mt Juliet, TN
12065 Lebanon Rd
Mt Juliet, TN 37122
(615) 758-5858

L4461490

Analysis	Due	Expires	Comments
Sample: FB01360-06 Name: G404			Sampled: 02/08/22 10:43 Matrix: Ground Water Preservative: HNO3, pH <2
Analysis	Due	Expires	
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 10:43	
Sample: FB01360-07 Name: G405			Sampled: 02/08/22 12:02 Matrix: Ground Water Preservative: HNO3, pH <2
Analysis	Due	Expires	Comments
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 12:02	
Sample: FB01360-08 Name: G406			Sampled: 02/08/22 15:56 Matrix: Ground Water Preservative: HNO3, pH <2
Analysis	Due	Expires	Comments
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 15:56	
Sample: FB01360-09 Name: G407			Sampled: 02/08/22 14:30 Matrix: Ground Water Preservative: HNO3, pH <2
Analysis	Due	Expires	Comments
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 14:30	
Sample: FB01360-10 Name: G410			Sampled: 02/08/22 13:21 Matrix: Ground Water Preservative: HNO3, pH <2
Analysis	Due	Expires	Comments
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 13:21	-10

SUBCONTRACT ORDER
Transfer Chain of Custody
Pace Analytical Services, LLC

FB01360

SENDING LABORATORY

PDC Laboratories, Inc.
2231 W Altoner Dr
Peoria, IL 61615
(800) 752-6651

RECEIVING LABORATORY

Pace Analytical - Mt Juliet, Tn
12065 Lebanon Rd
Mt Juliet, TN 37122
(615) 758-5658

U461490

Sample: FB01360-11
Name: G154

Sampled: 02/08/22 15:33
Matrix: Ground Water **-11**
Preservative: HNO₃, pH <2

Analysis	Due	Expires	Comments
01-Radium 226/228 combined	03/10/22 16:00	08/07/22 15:38	

Sample Receipt Checklist:	
COC Present/Correct: <input checked="" type="checkbox"/>	Y or N
COC Signed/Accurate: <input checked="" type="checkbox"/>	Y or N
Bottles acting intact: <input checked="" type="checkbox"/>	Y or N
Correct bottling used: <input checked="" type="checkbox"/>	Y or N
Significant volume present: <input checked="" type="checkbox"/>	Y or N
PAC Screen <0.5 mm: <input checked="" type="checkbox"/>	Y or N

Please email results to Gail Schindler at gschindler@pdclab.com

Date Shipped: 2-10-22 Total # of Containers: 11 Sample Origin (State): IL PO #: 42

Turn-Around Time Requested NORMAL RUSH

Date Results Needed: _____

Reinquished By	Date/Time	Received By	Date/Time
<i>G. J. Schindler</i>	<u>2/10/22 11:15</u>	<i>Mary Miller</i>	<u>2/10/22 0930</u>
Samples Received Within Hold Time		Date/Time Taken From Sample Bottle	
Y or N		Y or N	



ANALYTICAL REPORT

April 05, 2022

Revised Report

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace IR - Peoria, IL

Sample Delivery Group: L1461484

Samples Received: 02/14/2022

Project Number: FB01773

Description:

Report To: Gail Schindler
2231 W. Altorfer Drive
Peoria, IL 61615

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:

Pace IR - Peoria, IL

PROJECT:

F01773

SDG:

L1461484

DATE/TIME:

04/05/22 11:25

Page 85 of 99

1 of 12

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
FB01773-01 L1461484-01	5	⁶ Qc
FB01773-02 L1461484-02	6	⁷ Gl
FB01773-03 L1461484-03	7	⁸ Al
Qc: Quality Control Summary	8	⁹ Sc
Radiochemistry by Method 904/9320	8	
Radiochemistry by Method SM7500Ra B M	9	
Gl: Glossary of Terms	10	
Al: Accreditations & Locations	11	
Sc: Sample Chain of Custody	12	

SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
				02/09/22 11:52	02/14/22 09:30	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/09/22 13:20	02/14/22 09:30	
FB01773-02 L1461484-02 Non-Potable Water			Collected by	Collected date/time	Received date/time	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				02/09/22 09:58	02/14/22 09:30	
FB01773-03 L1461484-03 Non-Potable Water			Collected by	Collected date/time	Received date/time	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1817742	1	02/16/22 10:00	02/22/22 14:50	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1819523	1	02/21/22 12:58	02/23/22 22:28	RGT	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Report Revision History

Level II Report - Version 1: 03/03/22 10:54

Project Narrative

Revised collection times

FB01773-01

Collected date/time: 02/09/22 11:52

SAMPLE RESULTS - 01

L1461484

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	1.15		0.407	0.723	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	91.0			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	103			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	1.21		0.435	0.778	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	0.0591	<u>U</u>	0.154	0.286	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	93.5			30.0-143	02/23/2022 22:28	WG1819523

FB01773-02

Collected date/time: 02/09/22 13:20

SAMPLE RESULTS - 02

L1461484

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.628		0.315	0.568	02/22/2022 14:50	WG1817742
(<i>T</i>) Barium	91.4			62.0-143	02/22/2022 14:50	WG1817742
(<i>T</i>) Yttrium	103			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.873		0.381	0.616	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.246		0.214	0.238	02/23/2022 22:28	WG1819523
(<i>T</i>) Barium-133	92.2			30.0-143	02/23/2022 22:28	WG1819523

FB01773-03

Collected date/time: 02/09/22 09:58

SAMPLE RESULTS - 03

L1461484

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.351	J	0.349	0.642	02/22/2022 14:50	WG1817742
(T) Barium	86.6			62.0-143	02/22/2022 14:50	WG1817742
(T) Yttrium	98.0			79.0-136	02/22/2022 14:50	WG1817742

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.351	J	0.374	0.715	02/23/2022 22:28	WG1819523

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	-0.00238	U	0.134	0.315	02/23/2022 22:28	WG1819523
(T) Barium-133	92.6			30.0-143	02/23/2022 22:28	WG1819523

WG1817742

Radiochemistry by Method 904/9320

QUALITY CONTROL SUMMARY

[L1461484-01,02,03](#)

Method Blank (MB)

(MB) R3764674-1 02/22/22 14:50

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty	MB MDA	Cp
			+ / -	pCi/l	
Radium-228	-0.170	U	0.223	0.420	
(T) Barium	98.2		98.2		
(T) Yttrium	105		105		

L1461488-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1461488-01 02/22/22 14:50 • (DUP) R3764674-5 02/22/22 14:50

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%		%	%	%
Radium-228	0.172	0.341	0.636	-0.0749	0.894	0.636	1	200	0.258	U	20	3
(T) Barium	93.8			97.9	97.9							
(T) Yttrium	108			93.3	93.3							

Laboratory Control Sample (LCS)

(LCS) R3764674-2 02/22/22 14:50

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	Cp
	pCi/l	pCi/l	%	%		
Radium-228	5.00	5.92	118	80.0-120		
(T) Barium			99.1			
(T) Yttrium			96.5			

L1461484-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1461484-01 02/22/22 14:50 • (MS) R3764674-3 02/22/22 14:50 • (MSD) R3764674-4 02/22/22 14:50

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%	%	%	%	%	%
Radium-228	16.7	1.15	16.3	15.9	90.7	88.6	1	70.0-130			2.17		20
(T) Barium		91.0		101		89.5							
(T) Yttrium		103		99.2		109							

1 Cp
 2 Tc
 3 Ss
 4 Cn
 5 Sr
 6 Qc
 7 Gl
 8 Al
 9 Sc

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FB01773SDG:
L1461484DATE/TIME:
04/05/22 11:25PAGE:
8 of 12

WG1819523

Radiochemistry by Method SM7500Ra B M

QUALITY CONTROL SUMMARY

[L1461484-01,02,03](#)

Method Blank (MB)

(MB) R3765862-1 02/23/22 22:28

Analyte	MB Result	MB Qualifier	MB Uncertainty	MB MDA
	pCi/l	+ / -	pCi/l	
Radium-226	0.0249	U	0.0535	0.0876
(T) Barium-133	95.8		95.8	

L1461490-11 Original Sample (OS) • Duplicate (DUP)

(OS) L1461490-11 02/23/22 22:28 • (DUP) R3765862-5 02/23/22 22:28

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%		%	%	%
Radium-226	0.158	0.174	0.211	0.0677	0.134	0.211	1	80.0	0.411	U	20	3
(T) Barium-133	95.0			91.0	91.0							

Laboratory Control Sample (LCS)


(LCS) R3765862-2 02/23/22 22:28

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	pCi/l	pCi/l	%	%	
Radium-226	5.02	5.45	109	80.0-120	
(T) Barium-133			95.9		

L1461484-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1461484-03 02/23/22 22:28 • (MS) R3765862-3 02/23/22 22:28 • (MSD) R3765862-4 02/23/22 22:28

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%	%	%	%	%	%
Radium-226	20.1	-0.00238	20.0	19.0	99.5	94.4	1	75.0-125			5.18		20
(T) Barium-133		92.6			91.1	96.3							

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FB01773SDG:
L1461484DATE/TIME:
04/05/22 11:25PAGE:
9 of 12

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.	¹ Cp
Rec.	Recovery.	² Tc
RER	Replicate Error Ratio.	³ Ss
RPD	Relative Percent Difference.	⁴ Cn
SDG	Sample Delivery Group.	⁵ Sr
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.	⁶ Qc
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	⁷ GI
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	⁸ AI
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	⁹ Sc
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



ANALYTICAL REPORT

April 21, 2022

Revised Report

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace IR - Peoria, IL

Sample Delivery Group: L1475988
Samples Received: 03/29/2022
Project Number: FC03756
Description: Coffeen SW Pond
Site: 001
Report To: Gail Schindler

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:

Pace IR - Peoria, IL

PROJECT:

FC03756

SDG:

L1475988

DATE/TIME:

04/21/22 11:52

Page 16 of 29

1 of 13

TABLE OF CONTENTS

Cp: Cover Page	1	 ¹ Cp
Tc: Table of Contents	2	 ² Tc
Ss: Sample Summary	3	 ³ Ss
Cn: Case Narrative	4	 ⁴ Cn
Sr: Sample Results	5	 ⁵ Sr
G151 L1475988-01	5	 ⁶ Qc
G152 L1475988-02	6	 ⁷ Gl
G153 L1475988-03	7	 ⁸ Al
G155 L1475988-04	8	 ⁹ Sc
Qc: Quality Control Summary	9	
Radiochemistry by Method 904/9320	9	
Radiochemistry by Method SM7500Ra B M	10	
Gl: Glossary of Terms	11	
Al: Accreditations & Locations	12	
Sc: Sample Chain of Custody	13	

SAMPLE SUMMARY

			Collected by	Collected date/time	Received date/time	
				03/21/22 13:26	03/29/22 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1846344	1	04/13/22 13:54	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1846344	1	04/13/22 13:54	04/15/22 20:39	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				03/21/22 15:20	03/29/22 09:00	
G152 L1475988-02 Non-Potable Water						
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1846344	1	04/13/22 13:54	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1846344	1	04/13/22 13:54	04/15/22 20:39	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				03/21/22 14:52	03/29/22 09:00	
G153 L1475988-03 Non-Potable Water						
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1846344	1	04/13/22 13:54	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1846344	1	04/13/22 13:54	04/15/22 20:39	RGT	Mt. Juliet, TN
			Collected by	Collected date/time	Received date/time	
				03/21/22 14:20	03/29/22 09:00	
G155 L1475988-04 Non-Potable Water						
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1846344	1	04/13/22 13:54	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1846344	1	04/13/22 13:54	04/15/22 20:39	RGT	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Report Revision History

Level II Report - Version 1: 04/20/22 17:53

Project Narrative

Added COMB RA per customer request.

G151

Collected date/time: 03/21/22 13:26

SAMPLE RESULTS - 01

L1475988

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.363	<u>U</u>	0.330	0.626	04/18/2022 12:20	WG1846703
(<i>T</i>) Barium	93.0			62.0-143	04/18/2022 12:20	WG1846703
(<i>T</i>) Yttrium	101			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.0758	<u>U</u>	0.371	0.689	04/18/2022 12:20	WG1846344

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0758	<u>U</u>	0.169	0.289	04/15/2022 20:39	WG1846344
(<i>T</i>) Barium-133	95.7			30.0-143	04/15/2022 20:39	WG1846344

¹⁰Qc

G152

Collected date/time: 03/21/22 15:20

SAMPLE RESULTS - 02

L1475988

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.294	J	0.336	0.616	04/18/2022 12:20	WG1846703
(T) Barium	84.4			62.0-143	04/18/2022 12:20	WG1846703
(T) Yttrium	107			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.621	J	0.453	0.707	04/18/2022 12:20	WG1846344

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.326	J	0.304	0.346	04/15/2022 20:39	WG1846344
(T) Barium-133	80.2			30.0-143	04/15/2022 20:39	WG1846344

⁶Qc⁷Gl⁸Al⁹Sc

G153

Collected date/time: 03/21/22 14:52

SAMPLE RESULTS - 03

L1475988

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.340	J	0.321	0.587	04/18/2022 12:20	WG1846703
(T) Barium	86.0			62.0-143	04/18/2022 12:20	WG1846703
(T) Yttrium	96.3			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.614	J	0.415	0.654	04/18/2022 12:20	WG1846344

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.274	J	0.263	0.288	04/15/2022 20:39	WG1846344
(T) Barium-133	82.2			30.0-143	04/15/2022 20:39	WG1846344

⁶Qc⁷Gl⁸Al⁹Sc

G155

Collected date/time: 03/21/22 14:20

SAMPLE RESULTS - 04

L1475988

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.0803	<u>U</u>	0.310	0.575	04/18/2022 12:20	WG1846703
(<i>T</i>) Barium	92.5			62.0-143	04/18/2022 12:20	WG1846703
(<i>T</i>) Yttrium	96.8			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.237	<u>U</u>	0.372	0.644	04/18/2022 12:20	WG1846344

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	Batch
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.156	<u>J</u>	0.205	0.291	04/15/2022 20:39	WG1846344
(<i>T</i>) Barium-133	99.0			30.0-143	04/15/2022 20:39	WG1846344

WG1846703

Radiochemistry by Method 904/9320

QUALITY CONTROL SUMMARY

[L1475988-01,02,03,04](#)

Method Blank (MB)

(MB) R3783293-1 04/15/22 12:10

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty	MB MDA	Cp
			+ / -	pCi/l	
Radium-228	-0.0673	U	0.212	0.427	
(T) Barium	95.4		95.4		
(T) Yttrium	98.3		98.3		

L1475371-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1475371-01 04/18/22 12:20 • (DUP) R3783293-5 04/15/22 12:10

Analyte	Original Result pCi/l	Original Uncertainty + / -	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty + / -	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	DUP Qualifier	DUP RPD Limits %	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%		J	%	
Radium-228	-0.0465	0.290	0.531	0.504	0.498	0.531	1	200	0.956	J	20	3
(T) Barium	91.1			93.3	93.3							
(T) Yttrium	104			97.4	97.4							

Laboratory Control Sample (LCS)


(LCS) R3783293-2 04/15/22 12:10

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	LCS Qualifier	Cp
	pCi/l	pCi/l	%	%		
Radium-228	5.00	4.71	94.2	80.0-120		
(T) Barium		105				
(T) Yttrium		99.4				

L1475323-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1475323-01 04/15/22 12:10 • (MS) R3783293-3 04/15/22 12:10 • (MSD) R3783293-4 04/15/22 12:10

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	MS RER	RPD Limits %
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%			%		
Radium-228	16.7	0.443	19.4	21.5	113	126	1	70.0-130			10.4		20
(T) Barium		89.3			98.8	104							
(T) Yttrium		101			96.8	94.6							

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FC03756SDG:
L1475988DATE/TIME:
04/21/22 11:52PAGE:
9 of 13

WG1846344

Radiochemistry by Method SM7500Ra B M

QUALITY CONTROL SUMMARY

[L1475988-01,02,03,04](#)

Method Blank (MB)

(MB) R3782355-5 04/16/22 15:33

Analyte	MB Result	MB Qualifier	MB Uncertainty	MB MDA	Cp
	pCi/l	+ / -	pCi/l		
Radium-226	-0.0121	U	0.0112	0.0292	
(T) Barium-133	94.6		94.6		

L1480367-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1480367-01 04/15/22 20:39 • (DUP) R3782355-4 04/15/22 20:39

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit	Tc
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%			%			
Radium-226	0.851	0.432	0.317	0.438	0.270	0.317	1	64.0	0.810		20	3	
(T) Barium-133	70.3			96.8	96.8								

Laboratory Control Sample (LCS)

(LCS) R3782355-1 04/15/22 20:39

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	Ss
	pCi/l	pCi/l	%	%		
Radium-226	5.02	5.09	101	80.0-120		
(T) Barium-133			93.4			

L1479436-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1479436-01 04/15/22 20:39 • (MS) R3782355-2 04/15/22 20:39 • (MSD) R3782355-3 04/15/22 20:39

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits	Cn
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%		%	%				
Radium-226	20.0	1.70	21.4	22.9	98.6	106	1	75.0-125			6.81		20	
(T) Barium-133		83.7			90.6	90.7								

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FC03756SDG:
L1475988DATE/TIME:
04/21/22 11:52PAGE:
10 of 13

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier

Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Internal Transfer Chain of Custody

A150

State of Origin: IL
 Cert. Needed: YES NO



Workorder: FC03756		Workorder Name: Coffeen SW Pond		Owner Received Date: 3/21/2022		Results Requested By: 4/13/2022																																																																																																																																																									
Report To:	Subcontract To:	Requested Analysis																																																																																																																																																													
Gail Schindler Pace Analytical - IL/MO 2231 W. Altorfer Drive Peoria, IL 61615 800-752-6651	Pace Analytical Services, LLC 12065 Lebanon Mt. Juliet, TN 37122 (615)758-5858																																																																																																																																																														
<table border="1"> <thead> <tr> <th rowspan="2">Item</th> <th rowspan="2">Sample ID</th> <th rowspan="2">Sample Type</th> <th rowspan="2">Collect Date/Time</th> <th rowspan="2">Lab ID</th> <th rowspan="2">Matrix</th> <th colspan="2">Preserved Containers</th> <th rowspan="2">Radium 226/228</th> <th rowspan="2">LAB USE ONLY</th> </tr> <tr> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>G151</td><td>Grab</td><td>3/21/2022 13:26</td><td>FC03756-01</td><td>GW</td><td>X</td><td></td><td></td><td>-01</td></tr> <tr><td>2</td><td>G152</td><td>Grab</td><td>3/21/2022 15:20</td><td>FC03756-02</td><td>GW</td><td>X</td><td></td><td></td><td>-02</td></tr> <tr><td>3</td><td>G153</td><td>Grab</td><td>3/21/2022 14:52</td><td>FC03756-03</td><td>GW</td><td>X</td><td></td><td></td><td>-03</td></tr> <tr><td>4</td><td>G155</td><td>Grab</td><td>3/21/2022 14:20</td><td>FC03756-04</td><td>GW</td><td>X</td><td></td><td></td><td>-04</td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <th>Transfers</th> <th>Released By</th> <th colspan="2">Date/Time</th> <th>Received By</th> <th colspan="2">Date/Time</th> <th colspan="3">Comments</th> </tr> <tr> <td>1</td> <td><i>(Signature)</i></td> <td>3/23/2022 12:00</td> <td><i>(Signature)</i></td> <td></td> <td>3/26/2022 09:00</td> <td></td> <td colspan="3"></td> </tr> <tr> <td>2</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td colspan="3"></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td colspan="3"></td> </tr> </tbody> </table>								Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers		Radium 226/228	LAB USE ONLY			1	G151	Grab	3/21/2022 13:26	FC03756-01	GW	X			-01	2	G152	Grab	3/21/2022 15:20	FC03756-02	GW	X			-02	3	G153	Grab	3/21/2022 14:52	FC03756-03	GW	X			-03	4	G155	Grab	3/21/2022 14:20	FC03756-04	GW	X			-04	5										6										7										8										9										10										Transfers	Released By	Date/Time		Received By	Date/Time		Comments			1	<i>(Signature)</i>	3/23/2022 12:00	<i>(Signature)</i>		3/26/2022 09:00					2										3									
Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers								Radium 226/228	LAB USE ONLY																																																																																																																																																
1	G151	Grab	3/21/2022 13:26	FC03756-01	GW	X			-01																																																																																																																																																						
2	G152	Grab	3/21/2022 15:20	FC03756-02	GW	X			-02																																																																																																																																																						
3	G153	Grab	3/21/2022 14:52	FC03756-03	GW	X			-03																																																																																																																																																						
4	G155	Grab	3/21/2022 14:20	FC03756-04	GW	X			-04																																																																																																																																																						
5																																																																																																																																																															
6																																																																																																																																																															
7																																																																																																																																																															
8																																																																																																																																																															
9																																																																																																																																																															
10																																																																																																																																																															
Transfers	Released By	Date/Time		Received By	Date/Time		Comments																																																																																																																																																								
1	<i>(Signature)</i>	3/23/2022 12:00	<i>(Signature)</i>		3/26/2022 09:00																																																																																																																																																										
2																																																																																																																																																															
3																																																																																																																																																															

Cooler Temperature on Receipt _____ °C Custody Seal or N Received on Ice or N Sample Intact or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.
 This chain of custody is considered complete as is since this information is available in the owner laboratory.

FMT-ALL-C-002rev.00 24March2009

Page 1 of 1

*14/Jan/14
ASB/J*

Sample Receipt Checklist	
COC Seal Present/Intact:	<input checked="" type="checkbox"/> N If Applicable
COC Signed/Accurate:	<input checked="" type="checkbox"/> N VOA Zero Headspace: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> N Pres.Correct/Check: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> N



PDC LABORATORIES, INC.
WWW.PDCLAB.COM

REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

STATE WHERE SAMPLE COLLECTED IL

1 CLIENT VISTRA - COFFEEN		PROJECT NUMBER GMZ	PROJECT LOCATION	PURCHASE ORDER #	3 ANALYSIS REQUESTED		(FOR LAB USE ONLY)	
ADDRESS 134 CIPS LANE		PHONE NUMBER	E-MAIL	DATE SHIPPED			4 LOGIN # FBOB60-11 LOGGED BY: KLG	
CITY STATE COFFEEN, IL 62017 ZIP		SAMPLER (PLEASE PRINT) <i>Tracy Carroll</i>			MATRIX TYPES: WW- WASTEWATER DW- DRINKING WATER GW- GROUND WATER WWSL- SLUDGE NON AQUEOUS SOLID LICHTLEACHATE OIL-OIL SO-SOIL SOL-SOLID		CLIENT: VISTRA-COFFEEN PROJECT: COFFEEN GMZ PROJ. MGR.: GJ SCHINDLER	
CONTACT PERSON JOHN ROMANG		SAMPLER'S SIGNATURE <i>Tracy Carroll</i>					REMARKS	
2 SAMPLE DESCRIPTION (UNIQUE DESCRIPTION AS IT WILL APPEAR ON THE ANALYTICAL REPORT)		DATE COLLECTED 2/8/22	TIME COLLECTED 1350	SAMPLE TYPE GRAB COMP X	MATRIX TYPE GW	BOTTLE COUNT 5	PRES CODE CLIENT PROVIDED	*DISSOLVED
G270								
G279			12:22			1		
G280								
G281								
G403								
G404								
G405								
G406								
G407								
CHEMICAL PRESERVATION CODES: 1 - HCL 2 - H2SO4 3 - HNO3 4 - NAOH 5 - Na2S2O3 6 - UNPRESERVED 7 - OTHER								
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) NORMAL RUSH (RUSH TAT IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE)		DATE RESULTS NEEDED			6 I understand that by initialing this box I give the lab permission to proceed with analysis, even though it may not meet all sample conformance requirements as defined in the receiving facility's Sample Acceptance Policy and the data will be qualified. Qualified data may NOT be acceptable to report to all regulatory authorities.			
RUSH RESULTS VIA (PLEASE CIRCLE) EMAIL PHONE					PROCEED WITH ANALYSIS AND QUALIFY RESULTS: (INITIALS) _____			
EMAIL IF DIFFERENT FROM ABOVE:								
7 RELINQUISHED BY: (SIGNATURE) <i>Tracy Carroll</i>		DATE 2/8/22	RECEIVED BY: (SIGNATURE) <i>John Romang</i>	DATE 2/8/22	COMMENTS: (FOR LAB USE ONLY) 6.2 KLG			
		TIME 1745		TIME 1745				
RELINQUISHED BY: (SIGNATURE) <i>John Romang</i>		DATE 2/8/22	RECEIVED BY: (SIGNATURE) <i>J. Romang</i>	DATE 2/9/22	SAMPLE TEMPERATURE UPON RECEIPT 65 °C			
		TIME 1930		TIME 1030	CHILL PROCESS STARTED PRIOR TO RECEIPT Y OR N Y			
RELINQUISHED BY: (SIGNATURE) <i>Jeff</i>		DATE 2/9/22	RECEIVED BY: (SIGNATURE) <i>Kathy Gray</i>	DATE 02/09/22	SAMPLE(S) RECEIVED ON ICE SAMPLE ACCEPTANCE NONCONFORMANT REPORT IS NEEDED Y OR N N			
		TIME 1045		TIME 1445	DATE AND TIME TAKEN FROM SAMPLE BOTTLE _____			



PDC LABORATORIES, INC.
WWW.PDCLAB.COM

REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

STATE WHERE SAMPLE COLLECTED

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

29 12 Page 98 of 99




PDC LABORATORIES, INC.
WWW.PDCLAB.COM

REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

STATE WHERE SAMPLE COLLECTED

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)							
1 CLIENT VISTRA - COFFEEN			PROJECT NUMBER GMZ		PROJECT LOCATION		PURCHASE ORDER #
ADDRESS 134 CIPS LANE			PHONE NUMBER		E-MAIL		DATE SHIPPED
CITY STATE COFFEEN, IL 62017 ZIP			SAMPLER (PLEASE PRINT) <i>MHJ</i>				MATRIX TYPES: WW- WASTEWATER DW- DRINKING WATER GW- GROUND WATER WWSL- SLUDGE NAS- NON AQUEOUS SOLID LCHT-LEACHATE OIL-OIL SO-SOIL SOL-SOLID
2 CONTACT PERSON JOHN ROMANG			SAMPLER'S SIGNATURE 				
SAMPLE DESCRIPTION (UNIQUE DESCRIPTION AS IT WILL APPEAR ON THE ANALYTICAL REPORT)			DATE COLLECTED	TIME COLLECTED	SAMPLE TYPE	MATRIX TYPE	PRES CODE CLIENT PROVIDED
G401 G402 G411			2/9/22	1152	X	GW	5
				1320	↓	↓	
				0958	↓	↓	
CHEMICAL PRESERVATION CODES: 1 - HCL 2 - H2SO4 3 - HNO3 4 - NAOH 5 - NA2S2O3 6 - UNPRESERVED 7 - OTHER							
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) (RUSH TAT IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE) RUSH RESULTS VIA (PLEASE CIRCLE) EMAIL PHONE				NORMAL RUSH <input type="checkbox"/> <input checked="" type="checkbox"/>		DATE RESULTS NEEDED	6 <i>I understand that by initialing this box I give the lab permission to proceed with analysis, even though it may not meet all sample conformance requirements as defined in the receiving facility's Sample Acceptance Policy and the data will be qualified. Qualified data may NOT be acceptable to report to all regulatory authorities.</i>
EMAIL IF DIFFERENT FROM ABOVE: PHONE # IF DIFFERENT FROM ABOVE:							
PROCEED WITH ANALYSIS AND QUALIFY RESULTS: (INITIALS) _____							
7 RELINQUISHED BY: (SIGNATURE) 		DATE 2/9/22	RECEIVED BY: (SIGNATURE) <i>John Romang</i>			DATE 2/9/22	COMMENTS: (FOR LAB USE ONLY) 206
		TIME 1630				TIME 16:30	
RELINQUISHED BY: (SIGNATURE) 		DATE 2/9/22	RECEIVED BY: (SIGNATURE) <i>John Romang</i>			DATE 2/10/22	SAMPLE TEMPERATURE UPON RECEIPT 7.9 °C
		TIME 18:45				TIME 1130	CHILL PROCESS STARTED PRIOR TO RECEIPT Y OR N
RELINQUISHED BY: (SIGNATURE) 		DATE 2/10/22	RECEIVED BY: (SIGNATURE) <i>Kathy Gray</i>			DATE 02/10/22	SAMPLE(S) RECEIVED ON ICE Y OR N
		TIME 1430				TIME 1430	SAMPLE ACCEPTANCE NONCONFORMANT REPORT IS NEEDED Y OR N
DATE AND TIME TAKEN FROM SAMPLE BOTTLE _____							



REGULATORY PROGRAM (CIRCLE):	NPDES
MORBCA	RCRA
CCDD	TACO: RES OR IND/COMM

CHAIN OF CUSTODY RECORD

STATE WHERE SAMPLE COLLECTED IL

ALL HIGHLIGHTED AREAS MUST BE COMPLETED BY CLIENT (PLEASE PRINT)

1 CLIENT VISTRA - COFFEEN	PROJECT NUMBER SW POND	PROJECT LOCATION	PURCHASE ORDER #	3 ANALYSIS REQUESTED	4 (FOR LAB USE ONLY)			
ADDRESS 134 CIPS LANE	PHONE NUMBER	E-MAIL	DATE SHIPPED		LOGIN # FC08756-04			
CITY STATE COFFEEN, IL 62017 ZIP	SAMPLER (PLEASE PRINT) <i>MHJ</i>	MATRIX TYPES: WW- WASTEWATER DW- DRINKING WATER GW- GROUND WATER WWSL- SLUDGE NAS- NON AQUEOUS SOLID LCHT-LEACHATE OIL-OIL SO-SOIL SOL-SOLID			LOGGED BY: DCW			
CONTACT PERSON JOHN ROMANG	SAMPLER'S SIGNATURE <i>JR</i>				CLIENT: VISTRA-COFFEEN PROJECT: COFFEEN SW POND PROJ. MGR.: GJ SCHINDLER			
2 SAMPLE DESCRIPTION (UNIQUE DESCRIPTION AS IT WILL APPEAR ON THE ANALYTICAL REPORT)	DATE COLLECTED 3/21/22	TIME COLLECTED 1326	SAMPLE TYPE GRAB COMP	MATRIX TYPE	BOTTLE COUNT 1	PRES CODE CLIENT PROVIDED 3	RADIUM 226/228	REMARKS
G151				GW	X	X		
G152		1520	X	GW	1	3	X	
G153		1452	X	GW	1	3	X	
G155		1420	X	GW	1	3	X	
CHEMICAL PRESERVATION CODES: 1 - HCL 2 - H2SO4 3 - HNO3 4 - NAOH 5 - NA2S2O3 6 - UNPRESERVED 7 - OTHER								
5 TURNAROUND TIME REQUESTED (PLEASE CIRCLE) NORMAL RUSH (RUSH TAT IS SUBJECT TO PDC LABS APPROVAL AND SURCHARGE)	DATE RESULTS NEEDED			6 <i>I understand that by initialing this box I give the lab permission to proceed with analysis, even though it may not meet all sample conformance requirements as defined in the receiving facility's Sample Acceptance Policy and the data will be qualified. Qualified data may NOT be acceptable to report to all regulatory authorities.</i>	PROCEED WITH ANALYSIS AND QUALIFY RESULTS: (INITIALS) _____			
RUSH RESULTS VIA (PLEASE CIRCLE) EMAIL PHONE								
EMAIL IF DIFFERENT FROM ABOVE:	PHONE # IF DIFFERENT FROM ABOVE:							
7 RELINQUISHED BY: (SIGNATURE) <i>JR</i>	DATE 3/21/22	RECEIVED BY: (SIGNATURE)			DATE	COMMENTS: (FOR LAB USE ONLY)		
	TIME 1923				TIME			
RELINQUISHED BY: (SIGNATURE)	DATE	RECEIVED BY: (SIGNATURE)			DATE	SAMPLE TEMPERATURE UPON RECEIPT 1.2 °C		
	TIME				TIME			
RELINQUISHED BY: (SIGNATURE)	DATE	RECEIVED BY: (SIGNATURE) <i>CD</i>			DATE 3/21/22	CHILL PROCESS STARTED PRIOR TO RECEIPT SAMPLE(S) RECEIVED ON ICE SAMPLE ACCEPTANCE NONCONFORMANT REPORT IS NEEDED		
	TIME				TIME 1923	DATE AND TIME TAKEN FROM SAMPLE BOTTLE _____		



ANALYTICAL REPORT

April 21, 2022

Revised Report

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace IR - Peoria, IL

Sample Delivery Group: L1476166
Samples Received: 03/29/2022
Project Number: FC03753
Description: NRT Coffeen
Site: 001
Report To: Gail Schindler

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

ACCOUNT:

Pace IR - Peoria, IL

PROJECT:

FC03753

SDG:

L1476166

DATE/TIME:

04/21/22 11:53

Page 18 of 35

1 of 12

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
G271 L1476166-01	5	
G273 L1476166-02	6	
G276 L1476166-03	7	
Qc: Quality Control Summary	8	⁶ Qc
Radiochemistry by Method 904/9320	8	
Radiochemistry by Method SM7500Ra B M	9	
Gl: Glossary of Terms	10	⁷ Gl
Al: Accreditations & Locations	11	⁸ Al
Sc: Sample Chain of Custody	12	⁹ Sc

SAMPLE SUMMARY

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

G271 L1476166-01 Non-Potable Water

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time	
			Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1841143	1	04/08/22 11:21	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1841143	1	04/08/22 11:21	04/09/22 10:57	RGT	Mt. Juliet, TN

G273 L1476166-02 Non-Potable Water

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time	
			Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1841143	1	04/08/22 11:21	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1841143	1	04/08/22 11:21	04/09/22 10:57	RGT	Mt. Juliet, TN

G276 L1476166-03 Non-Potable Water

Method	Batch	Dilution	Collected by	Collected date/time	Received date/time	
			Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1846703	1	04/13/22 09:59	04/18/22 12:20	JMR	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1841143	1	04/08/22 11:21	04/18/22 12:20	RGT	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1841143	1	04/08/22 11:21	04/09/22 10:57	RGT	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Report Revision History

Level II Report - Version 1: 04/20/22 17:51

Project Narrative

Added COMB RA per customer request.

G271

Collected date/time: 03/21/22 14:34

SAMPLE RESULTS - 01

L1476166

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.237	<u>U</u>	0.342	0.634	04/18/2022 12:20	WG1846703
(<i>T</i>) Barium	91.4			62.0-143	04/18/2022 12:20	WG1846703
(<i>T</i>) Yttrium	96.1			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.298	<u>J</u>	0.356	0.653	04/18/2022 12:20	WG1841143

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0606	<u>J</u>	0.0979	0.155	04/09/2022 10:57	WG1841143
(<i>T</i>) Barium-133	94.8			30.0-143	04/09/2022 10:57	WG1841143

G273

Collected date/time: 03/21/22 13:55

SAMPLE RESULTS - 02

L1476166

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
RADIUM-228	0.0540	<u>U</u>	0.331	0.616	04/18/2022 12:20	WG1846703
(<i>T</i>) Barium	89.9			62.0-143	04/18/2022 12:20	WG1846703
(<i>T</i>) Yttrium	93.1			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
Combined Radium	0.113	<u>U</u>	0.356	0.656	04/18/2022 12:20	WG1841143

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
RADIUM-226	0.0585	<u>U</u>	0.131	0.226	04/09/2022 10:57	WG1841143
(<i>T</i>) Barium-133	96.4			30.0-143	04/09/2022 10:57	WG1841143

G276

Collected date/time: 03/21/22 13:12

SAMPLE RESULTS - 03

L1476166

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	-0.126	<u>U</u>	0.278	0.526	04/18/2022 12:20	WG1846703
(<i>T</i>) Barium	93.7			62.0-143	04/18/2022 12:20	WG1846703
(<i>T</i>) Yttrium	99.6			79.0-136	04/18/2022 12:20	WG1846703

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.0292	<u>U</u>	0.322	0.608	04/18/2022 12:20	WG1841143

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0292	<u>U</u>	0.163	0.305	04/09/2022 10:57	WG1841143
(<i>T</i>) Barium-133	94.8			30.0-143	04/09/2022 10:57	WG1841143

WG1846703

Radiochemistry by Method 904/9320

QUALITY CONTROL SUMMARY

[L1476166-01,02,03](#)

Method Blank (MB)

(MB) R3783293-1 04/15/22 12:10

Analyte	MB Result pCi/l	MB Qualifier	MB Uncertainty	MB MDA	Cp
			+ / -	pCi/l	
Radium-228	-0.0673	U	0.212	0.427	
(<i>T</i>) Barium	95.4		95.4		
(<i>T</i>) Yttrium	98.3		98.3		

L1475371-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1475371-01 04/18/22 12:20 • (DUP) R3783293-5 04/15/22 12:10

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%		%	%	%
Radium-228	-0.0465	0.290	0.531	0.504	0.498	0.531	1	200	0.956	J	20	3
(<i>T</i>) Barium	91.1			93.3	93.3							
(<i>T</i>) Yttrium	104			97.4	97.4							

Laboratory Control Sample (LCS)

(LCS) R3783293-2 04/15/22 12:10

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier	Cp
	pCi/l	pCi/l	%	%		
Radium-228	5.00	4.71	94.2	80.0-120		
(<i>T</i>) Barium		105				
(<i>T</i>) Yttrium		99.4				

L1475323-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1475323-01 04/15/22 12:10 • (MS) R3783293-3 04/15/22 12:10 • (MSD) R3783293-4 04/15/22 12:10

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%	%	%	%	%	%
Radium-228	16.7	0.443	19.4	21.5	113	126	1	70.0-130			10.4		20
(<i>T</i>) Barium		89.3			98.8	104							
(<i>T</i>) Yttrium		101			96.8	94.6							

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FC03753SDG:
L1476166DATE/TIME:
04/21/22 11:53PAGE:
8 of 12

1 Cp
 2 Tc
 3 Ss
 4 Cn
 5 Sr
 6 Qc
 7 Gl
 8 Al
 9 Sc

WG1841143

Radiochemistry by Method SM7500Ra B M

QUALITY CONTROL SUMMARY

[L1476166-01,02,03](#)

Method Blank (MB)

(MB) R3779719-1 04/09/22 10:57

Analyte	MB Result	MB Qualifier	MB Uncertainty	MB MDA
	pCi/l	+ / -	pCi/l	
Radium-226	0.00477	U	0.0184	0.0419
(T) Barium-133	93.5		93.5	

L1476166-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1476166-03 04/09/22 10:57 • (DUP) R3779719-5 04/09/22 10:57

Analyte	Original Result	Original Uncertainty	Original MDA	DUP Result	DUP Uncertainty	DUP MDA	Dilution	DUP RPD	DUP RER	DUP Qualifier	DUP RPD Limits	DUP RER Limit
	pCi/l	+ / -	pCi/l	pCi/l	+ / -	pCi/l	%	%	0.0446	U	%	3
Radium-226	0.0292	0.163	0.305	0.0202	0.121	0.305	1	36.7	0.0446	U	20	3
(T) Barium-133	94.8			95.9	95.9							

Laboratory Control Sample (LCS)


(LCS) R3779719-2 04/09/22 10:57

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	pCi/l	pCi/l	%	%	
Radium-226	5.02	5.24	104	80.0-120	
(T) Barium-133			95.3		

L1474227-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1474227-01 04/09/22 10:57 • (MS) R3779719-3 04/09/22 10:57 • (MSD) R3779719-4 04/09/22 10:57

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	MS RER	RPD Limits
	pCi/l	pCi/l	pCi/l	pCi/l	%	%	%	%	%	%	0.519	20	
Radium-226	20.0	0.263	19.3	19.2	95.2	94.7	1	75.0-125					
(T) Barium-133		94.4			98.8	97.0							

ACCOUNT:
Pace IR - Peoria, ILPROJECT:
FC03753SDG:
L1476166DATE/TIME:
04/21/22 11:53PAGE:
9 of 12

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.
Rec.	Recovery.
RER	Replicate Error Ratio.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ GI

⁸ Al

⁹ Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

A155

Internal Transfer Chain of Custody

State of Origin: IL
Cert. Needed: YES NO



Workorder: EC03753

Workorder Name: NBT Coffeen

Owner Received

3/21/2022

Results Requested

4/13/2022

Report To:		Subcontract To:				Requested Analysis			
Gail Schindler									
Pace Analytical - IL/MO		Pace Analytical Services, LLC							
2231 W. Altorfer Drive		12065 Lebanon Rd							
Peoria, IL 61615		Mt Juliet, TN							
800-752-6651		(615)758-5858							
						Preserved Containers			
						Radium 226/228			
Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix				
1	G271	Grab	3/21/2022 14:34	FC03753-01	GW	X			
2	G273	Grab	3/21/2022 13:55	FC03753-02	GW	X			
3	G276	Grab	3/21/2022 13:12	FC03753-03	GW	X			
4									
5									
6									
7									
8									
9									
10									
Transfers	Released By		Date/Time	Received By		Date/Time	Comments		
1	<i>Oliver R. Olson</i>		3/23/22 12:55	<i>S. O.</i>		3/24/22 09:00			
2									
3									

Cooler Temperature on Receipt

°C | Custody Seal ✓ or N

Received on [redacted] or N

Sample Intact Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature is considered complete as is since this information will be in the owner's laboratory.

Sample Receipt Checklist		If Applicable
CCC Seal Present/Intact:	<input checked="" type="checkbox"/>	N
CCC Signed/Accurate:	<input checked="" type="checkbox"/>	VCH Zero Headspace:
Bottles arrive intact:	<input checked="" type="checkbox"/>	N
Correct bottles used:	<input checked="" type="checkbox"/>	Pres.Correct/Check:
Sufficient volume sent:	<input checked="" type="checkbox"/>	N
can Screen <0.8 MR/hr:	<input checked="" type="checkbox"/>	N

EMT-AU1-C-002 rev. 00 24 March 2009

Page 1 of 1



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

November 17, 2022

John Romang
Vistra - Coffeen
134 CIPS Lane
Coffeen, IL 62017

Dear John Romang:

Please find enclosed the analytical results for the sample(s) the laboratory received. All testing is performed according to our current TNI accreditations unless otherwise noted. This report cannot be reproduced, except in full, without the written permission of Pace Analytical Services, LLC.

If you have any questions regarding your report, please contact your project manager. Quality and timely data is of the utmost importance to us.

Pace Analytical Services appreciates the opportunity to provide you with analytical expertise . We are always trying to improve our customer service and we welcome you to contact the Director of Client Services, Lisa Grant, with any feedback you have about your experience with our laboratory at 309-683-1764 or lisa.grant@pacelabs.com.

Sincerely,

Gail J Schindler

Gail Schindler
Project Manager
(309) 692-9688 x1716
gail.schindler@pacelabs.com



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

SAMPLE RECEIPT CHECK LIST

Items not applicable will be marked as in compliance

Work Order FH05103

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
NO	Short hold time analysis
YES	Current PDC COC submitted
NO	Case narrative provided



Work Order FH05287

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
NO	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
YES	Short hold time analysis
YES	Current PDC COC submitted
YES	Case narrative provided



Work Order FI04078

YES	Samples received within temperature compliance when applicable
YES	COC present upon sample receipt
YES	COC completed & legible
YES	Sampler name & signature present
YES	Unique sample IDs assigned
YES	Sample collection location recorded
YES	Date & time collected recorded on COC
YES	Relinquished by client signature on COC
YES	COC & labels match
YES	Sample labels are legible
YES	Appropriate bottle(s) received
YES	Sufficient sample volume received
YES	Sample containers received undamaged
YES	Zero headspace, <6 mm present in VOA vials
NO	Trip blank(s) received
YES	All non-field analyses received within holding times
NO	Short hold time analysis
YES	Current PDC COC submitted
NO	Case narrative provided



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05103-09
Name: SG-04
Matrix: Ground Water - Grab

Sampled: 08/23/22 00:00
Received: 08/24/22 16:35
PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Field - PIA</u>									
Depth, From Measuring Point	6.16	Feet		08/23/22 00:00	1		08/23/22 00:00	FIELD	Field*
Sample: FH05287-03									
Name: G270							Sampled: 08/24/22 14:14		
Alias:							Received: 08/25/22 11:32		
							Matrix: Ground Water - Grab		
							PO #: 1164124		
Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
<u>Anions - PIA</u>									
Chloride	9.7	mg/L		09/06/22 21:15	1	1.0	09/06/22 21:15	CRD	EPA 300.0 REV 2.1
Fluoride	0.325	mg/L		09/06/22 21:15	1	0.250	09/06/22 21:15	CRD	EPA 300.0 REV 2.1
Sulfate	53	mg/L		09/06/22 21:33	10	10	09/06/22 21:33	CRD	EPA 300.0 REV 2.1
<u>Field - PIA</u>									
Depth, From Measuring Point	4.57	Feet		08/24/22 14:14	1		08/24/22 14:14	FIELD	Field*
Dissolved oxygen, Field	0.60	mg/L		08/24/22 14:14	1		08/24/22 14:14	FIELD	Field*
Oxidation Reduction Potential	109	mV		08/24/22 14:14	1	-500	08/24/22 14:14	FIELD	Field*
pH, Field Measured	7.29	pH Units		08/24/22 14:14	1		08/24/22 14:14	FIELD	Field*
Specific Conductance, Field Measured	745.6	umhos/cm		08/24/22 14:14	1		08/24/22 14:14	FIELD	Field*
Temperature, Field Measured	19.7	°C		08/24/22 14:14	1		08/24/22 14:14	FIELD	Field*
Turbidity, Field Measured	3.03	NTU		08/24/22 14:14	1	0.00	08/24/22 14:14	FIELD	Field*
<u>General Chemistry - PIA</u>									
Alkalinity - bicarbonate as CaCO ₃	340	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
<u>Soluble General Chemistry - PIA</u>									
Solids - total dissolved solids (TDS)	500	mg/L		08/30/22 13:32	1	26	08/30/22 15:30	ZEJ	SM 2540C
<u>Total Metals - PIA</u>									
Arsenic	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:00	JMW	EPA 6020A
Barium	36	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:16	JMW	EPA 6020A
Boron	< 10	ug/L		08/29/22 10:06	5	10	09/13/22 16:00	JMW	EPA 6020A
Calcium	56	mg/L		08/29/22 10:06	5	0.20	09/13/22 16:00	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-03

Name: G270

Alias:

Sampled: 08/24/22 14:14

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Chromium	< 4.0	ug/L		08/29/22 10:06	5	4.0	09/13/22 16:00	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		08/29/22 10:06	5	2.0	09/13/22 16:00	JMW	EPA 6020A
Lead	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:16	JMW	EPA 6020A
Magnesium	25	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:00	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:00	JMW	EPA 6020A
Potassium	0.62	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:00	JMW	EPA 6020A
Selenium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:00	JMW	EPA 6020A
Sodium	98	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:00	JMW	EPA 6020A
Thallium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:00	JMW	EPA 6020A
Lithium	< 20	ug/L		08/29/22 10:06	1	20	09/08/22 14:31	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-04

Name: G271

Alias:

Sampled: 08/24/22 15:36

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	64	mg/L		09/06/22 22:45	10	10	09/06/22 22:45	CRD	EPA 300.0 REV 2.1
Fluoride	0.270	mg/L		09/06/22 22:27	1	0.250	09/06/22 22:27	CRD	EPA 300.0 REV 2.1
Sulfate	230	mg/L		09/06/22 23:04	100	100	09/06/22 23:04	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	10.72	Feet		08/24/22 15:36	1		08/24/22 15:36	FIELD	Field*
Dissolved oxygen, Field	1.8	mg/L		08/24/22 15:36	1		08/24/22 15:36	FIELD	Field*
Oxidation Reduction Potential	73.8	mV		08/24/22 15:36	1	-500	08/24/22 15:36	FIELD	Field*
pH, Field Measured	7.37	pH Units		08/24/22 15:36	1		08/24/22 15:36	FIELD	Field*
Specific Conductance, Field Measured	1054	umhos/cm		08/24/22 15:36	1		08/24/22 15:36	FIELD	Field*
Temperature, Field Measured	21.3	°C		08/24/22 15:36	1		08/24/22 15:36	FIELD	Field*
Turbidity, Field Measured	0.630	NTU		08/24/22 15:36	1	0.00	08/24/22 15:36	FIELD	Field*
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	300	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Soluble General Chemistry - PIA									
Solids - total dissolved solids (TDS)	680	mg/L		08/30/22 13:32	1	26	08/30/22 15:30	ZEJ	SM 2540C
Total Metals - PIA									
Arsenic	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:03	JMW	EPA 6020A
Barium	20	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:20	JMW	EPA 6020A
Boron	1200	ug/L		08/29/22 10:06	5	10	09/13/22 16:03	JMW	EPA 6020A
Calcium	110	mg/L		08/29/22 10:06	5	0.20	09/13/22 16:03	JMW	EPA 6020A
Chromium	< 4.0	ug/L		08/29/22 10:06	5	4.0	09/13/22 16:03	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		08/29/22 10:06	5	2.0	09/13/22 16:03	JMW	EPA 6020A
Lead	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:20	JMW	EPA 6020A
Magnesium	53	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:03	JMW	EPA 6020A
Molybdenum	3.1	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:03	JMW	EPA 6020A
Potassium	0.39	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:03	JMW	EPA 6020A
Selenium	4.6	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:03	JMW	EPA 6020A
Sodium	87	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:03	JMW	EPA 6020A
Thallium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:03	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-04

Name: G271

Alias:

Sampled: 08/24/22 15:36

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Lithium	< 20	ug/L		08/29/22 10:06	1	20	09/08/22 14:34	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-06

Name: G279

Alias:

Sampled: 08/24/22 16:02

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	370	mg/L		09/06/22 23:58	100	100	09/06/22 23:58	CRD	EPA 300.0 REV 2.1
Sulfate	1600	mg/L		09/07/22 18:40	250	250	09/07/22 18:40	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	23.15	Feet		08/24/22 16:02	1		08/24/22 16:02	FIELD	Field*
Dissolved oxygen, Field	2.2	mg/L		08/24/22 16:02	1		08/24/22 16:02	FIELD	Field*
Oxidation Reduction Potential	236	mV		08/24/22 16:02	1	-500	08/24/22 16:02	FIELD	Field*
pH, Field Measured	6.64	pH Units		08/24/22 16:02	1		08/24/22 16:02	FIELD	Field*
Specific Conductance, Field Measured	3894	umhos/cm		08/24/22 16:02	1		08/24/22 16:02	FIELD	Field*
Temperature, Field Measured	18.5	°C		08/24/22 16:02	1		08/24/22 16:02	FIELD	Field*
Turbidity, Field Measured	7.21	NTU		08/24/22 16:02	1	0.00	08/24/22 16:02	FIELD	Field*
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	360	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Fluoride	0.373	mg/L		09/08/22 15:36	1	0.250	09/08/22 15:36	TTH	SM 4500F C 1997
Soluble General Chemistry - PIA									
Solids - total dissolved solids (TDS)	3300	mg/L		08/30/22 13:32	1	26	08/30/22 15:30	ZEJ	SM 2540C
Total Metals - PIA									
Arsenic	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:21	JMW	EPA 6020A
Barium	46	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:27	JMW	EPA 6020A
Boron	1700	ug/L		08/29/22 10:06	5	10	09/14/22 12:27	JMW	EPA 6020A
Calcium	450	mg/L		08/29/22 10:06	5	0.20	09/13/22 16:21	JMW	EPA 6020A
Chromium	< 4.0	ug/L		08/29/22 10:06	5	4.0	09/13/22 16:21	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		08/29/22 10:06	5	2.0	09/13/22 16:21	JMW	EPA 6020A
Lead	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:27	JMW	EPA 6020A
Magnesium	290	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:21	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:21	JMW	EPA 6020A
Potassium	0.95	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:21	JMW	EPA 6020A
Selenium	1.4	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:21	JMW	EPA 6020A
Sodium	190	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:21	JMW	EPA 6020A
Thallium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:21	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-06

Name: G279

Alias:

Sampled: 08/24/22 16:02

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Lithium	< 20	ug/L		08/29/22 10:06	1	20	09/08/22 14:36	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-07

Name: G280

Alias:

Sampled: 08/24/22 16:58

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	93	mg/L	Q4	09/07/22 01:10	10	10	09/07/22 01:10	CRD	EPA 300.0 REV 2.1
Fluoride	< 0.250	mg/L		09/07/22 00:16	1	0.250	09/07/22 00:16	CRD	EPA 300.0 REV 2.1
Sulfate	82	mg/L		09/07/22 18:58	25	25	09/07/22 18:58	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	4.26	Feet		08/24/22 16:58	1		08/24/22 16:58	FIELD	Field*
Dissolved oxygen, Field	0.26	mg/L		08/24/22 16:58	1		08/24/22 16:58	FIELD	Field*
Oxidation Reduction Potential	64.4	mV		08/24/22 16:58	1	-500	08/24/22 16:58	FIELD	Field*
pH, Field Measured	7.15	pH Units		08/24/22 16:58	1		08/24/22 16:58	FIELD	Field*
Specific Conductance, Field Measured	906.7	umhos/cm		08/24/22 16:58	1		08/24/22 16:58	FIELD	Field*
Temperature, Field Measured	19.1	°C		08/24/22 16:58	1		08/24/22 16:58	FIELD	Field*
Turbidity, Field Measured	26.0	NTU		08/24/22 16:58	1	0.00	08/24/22 16:58	FIELD	Field*
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	260	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Soluble General Chemistry - PIA									
Solids - total dissolved solids (TDS)	580	mg/L		08/30/22 13:32	1	26	08/30/22 15:30	ZEJ	SM 2540C
Total Metals - PIA									
Arsenic	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:25	JMW	EPA 6020A
Barium	45	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:31	JMW	EPA 6020A
Boron	23	ug/L		08/29/22 10:06	5	10	09/14/22 12:31	JMW	EPA 6020A
Calcium	80	mg/L		08/29/22 10:06	5	0.20	09/13/22 16:25	JMW	EPA 6020A
Chromium	< 4.0	ug/L		08/29/22 10:06	5	4.0	09/13/22 16:25	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		08/29/22 10:06	5	2.0	09/13/22 16:25	JMW	EPA 6020A
Lead	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:31	JMW	EPA 6020A
Magnesium	41	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:25	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:25	JMW	EPA 6020A
Potassium	0.42	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:25	JMW	EPA 6020A
Selenium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:25	JMW	EPA 6020A
Sodium	62	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:25	JMW	EPA 6020A
Thallium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:25	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-07

Name: G280

Alias:

Sampled: 08/24/22 16:58

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Lithium	< 20	ug/L		08/29/22 10:06	1	20	09/08/22 14:39	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-09

Name: G273

Alias:

Sampled: 08/25/22 10:58

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	74	mg/L		09/02/22 17:05	10	10	09/02/22 17:05	CRD	EPA 300.0 REV 2.1
Sulfate	410	mg/L		09/02/22 17:23	100	100	09/02/22 17:23	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	11.39	Feet		08/25/22 10:58	1		08/25/22 10:58	FIELD	Field*
Dissolved oxygen, Field	0.37	mg/L		08/25/22 10:58	1		08/25/22 10:58	FIELD	Field*
Oxidation Reduction Potential	89.0	mV		08/25/22 10:58	1	-500	08/25/22 10:58	FIELD	Field*
pH, Field Measured	7.02	pH Units		08/25/22 10:58	1		08/25/22 10:58	FIELD	Field*
Specific Conductance, Field Measured	1396	umhos/cm		08/25/22 10:58	1		08/25/22 10:58	FIELD	Field*
Temperature, Field Measured	18.7	°C		08/25/22 10:58	1		08/25/22 10:58	FIELD	Field*
Turbidity, Field Measured	1.86	NTU		08/25/22 10:58	1	0.00	08/25/22 10:58	FIELD	Field*
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	1100	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/02/22 08:53	1	10	09/02/22 08:53	CGL/HRF	SM 2320B 1997*
Fluoride	0.360	mg/L		09/20/22 15:33	1	0.250	09/20/22 15:33	ANK	SM 4500F C 1997
Soluble General Chemistry - PIA									
Solids - total dissolved solids (TDS)	940	mg/L		08/31/22 10:27	1	26	08/31/22 15:11	ZEJ	SM 2540C
Total Metals - PIA									
Arsenic	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:32	JMW	EPA 6020A
Barium	29	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:38	JMW	EPA 6020A
Boron	41	ug/L		08/29/22 10:06	5	10	09/14/22 12:38	JMW	EPA 6020A
Calcium	160	mg/L		08/29/22 10:06	5	0.20	09/13/22 16:32	JMW	EPA 6020A
Chromium	< 4.0	ug/L		08/29/22 10:06	5	4.0	09/13/22 16:32	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		08/29/22 10:06	5	2.0	09/13/22 16:32	JMW	EPA 6020A
Lead	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/14/22 12:38	JMW	EPA 6020A
Magnesium	82	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:32	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:32	JMW	EPA 6020A
Potassium	0.47	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:32	JMW	EPA 6020A
Selenium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:32	JMW	EPA 6020A
Sodium	100	mg/L		08/29/22 10:06	5	0.10	09/13/22 16:32	JMW	EPA 6020A
Thallium	< 1.0	ug/L		08/29/22 10:06	5	1.0	09/13/22 16:32	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FH05287-09

Name: G273

Alias:

Sampled: 08/25/22 10:58

Received: 08/25/22 11:32

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Lithium	< 20	ug/L		08/29/22 10:06	1	20	09/08/22 14:42	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FI04078-01

Name: G276

Alias:

Sampled: 09/20/22 10:36

Received: 09/20/22 16:00

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Anions - PIA									
Chloride	23	mg/L		09/28/22 22:54	10	10	09/28/22 22:54	CRD	EPA 300.0 REV 2.1
Fluoride	0.474	mg/L		09/29/22 11:08	1	0.250	09/29/22 11:08	CRD	EPA 300.0 REV 2.1
Sulfate	260	mg/L		09/28/22 23:12	100	100	09/28/22 23:12	CRD	EPA 300.0 REV 2.1
Field - PIA									
Depth, From Measuring Point	28.14	Feet		09/20/22 10:36	1		09/20/22 10:36	FIELD	Field*
Dissolved oxygen, Field	2.8	mg/L		09/20/22 10:36	1		09/20/22 10:36	FIELD	Field*
Oxidation Reduction Potential	138	mV		09/20/22 10:36	1	-500	09/20/22 10:36	FIELD	Field*
pH, Field Measured	6.77	pH Units		09/20/22 10:36	1		09/20/22 10:36	FIELD	Field*
Specific Conductance, Field Measured	1296	umhos/cm		09/20/22 10:36	1		09/20/22 10:36	FIELD	Field*
Temperature, Field Measured	19.4	°C		09/20/22 10:36	1		09/20/22 10:36	FIELD	Field*
Turbidity, Field Measured	2.16	NTU		09/20/22 10:36	1	0.00	09/20/22 10:36	FIELD	Field*
General Chemistry - PIA									
Alkalinity - bicarbonate as CaCO ₃	380	mg/L		09/26/22 11:08	1	10	09/26/22 11:08	HRF	SM 2320B 1997*
Alkalinity - carbonate as CaCO ₃	< 10	mg/L		09/26/22 11:08	1	10	09/26/22 11:08	HRF	SM 2320B 1997*
Soluble General Chemistry - PIA									
Solids - total dissolved solids (TDS)	680	mg/L		09/22/22 10:44	1	26	09/22/22 14:49	ZEJ	SM 2540C
Total Metals - PIA									
Arsenic	< 1.0	ug/L		09/22/22 09:09	5	1.0	09/23/22 12:20	JMW	EPA 6020A
Barium	56	ug/L		09/22/22 09:09	5	1.0	09/23/22 12:20	JMW	EPA 6020A
Boron	110	ug/L		09/22/22 09:09	5	10	09/23/22 12:20	JMW	EPA 6020A
Calcium	140	mg/L		09/22/22 09:09	5	0.20	09/23/22 08:01	JMW	EPA 6020A
Chromium	< 4.0	ug/L		09/22/22 09:09	5	4.0	09/23/22 12:20	JMW	EPA 6020A
Cobalt	< 2.0	ug/L		09/22/22 09:09	5	2.0	09/23/22 08:01	JMW	EPA 6020A
Lead	< 1.0	ug/L		09/22/22 09:09	5	1.0	09/23/22 12:20	JMW	EPA 6020A
Magnesium	67	mg/L		09/22/22 09:09	5	0.10	09/23/22 08:01	JMW	EPA 6020A
Molybdenum	< 1.0	ug/L		09/22/22 09:09	5	1.0	09/23/22 12:20	JMW	EPA 6020A
Potassium	0.56	mg/L		09/22/22 09:09	5	0.10	09/23/22 08:01	JMW	EPA 6020A
Selenium	< 1.0	ug/L		09/22/22 09:09	5	1.0	09/23/22 08:01	JMW	EPA 6020A
Sodium	93	mg/L		09/22/22 09:09	5	0.10	09/23/22 12:20	JMW	EPA 6020A
Thallium	< 1.0	ug/L		09/22/22 09:09	5	1.0	09/23/22 08:01	JMW	EPA 6020A



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

ANALYTICAL RESULTS

Sample: FI04078-01

Name: G276

Alias:

Sampled: 09/20/22 10:36

Received: 09/20/22 16:00

Matrix: Ground Water - Grab

PO #: 1164124

Parameter	Result	Unit	Qualifier	Prepared	Dilution	MRL	Analyzed	Analyst	Method
Lithium	< 20	ug/L		09/22/22 09:09	1	20	09/26/22 10:33	TJJ	EPA 6010B



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B242095 - SW 3015 - EPA 6020A</u>									
Blank (B242095-BLK1)									
Prepared: 08/29/22 Analyzed: 09/12/22									
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Boron	< 10	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B242095-BS1)									
Prepared: 08/29/22 Analyzed: 09/12/22									
Arsenic	552	ug/L		555.6		99	80-120		
Barium	526	ug/L		555.6		95	80-120		
Boron	561	ug/L		555.6		101	80-120		
Calcium	6.06	mg/L		5.556		109	80-120		
Chromium	521	ug/L		555.6		94	80-120		
Cobalt	557	ug/L		555.6		100	80-120		
Lead	544	ug/L		555.6		98	80-120		
Magnesium	5.63	mg/L		5.556		101	80-120		
Molybdenum	529	ug/L		555.6		95	80-120		
Potassium	5.50	mg/L		5.556		99	80-120		
Selenium	514	ug/L		555.6		92	80-120		
Sodium	5.59	mg/L		5.556		101	80-120		
Thallium	540	ug/L		555.6		97	80-120		
Lithium	549	ug/L		555.6		99	80-120		
<u>Batch B242244 - No Prep - SM 2540C</u>									
Blank (B242244-BLK1)									
Prepared & Analyzed: 08/30/22									
Solids - total dissolved solids (TDS)	< 17	mg/L							
LCS (B242244-BS1)									
Prepared & Analyzed: 08/30/22									
Solids - total dissolved solids (TDS)	1060	mg/L		1000		106	84.9-109		
<u>Batch B242353 - No Prep - SM 2540C</u>									
Blank (B242353-BLK1)									
Prepared & Analyzed: 08/31/22									
Solids - total dissolved solids (TDS)	< 17	mg/L							
LCS (B242353-BS1)									
Prepared & Analyzed: 08/31/22									
Solids - total dissolved solids (TDS)	873	mg/L		1000		87	84.9-109		



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B242704 - No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B242704-CCB1) Prepared & Analyzed: 09/02/22									
Sulfate	0.00	mg/L							
Chloride	0.00	mg/L							
Calibration Check (B242704-CCV1) Prepared & Analyzed: 09/02/22									
Sulfate	4.93	mg/L		5.000	99	90-110			
Chloride	4.79	mg/L		5.000	96	90-110			
<u>Batch B242713 - No Prep - SM 2320B 1997</u>									
Duplicate (B242713-DUP5)		Sample: FH05287-04		Prepared & Analyzed: 09/02/22					
Alkalinity - bicarbonate as CaCO ₃	300	mg/L			300			0	10
<u>Batch B242714 - No Prep - SM 2320B 1997</u>									
Duplicate (B242714-DUP5)		Sample: FH05287-04		Prepared & Analyzed: 09/02/22					
Alkalinity - carbonate as CaCO ₃	< 10	mg/L			ND				10
<u>Batch B242876 - No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B242876-CCB1) Prepared & Analyzed: 09/06/22									
Fluoride	0.00	mg/L							
Chloride	0.362	mg/L							
Sulfate	0.00	mg/L							
Calibration Check (B242876-CCV1) Prepared & Analyzed: 09/06/22									
Chloride	4.81	mg/L		5.000	96	90-110			
Fluoride	4.98	mg/L		5.000	100	90-110			
Sulfate	4.92	mg/L		5.000	98	90-110			
Matrix Spike (B242876-MS1)		Sample: FH05287-07		Prepared & Analyzed: 09/07/22					
Fluoride	1.77	mg/L		1.500	0.169	107	80-120		
Chloride	1.0E9	mg/L	Q4	1.500	93	NR	80-120		
Matrix Spike Dup (B242876-MSD1)		Sample: FH05287-07		Prepared & Analyzed: 09/07/22					
Fluoride	1.80	mg/L		1.500	0.169	109	80-120	2	20
Chloride	1.0E9	mg/L	Q4	1.500	93	NR	80-120	0	20
<u>Batch B243029 - No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B243029-CCB1) Prepared & Analyzed: 09/07/22									
Sulfate	0.00	mg/L							
Calibration Check (B243029-CCV1) Prepared & Analyzed: 09/07/22									
Sulfate	4.95	mg/L		5.000	99	90-110			
<u>Batch B243079 - No Prep - SM 4500F C 1997</u>									
Calibration Blank (B243079-CCB1) Prepared & Analyzed: 09/08/22									
Fluoride	0.00800	mg/L							
Calibration Blank (B243079-CCB2) Prepared & Analyzed: 09/08/22									
Fluoride	0.0110	mg/L							
Calibration Check (B243079-CCV1) Prepared & Analyzed: 09/08/22									
Fluoride	0.689	mg/L		0.7000	98	90-110			
Calibration Check (B243079-CCV2) Prepared & Analyzed: 09/08/22									



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B243079 - No Prep - SM 4500F C 1997</u>									
Calibration Check (B243079-CCV2)									
Fluoride	0.696	mg/L		0.7000		99	90-110		
<u>Batch B244280 - SW 3015 - EPA 6020A</u>									
Blank (B244280-BLK1)									
Arsenic	< 1.0	ug/L							
Barium	< 1.0	ug/L							
Boron	< 10	ug/L							
Calcium	< 0.20	mg/L							
Chromium	< 4.0	ug/L							
Cobalt	< 2.0	ug/L							
Lead	< 1.0	ug/L							
Magnesium	< 0.10	mg/L							
Molybdenum	< 1.0	ug/L							
Potassium	< 0.10	mg/L							
Selenium	< 1.0	ug/L							
Sodium	< 0.10	mg/L							
Thallium	< 1.0	ug/L							
Lithium	< 20	ug/L							
LCS (B244280-BS1)									
Arsenic	552	ug/L		555.6		99	80-120		
Barium	589	ug/L		555.6		106	80-120		
Boron	616	ug/L		555.6		111	80-120		
Calcium	5.83	mg/L		5.556		105	80-120		
Chromium	582	ug/L		555.6		105	80-120		
Cobalt	581	ug/L		555.6		105	80-120		
Lead	546	ug/L		555.6		98	80-120		
Magnesium	6.06	mg/L		5.556		109	80-120		
Molybdenum	554	ug/L		555.6		100	80-120		
Potassium	5.80	mg/L		5.556		104	80-120		
Selenium	559	ug/L		555.6		101	80-120		
Sodium	5.84	mg/L		5.556		105	80-120		
Thallium	540	ug/L		555.6		97	80-120		
Lithium	545	ug/L		555.6		98	80-120		
<u>Batch B244299 - No Prep - SM 2540C</u>									
Blank (B244299-BLK1)									
Prepared & Analyzed: 09/22/22									
Solids - total dissolved solids (TDS)	< 17	mg/L							
Solids - total dissolved solids (TDS)	< 10	mg/L							
LCS (B244299-BS1)									
Prepared & Analyzed: 09/22/22									
Solids - total dissolved solids (TDS)	963	mg/L		1000		96	84.9-109		
Solids - total dissolved solids (TDS)	963	mg/L		1000		96	84.9-109		
<u>Batch B244412 - No Prep - SM 4500F C 1997</u>									
Calibration Blank (B244412-CCB1)									
Prepared & Analyzed: 09/20/22									



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

QC SAMPLE RESULTS

Parameter	Result	Unit	Qual	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
<u>Batch B244412 - No Prep - SM 4500F C 1997</u>									
Calibration Blank (B244412-CCB1)					Prepared & Analyzed: 09/20/22				
Fluoride	0.0160	mg/L							
<u>Calibration Blank (B244412-CCB2)</u>									
Fluoride	0.0180	mg/L			Prepared & Analyzed: 09/20/22				
<u>Calibration Check (B244412-CCV1)</u>									
Fluoride	0.681	mg/L		0.7000		97	90-110		
<u>Calibration Check (B244412-CCV2)</u>									
Fluoride	0.682	mg/L		0.7000		97	90-110		
<u>Batch B244873 - No Prep - SM 2320B 1997</u>									
Duplicate (B244873-DUP2)	Sample: FI04078-01				Prepared & Analyzed: 09/26/22				
Alkalinity - bicarbonate as CaCO ₃	375	mg/L			375			0	10
<u>Batch B244874 - No Prep - SM 2320B 1997</u>									
Duplicate (B244874-DUP2)	Sample: FI04078-01				Prepared & Analyzed: 09/26/22				
Alkalinity - carbonate as CaCO ₃	< 10	mg/L			ND				10
<u>Batch B244892 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B244892-CCB1)					Prepared & Analyzed: 09/28/22				
Sulfate	0.00	mg/L							
Chloride	0.0846	mg/L							
<u>Calibration Check (B244892-CCV1)</u>									
Sulfate	4.90	mg/L		5.000		98	90-110		
Chloride	4.73	mg/L		5.000		95	90-110		
<u>Batch B245066 - IC No Prep - EPA 300.0 REV 2.1</u>									
Calibration Blank (B245066-CCB1)					Prepared & Analyzed: 09/29/22				
Fluoride	0.00	mg/L							
<u>Calibration Check (B245066-CCV1)</u>									
Fluoride	5.03	mg/L		5.000		101	90-110		



Pace Analytical Services, LLC
2231 W. Altorfer Drive
Peoria, IL 61615
(800)752-6651

NOTES

Specifications regarding method revisions, method modifications, and calculations used for analysis are available upon request. Please contact your project manager.

* Not a TNI accredited analyte

Certifications

CHI - McHenry, IL - 4314-A W. Crystal Lake Road, McHenry, IL 60050

TNI Accreditation for Drinking Water and Wastewater Fields of Testing through IL EPA Accreditation No. 100279

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17556

PIA - Peoria, IL - 2231 W. Altorfer Drive, Peoria, IL 61615

TNI Accreditation for Drinking Water, Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. 100230

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory Registry No. 17553

Drinking Water Certifications/Accreditations: Iowa (240); Kansas (E-10338); Missouri (870)

Wastewater Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

Solid and Hazardous Material Certifications/Accreditations: Arkansas (88-0677); Iowa (240); Kansas (E-10338)

SPMO - Springfield, MO - 1805 W Sunset Street, Springfield, MO 65807

USEPA DMR-QA Program

STL - Hazelwood, MO - 944 Anglum Rd, Hazelwood, MO 63042

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through KS KDHE Certification No. E-10389

TNI Accreditation for Wastewater, Solid and Hazardous Material Fields of Testing through IL EPA Accreditation No. - 200080

Illinois Department of Public Health Bacterial Analysis in Drinking Water Approved Laboratory, Registry No. 171050

Missouri Department of Natural Resources - Certificate of Approval for Microbiological Laboratory Service - No. 1050

Qualifiers

- Q4 The matrix spike recovery result is unusable since the analyte concentration in the sample is greater than four times the spike level.
The associated blank spike was acceptable.

A handwritten signature in black ink that reads "Gail Schindler". It is written in a cursive, flowing style.

Certified by: Gail Schindler, Project Manager



~~FH05103~~

CHAIN-OF-CUSTODY / Analytical Request Document

The Chair-of-Custody is a **LEGAL DOCUMENT**. All relevant fields must be completed accurately.

Section B

Required Project Information:

Section A
Required Client Information:

Required Project Information:		Invoice Information:	
Company:	Vistra Corp	Attention:	Jason Stuckey
Address:	13498 E. 900th St	Company Name:	Vistra Corp
		Address:	see Section A
		NPDES	GROUND WATER
		UST	DRINKING WATER
		RCRA	OTHER
Email To:		Site Location	
Phone: (217) 753-8911			
Fax:			
Requested Due Date/TAT:			
standard			

Section C

Section C

Invoices Information:

Section D Required Client Information		Requested Analysis Filtered (Y/N)		Residue Chlorine (Y/N)		Sealed Container (Y/N)		Temp in °C	
SAMPLE ID (A-Z, 0-9, -)		Project No./Lab I.D.							
X.P.WO1									
X.P.WO2									
G 111									
G 125									
G 126									
G 154									
G 155									
G 401									
G 211									
G 212									
G 303 G 307									
G 410									
G 411									
G 410									
G 277									
G 166									
G 244-22									
G 2322									
G 58									
ITEM #		DATE		TIME		RELINQUISHED BY / AFFILIATION		ACCEPTED BY / AFFILIATION	
1		8/8/22		11:10		W.H. Lee		B. McCallister	
2		8/8/22		10:30					
3				9:59					
4				9:56					
5				11:29					
6				10:45					
7				9:41					
8				10:44					
9				10:41					
10				12:02					
11				12:15					
12				11:10					
13				9:56					
14				09:40					
15				10:58					
16									
ADDITIONAL COMMENTS									
COF-Q3-2022 Rev 1									
PRINT NAME AND SIGNATURE:									
SIGNATURE OF SAMPLER:									
DATE Signed (MM/DD/YY):									

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:	
Company:	Vistra Corp
Address:	1349B E. 900th St
Email To:	Brian.Voelker@VistraCorp.com
Phone:	(217) 753-8911
Requested Due Date/TAT:	Standard

Section B Required Project Information:	
Report To:	Brian Voelker
Copy To:	Jason Stuckey
Purchase Order No.:	
Project Name:	
Project Number:	2285

Section C

Invoice Information:		REGULATORY AGENCY		Project No./Lab ID.	
Attention:	Jason Stuckey	NPDES	GROUND WATER	DRINKING WATER	
Company Name:	Vistra Corp	Address:	see Section A	RCRA	OTHER
Quote Reference:		Site Location:	IL	STATE:	
Residual Chlorine (Y/N)					
Requested Analysis Filtered (Y/N)					
<input checked="" type="checkbox"/> Analysis Test →					
<input type="checkbox"/> Preservatives					
<input type="checkbox"/> Matrix					
<input type="checkbox"/> # OF CONTAINERS					
SAMPLE TEMP AT COLLECTION					
ITEM #	MATRIX	COLLECTED	TIME		
1	WT G 6273	WT G 8/25/22	0952		
2	WT G 12281	WT G 8/25/22	1058		
3	WT G NE (L: sev)	WT G 8/25/22	1121		
4			3:05		
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION
COF-Q3-2022 Rev 1		<i>Aaron Garkett</i>	8/25/22	1458	8/25/22 1458
SAMPLE NAME AND SIGNATURE:		DATE		TIME	SAMPLE CONDITIONS
<i>Aaron Garkett</i>		8/25/2022		1458	3:8
PRINT Name of SAMPLER:		SIGNATURE of SAMPLER:		Samples intact Sealed/Soiled Custody Received on Temp in °C	

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: Vistra Corp	Address: 13498 E. 900th St	Report To: Brian Voelker	Copy To: Jason Stuckey	Attention: Jason Stuckey	
Email To: Brian.Voelker@VistraCorp.com	Purchase Order No.:	Phone: (217) 753-8911	Fax:	Company Name: Vistra Corp	REGULATORY AGENCY
Requested Due Date/TAT: standard	Project Number: 2285	Project Name:	Project Reference:	Address: see Section A	NPDES GROUND WATER DRINKING WATER
			Project Manager:	Quote	UST RCRA OTHER
			Profile #:	Site Location STATE: IL	
Residual Chlorine (Y/N)					
Requested Analysis Filtered (Y/N)					
Analysis Test Y/N					
Preservatives					
# OF CONTAINERS					
SAMPLE TEMP AT COLLECTION					
TIME					
DATE					
MATRIX CODE (see valid codes to left)					
SAMPLE TYPE (G=GRAIN C=COMP)					
MATRIX CODE (see valid codes to left)					
Valid Matrix Codes					
CODE					
DW					
WT					
WW					
P					
SL					
OL					
WP					
AR					
OT					
TS					
Other					
Methanol					
Na ₂ SO ₃					
HCl					
HNO ₃					
H ₂ SO ₄					
Uppreserved					
Preservatives					
# OF CONTAINERS					
TIME					
DATE					
Project No / Lab ID.					
COF_257_101					
COF_257_102					
COF_257_103					
COF_257_104					
COF_257_105					
COF_WPCP_102					
COF_WPCP_103_104					
COF_WPCP_106					
COF_811_105					
Samples Inter Sealed (Y/N)					
Received on (MM/DD/YYYY):					
Temp in °C					
Signature of Sampler:					
Signature of Sample:					
Additional Comments					
COF-Q3-2022 Rev 1		RELINQUISHED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
		<i>Steph A. Hall</i>	9/20/22	1600	
		Accepted By / Affiliation	Date	Time	
		<i>Jill Clark</i>	9/20/22	1600	
Sampler Name and Signature					
Print Name of Sampler:					
Signature of Sample:					

SITE

COFFEEN

SAMPLE POINT

G270

Date: 8-24-22 Start Time: 1300 Finish/Sample Time: 1414Well Depth (Bottom) From MP: 21.13 ftDepth to Water From MP: 4.57 ft Well Water Volume: 10.07 LWater Column Length: 16.56 ft Total Purge Volume: 1.6 mL

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP
(Units)		s.u.	umhos/cm	deg C	mg/L	NTU	MV
1	1320	7.33	745.58	19.83	0.73	4.71	109.2
2	1322	7.30	744.40	19.75	0.66	3.37	108.7
3	1324	7.29	745.60	19.70	0.60	3.03	108.7
4							
5							

Sampled with: AT600 739449

Sample Appearance:

Odor:	<input type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod.	<input type="checkbox"/> Strong
Color:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod.	<input type="checkbox"/> Strong
Turb:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod	<input type="checkbox"/> Strong

Weather/Environment: 70-82°F, sunny, wind 0 mph

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A,G,250mL, H ₂ SO ₄)
1	Cyanide (P, 250mL, NaOH)
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)
1	P, 2.5L, HNO ₃

Filtered	
Qty	Bottles
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)

Comments: FDTW: 41.88 ft; overgrown vegetation

Sampler's Signature: David B. Scott

SITE

COFFEEN

SAMPLE POINT

G271

Date: 8-24-22

Start Time: 1434

Finish/Sample Time: 1536

Well Depth (Bottom) From MP: 17.60 ft

Depth to Water From MP: 16.72 ft

Well Water Volume: 4.16 L

Water Column Length: 0.88 ft

Total Purge Volume: 1.4 mL (L)

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP
(Units)		s.u.	umhos/cm	deg C	mg/L	NTU	MV
1	1447	7.43	1022.3	21.12	2.34	0.86	61.6
2	1449	7.40	1040.6	21.22	2.03	0.63	69.6
3	1451	7.37	1054.2	21.32	1.84	0.63	73.8
4							
5							

Sampled with:

AT600 7394419

Sample Appearance: Odor: None Slight Mod. Strong
Color None Slight Mod. Strong
Turb None Slight Mod. Strong

Weather/Environment 70-82°F, sunny, wind on land

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A, G, 250mL, H ₂ SO ₄)
1	Cyanide (P, 250mL, NaOH)
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)
1	P, 25L, HNO ₃

Filtered	
Qty	Bottles
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)

Comments

Sampler's Signature:

SITE

COFFEEN

SAMPLE POINT

G273

Date:

8/25/22

Start Time: 0957

Finish/Sample Time: 1058

Well Depth (Bottom) From MP:

17.94 ft

Depth to Water From MP:

11.39 ft

Well Water Volume:

4.661 L

FDTW

Water Column Length:

6.55 ft

Total Purge Volume:

1.5 mL

D.B3

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP	Depth (ft.)
(Units)		s.u.	umhos/cm	deg C	mg/L	NTU	MV	
1	1008	7.02	1395.2	18.88	0.38	1.86	97.1	11.83
2	1009	7.01	1403.9	18.79	0.41	1.82	92.6	12.83
3	100 ^{10/10} _{BG}	7.02	1396.0	18.71	0.37	1.86	89.0	12.83
4								
5								

Sampled with:

AT 600

Sample Appearance:

Odor:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod.	<input type="checkbox"/> Strong
Color:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod.	<input type="checkbox"/> Strong
Turb:	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Slight	<input type="checkbox"/> Mod.	<input type="checkbox"/> Strong

Weather/Environment

Sunny, Grassy

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A,G,250mL, H ₂ SO ₄)
1	Cyanide (P, 250mL, NaOH)
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)
1	P, 2.5L, HNO ₃

Filtered	
Qty	Bottles
1	Metals (P,250mL, HNO ₃)
1	General (P,500mL)

Comments

Sampler's Signature:

Austin Moon

Brendan Glue

Site: Coffeen Gypsum

WELL/SAMPLE POINT G276

Purge Method: Compressor

Date: 20-Sept-22 Start Time: 0930 Finish/Sample Time: 1036

Well Depth (Bottom) From MP: 30.79 ft Min. Purge Volume: 1 Gal / L

Depth to Water From MP: 28.14 ft Total Purge Volume: 1.3 Gal / L

Water Column Length: 2.65 ft Max Drawdown: — ft

Well Water Volume: 1.6 Gal / L Total Drawdown: 2.01 ft

Reading (Units)	Time	Depth (ft.)	Flow Rate (mL/min)	pH (s.u.)	Spec Cond (umhos/cm)	Temp (deg C)	ORP (mV)	DO (mg/L)	Turb (NTU)
1	0937	28.62	100	6.80	128.8	19.52	137.9	2.87	2.11
2	0938	28.66	—	6.75	128.1	19.39	136.3	2.69	2.15
3	0939	28.74	—	6.77	1295.5	19.37	137.6	2.77	2.16
4									
5									
Stabilization	NA	NA	NA	± 0.2	± 3%	± 0.2	± 20	± 10% or 0.2	NA

Field Meter:

AT 600

Well Integrity	Yes	No
Well has ID sign	/	
Casing locked/secure	/	
Well cap fits securely.	/	
Good seal/drainage	/	
Well has weep holes	/	

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
	VOAs (C,V, 40mL, HCl)
	VOAS (C,V, 40mL)
	Organics (A,G,U 1000mL)
	Organics (A,G,U 500mL)
	TOC (A,V 40mL, H ₂ SO ₄)
	TOX (A,G 250mL, H ₂ SO ₄)
1	Metals (P,250mL, HNO ₃)
1	Cyanide (P, 250mL, NaOH)
1	Phenols (A,G,250mL, H ₂ SO ₄)
1	General (P, 250 mL)
1	P 250 mL HNO ₃

Filtered	
Qty	Bottles
1	Metals (P,250mL, HNO ₃)
1	Ammonia (P,250mL, H ₂ S0 ₄)
1	General (P,500mL)

Final DTW: 30.15 ft

Comments

Sampler's Signature:

Austin Mone

SITE

COFFEEN

SAMPLE POINT

G279

Date:

8/24/02

Start Time:

1510

Finish/Sample Time:

1602

Well Depth (Bottom) From MP:

30.53 ft

Depth to Water From MP:

23.15 ft

Well Water Volume:

4.46 L

Water Column Length:

7.38 ft

Total Purge Volume:

1000 mL/L

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP
(Units)		s.u.	umhos/cm	deg C	mg/L	NTU	MV
1	1530	6.63	3835.30	16.32	2.21	2.18	22040
2	1531	6.65	3893.30	17.73	2.24	3.25	229.30
3	1532	6.64	3894.30	18.47	2.23	7.21	236.30
4			3894.3				
5							

Sampled with:

AT GOC

Sample Appearance: Odor: None Slight Mod. Strong
 Color None Slight Mod. Strong
 Turb None Slight Mod. Strong

Weather/Environment

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A,G,250mL, H ₂ SO ₄)
1	Cyanide (P, 250mL, NaOH)
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)
1	P 2.5L HANOS

7

Filtered	
Qty	Bottles
1	Metals (P,250mL, HNO ₃)
1	General (P,500mL)

Comments

Sampler's Signature:

R. B. S.

SITE

COFFEEN

SAMPLE POINT

G280

Date: 8/24/22 Start Time: 1602 Finish/Sample Time: 1658Well Depth (Bottom) From MP: 20.38 ftDepth to Water From MP: 4.26 ftWell Water Volume: 9.76 LWater Column Length: 16.02 ftTotal Purge Volume: 1000 mL / L

Reading	Time	pH	Spec Con	Temp	DO	Turbidity	ORP
(Units)		s.u.	umhos/cm	deg C	mg/L	NTU	MV
1	1621	7.16	907.20	18.99	0.33	19.67	65.31
2	1622	7.16	908.48	19.86	0.30	23.26	64.00
3	1623	7.15	906.71	19.13	0.026	26.05	64.40
4							
5							

Sampled with:

AT 6000

Sample Appearance: Odor: None Slight Mod. Strong
 Color None Slight Mod. Strong
 Turb None Slight Mod. Strong

Weather/Environment

Remarks:

BOTTLE INFORMATION:

Unfiltered	
Qty	Bottles
1	Phenols (A,G,250mL, H ₂ SO ₄)
1	Cyanide (P, 250mL, NaOH)
1	Metals (P, 250mL, HNO ₃)
1	General (P, 500mL)
1	P 2.5L H ₂ SO ₄ HNO ₃

(5)

Filtered	
Qty	Bottles
1	Metals (P,250mL, HNO ₃)
1	General (P,500mL)

Comments

Sampler's Signature:

Multiparameter Meter Field Calibration Checklist

Field Personnel:	kyle larce			Location:	Coffeen				
Weather:	81° sunny			Environment:	dry and dusty				
Multiparameter Water Meter	Make:	in-situ		Model:	AT 600	Serial Number:	762098		
Water Level Meter	Make:	Solinst		Model:	101	Serial Number:	269022		
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.06	s.u.	±0.1 s.u.	P	↓	No	MSI	L315-04	11/22/2023
pH 7.00a	7.03	s.u.	±0.1 s.u.	P	↓	No	MSI	L172-33	6/23/2023
pH 10.00a	10.05	s.u.	±0.1 s.u.	P	↓	No	MSI	L354-22	1/5/2024
SC Zero (DI)	23.58	µS/cm	0<25 µS/cm	P	↓	No	Pace Labs	N/A (DI)	N/A (DI)
SC 2000	19.580	µS/cm	±5%	P	↓	No	Geotech	1GK328	Nov-22
ORP	22.40/216.5	mV	±15 mV	P	↓	No	InSitu	1GL481	Sep-22
DO (Zero pt)	0.01	mg/L	±0.1	P	↓	No	Macron	#000228049	8/26/2025
DO (Saturated)	9.46	%	97-100%	P	↓	No	Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	0.83	NTU	<2 NTU	P	↓	No	Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)						Time:	08:12		
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b	4.06	s.u.	±0.15 s.u.	P	↓	No	Geotech	1GF009	Jun-23
pH 7.00b	6.93	s.u.	±0.15 s.u.	P	↓	No	Geotech	0GJ268	Oct-22
pH 10.00b	10.02	s.u.	±0.15 s.u.	P	↓	No	Geotech	1GF458	Jun-23
SC 1000	1,093.2	µS/cm	±5%	P	↓	No	Ricca	2108D48	Jul-23

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):						Time:	17:03			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Action Taken?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.05	s.u.	±0.1 s.u.	P	↓	No	No	MSI	L315-04	11/22/2023
pH 7.00a	7.01	s.u.	±0.1 s.u.	P	↓	No	No	MSI	L172-33	6/23/2023
pH 10.00a	9.98	s.u.	±0.1 s.u.	P	↓	No	No	MSI	L354-22	1/5/2024
SC 1000	997.8	µS/cm	±5%	P	↓	No	No	Ricca	2108D48	Jul-23
DO (Zero pt)	0.01	mg/L	±0.1 mg/L	P	↓	No	No	Macron	#000228049	8/26/2025
Turbidity (DI)	0.41	NTU	<2 NTU	P	↓	No	No	Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):						Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Action Taken?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.					MSI	L315-04	11/22/2023
7.00a		s.u.	±0.1 s.u.					MSI	L172-33	6/23/2023
10.00a		s.u.	±0.1 s.u.					MSI	L354-22	1/5/2024
SC 1000		µS/cm	±5%					Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L					Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU					Pace Labs	N/A (DI)	N/A (DI)


Comments:

Signature:	<i>kyler</i>	Date:	8-24-2022
------------	--------------	-------	-----------

Multiparameter Meter Field Calibration Checklist

Field Personnel:	<i>AF</i>				Location:	<i>Coleen</i>			
Weather:	<i>70°-81° F wind 5 mph sunny</i>				Environment:	<i>gravel, gravel, soil</i>			
Multiparameter Water Meter	Make:	<i>Horsba</i>	Model:	<i>U-5000</i>	Serial Number:	<i>PW26YJ03</i>			
Water Level Meter	Make:	<i>Heron</i>	Model:	<i>D:HUT2</i>	Serial Number:	<i>19H2202131MC</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>4.08</i>	s.u.	± 0.1 s.u.	<i>P</i>	<i>NO</i>	-	MSI	L344-09	12/14/2023
pH 7.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L343-07	12/9/2023
pH 10.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	M082-04	3/25/2024
SC Zero (DI)	-	$\mu\text{S}/\text{cm}$	$<25 \mu\text{S}/\text{cm}$	-	-	-	Pace Labs	N/A (DI)	N/A (DI)
SC 2000	<i>4500</i>	$\mu\text{S}/\text{cm}$	$\pm 5\%$	<i>P</i>	<i>NO</i>	-	Geotech	1GK328	Nov-22
ORP	-	mV	± 15 mV	-	-	-	InSitu	1GL481	Sep-22
DO (Zero pt)	<i>0.08</i>	mg/L	± 0.1	<i>P</i>	<i>NO</i>	-	Macron	#000228049	8/26/2025
DO (Saturated)	-	%	97-100%	-	-	-	Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	<i>0.0</i>	NTU	<2 NTU	<i>P</i>	<i>NO</i>	-	Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
ICV (Initial Calibration Verification)					Time:	<i>0819</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?		Manufacturer	Lot#	Exp.
pH 4.00b	-	s.u.	± 0.15 s.u.	-			Geotech	1GF009	Jun-23
pH 7.00b	-	s.u.	± 0.15 s.u.	-			Geotech	0GJ268	Oct-22
pH 10.00b	-	s.u.	± 0.15 s.u.	-			Geotech	1GF458	Jun-23
SC 1000	-	$\mu\text{S}/\text{cm}$	$\pm 5\%$	-			Ricca	1111A87	Nov-22
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:	<i>1720</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>4.07</i>	s.u.	± 0.1 s.u.	<i>P</i>	<i>NO</i>	<i>NT</i>	MSI	L315-04	11/22/2023
pH 7.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L172-33	6/23/2023
pH 10.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L354-22	1/5/2024
SC 1000	<i>4500</i>	$\mu\text{S}/\text{cm}$	$\pm 5\%$	<i>P</i>	<i>NO</i>	-	Ricca	2108D48	Jul-23
DO (Zero pt)	<i>0.02</i>	mg/L	± 0.1 mg/L	<i>P</i>	<i>NO</i>	-	Macron	#000228049	8/26/2025
Turbidity (DI)	<i>0.0</i>	NTU	<2 NTU	<i>P</i>	<i>NO</i>	-	Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L315-04	11/22/2023
7.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L172-33	6/23/2023
10.00a	-	s.u.	± 0.1 s.u.	-	-	-	MSI	L354-22	1/5/2024
SC 1000	-	$\mu\text{S}/\text{cm}$	$\pm 5\%$	-	-	-	Ricca	2108D48	Jul-23
DO (Zero pt)	-	mg/L	± 0.1 mg/L	-	-	-	Macron	#000228049	8/26/2025
Turbidity (DI)	-	NTU	<2 NTU	-	-	-	Pace Labs	N/A (DI)	N/A (DI)
Comments: <i>horsba station 0818</i>									
Signature:					Date:	<i>8/24/2022</i>			

Multiparameter Meter Field Calibration Checklist

Field Personnel:	Sam Grant				Location:	Coffeen			
Weather:	70-82°F, sunny, wind mph				Environment:	gravel road, tall grass			
Multiparameter Water Meter	Make:	InSitu	Model:	Aquatroll 600	Serial Number:	739449			
Water Level Meter	Make:	Heron	Model:	Dipper-T	Serial Number:	19FF2Z01152HB			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	3.81	s.u.	±0.1 s.u.	F	3-pt.	4.00	MSI	L153-17	6/8/2023
pH 7.00a	6.89	s.u.	±0.1 s.u.	I	I	7.00	MSI	L172-33	8/23/2023
pH 10.00a	9.92	s.u.	±0.1 s.u.	P	I	10.00	MSI	L118-08	5/12/2023
SC Zero (DI)	21.12	µS/cm	0<25 µS/cm	P	N	NA	Pace Labs	N/A (DI)	N/A (DI)
SC 2000	1928.1	µS/cm	±5%	I	I	I	Geotech	1GJ517	Oct-22
ORP	224.1 @ 24.5°C	mV	±15 mV	I	I	I	InSitu	1Gk507	Aug-22
DO (Zero pt)	0.02	mg/L	±0.1	I	I	I	Fischer Chemical	168261	8/26/2025
DO (Saturated)	97.81	%	97-100%	I	I	I	Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	0.07	NTU	<2 NTU	I	I	I	Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
ICV (Initial Calibration Verification)					Time:	0830			
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.	
pH 4.00b	4.01	s.u.	±0.15 s.u.	P	None	Geotech	1GH562	Aug-22	
pH 7.00b	6.87	s.u.	±0.15 s.u.	I	I	Geotech	1GD360	Apr-22	
pH 10.00b	9.89	s.u.	±0.15 s.u.	I	I	Geotech	1GE278	Mar-22	
SC 1000	1020.9	µS/cm	±5%	I	I	Ricca	2107D48	Jul-23	
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:	1728			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.09	s.u.	±0.1 s.u.	P	N	NA	MSI	L153-17	6/8/2023
pH 7.00a	7.08	s.u.	±0.1 s.u.	I	I	I	MSI	L172-33	8/23/2023
pH 10.00a	10.10	s.u.	±0.1 s.u.	I	I	I	MSI	L118-08	5/12/2023
SC 1000	1023.9	µS/cm	±5%	I	I	I	Ricca	2108D48	Jul-23
DO (Zero pt)	0.09	mg/L	±0.1 mg/L	I	I	I	Fischer Chemical	168261	8/26/2025
Turbidity (DI)	0.00	NTU	<2 NTU	I	I	I	Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.				MSI	L153-17	6/8/2023
7.00a		s.u.	±0.1 s.u.				MSI	L172-33	8/23/2023
10.00a		s.u.	±0.1 s.u.				MSI	L118-08	5/12/2023
SC 1000		µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L				Fischer Chemical	168261	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)
Comments:									
Signature:					Date:	8-24-22			

Multiparameter Meter Field Calibration Checklist

Field Personnel:	RACER DESPE		Location:	COFFEEN					
Weather:	60° SUNNY WIND 5 MPH W				Environment: GRASSY				
Multiparameter Water Meter	Make:	AT	Model:	600	Serial Number:	762193			
Water Level Meter	Make:	WT	Model:	HERON	Serial Number:	19FF21111924HB			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.02	s.u.	±0.1 s.u.	Pass	No	N/A	MSI	L315-04	11/22/2023
pH 7.00a	7.01	s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a	10.01	s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC Zero (DI)	450-3.20	µS/cm	0<25 µS/cm				Pace Labs	N/A (DI)	N/A (DI)
SC 2000	2038.5	µS/cm	±5%				Geotech	1GK328	Nov-22
ORP	160.40	mV	±15 mV				InSitu	1GL481	Sep-22
DO (Zero pt)	0.08	mg/L	±0.1				Macron	#000228049	8/26/2025
DO (Saturated)	99	%	97-100%				Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	1.32	NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)					Time:	1103		
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b	3.93	s.u.	±0.15 s.u.	Pass	No	Geotech	1GF009	Jun-23
pH 7.00b	7.04	s.u.	±0.15 s.u.			Geotech	0GJ268	Oct-22
pH 10.00b	9.99	s.u.	±0.15 s.u.			Geotech	1GF458	Jun-23
SC 1000	998.4	µS/cm	±5%			Ricca	2108D48	Jul-23


Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:	1700			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.01	s.u.	±0.1 s.u.	Pass	No	N/A	MSI	L315-04	11/22/2023
pH 7.00a	7.06	s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a	10.03	s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000	994.4	µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)	0.00	mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)	1.24	NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Comments:

Signature:			Date:	8/24/22
------------	---	--	-------	---------

Multiparameter Meter Field Calibration Checklist

Field Personnel:	Austin Moore			Location:	Coffeen				
Weather:	82°-57° Sunay ^{wind} SSE mph			Environment:	Grassy				
Multiparameter Water Meter	Make:	SAT 600	Model:	600	Serial Number:	846000			
Water Level Meter	Make:	Solinst	Model:	BNT	Serial Number:	336216			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	7.00	s.u.	±0.1 s.u.	P			MSI	L315-04	11/22/2023
pH 7.00a	7.00	s.u.	±0.1 s.u.	P			MSI	L172-33	6/23/2023
pH 10.00a	10.01	s.u.	±0.1 s.u.	P			MSI	L354-22	1/5/2024
SC Zero (DI)	4.77	µS/cm	0<25 µS/cm				Pace Labs	N/A (DI)	N/A (DI)
SC 2000	1921.8	µS/cm	±5%				Geotech	1GK328	Nov-22
ORP	231.8	mV	±15 mV				InSitu	1GL481	Sep-22
DO (Zero pt)	0.01	mg/L	±0.1				Macron	#000228049	8/26/2025
DO (Saturated)	99.83	%	97-100%	P			Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	1.83	NTU	<2 NTU	P			Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)					Time:	0810		
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b	9.06	s.u.	±0.15 s.u.	P		Geotech	1GF009	Jun-23
pH 7.00b	6.95	s.u.	±0.15 s.u.	P		Geotech	0GJ268	Oct-22
pH 10.00b	9.89	s.u.	±0.15 s.u.	P		Geotech	1GF458	Jun-23
SC 1000	982.0	µS/cm	±5%	P		Ricca	2108D48	Jul-23

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:	1722			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	7.01	s.u.	±0.1 s.u.	P			MSI	L315-04	11/22/2023
pH 7.00a	6.99	s.u.	±0.1 s.u.	P			MSI	L172-33	6/23/2023
pH 10.00a	9.96	s.u.	±0.1 s.u.	P			MSI	L354-22	1/5/2024
SC 1000	469.94	µS/cm	±5%	P			Ricca	2108D48	Jul-23
DO (Zero pt)	0.02	mg/L	±0.1 mg/L	P			Macron	#000228049	8/26/2025
Turbidity (DI)	1.66	NTU	<2 NTU	P			Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Comments:

Signature:	Austin Moore	Date:	24-Aug-22
------------	--------------	-------	-----------

Multiparameter Meter Field Calibration Checklist

Field Personnel:	<i>Joe Reed</i>			Location:	<i>Coffeen</i>				
Weather:	<i>80's Sunny</i>			Environment:	<i>grass</i>				
Multiparameter Water Meter	Make:	<i>Horiba</i>	Model:		Serial Number:				
Water Level Meter	Make:	<i>Solinst</i>	Model:	<i>101</i>	Serial Number:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>4.01</i>	s.u.	± 0.1 s.u.	P	<i>NA</i>		MSI	L315-04	11/22/2023
pH 7.00a		s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a		s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC Zero (DI)		$\mu\text{S}/\text{cm}$	$<25 \mu\text{S}/\text{cm}$				Pace Labs	N/A (DI)	N/A (DI)
SC 2000	<i>4490</i>	$\mu\text{S}/\text{cm}$	$\pm 5\%$	P			Geotech	1GK328	Nov-22
ORP	<i>253</i>	mV	± 15 mV	P			InSitu	1GL481	Sep-22
DO (Zero pt)	<i>10.61</i>	mg/L	± 0.1	P			Macron	#000228049	8/26/2025
DO (Saturation)		%	97-100%	P			Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	<i>0.0</i>	NTU	<2 NTU	P			Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)						Time: <i>8:35</i>		
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b		s.u.	± 0.15 s.u.			Geotech	1GF009	Jun-23
pH 7.00b		s.u.	± 0.15 s.u.			Geotech	0GJ268	Oct-22
pH 10.00b		s.u.	± 0.15 s.u.			Geotech	1GF458	Jun-23
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$			Ricca	2108D48	Jul-23

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):						Time: <i>5:30</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>4.01</i>	s.u.	± 0.1 s.u.	P	<i>NA</i>		MSI	L315-04	11/22/2023
pH 7.00a		s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a		s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000	<i>4500</i>	$\mu\text{S}/\text{cm}$	$\pm 5\%$	P			Ricca	2108D48	Jul-23
DO (Zero pt)	<i>10.21</i>	mg/L	± 0.1 mg/L	P			Macron	#000228049	8/26/2025
Turbidity (DI)	<i>0.0</i>	NTU	<2 NTU	P			Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):						Time:			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	± 0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	± 0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Comments:

Signature:	<i>Joseph R Reed</i>		Date: <i>8/29/22</i>
------------	----------------------	--	----------------------

Multiparameter Meter Field Calibration Checklist

Field Personnel:	<i>Brendan Gilenan</i>			Location:	<i>Coffeen Power Plant</i>				
Weather:	<i>84° - 59° Mostly Sunny W: SW 3 MPH</i>			Environment:	<i>Gravel, Grassy</i>				
Multiparameter Water Meter	Make:	<i>Aquatrol</i>	Model:	<i>600</i>	Serial Number:	<i>846000</i>			
Water Level Meter	Make:		Model:		Serial Number:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>3.96</i>	s.u.	±0.1 s.u.	<i>P</i>	<i>Y</i>	<i>4.00</i>	MSI	L315-04	11/22/2023
pH 7.00a	<i>7.34</i>	s.u.	±0.1 s.u.	<i>F</i>	<i>I</i>	<i>7.30</i>	MSI	L172-33	6/23/2023
pH 10.00a	<i>10.62</i>	s.u.	±0.1 s.u.	<i>I</i>	<i>I</i>	<i>10.00</i>	MSI	L354-22	1/5/2024
SC Zero (DI)	<i>19.60</i>	µS/cm	0<25 µS/cm	<i>P</i>			Pace Labs	N/A (DI)	N/A (DI)
SC 2000	<i>1918.2</i>	µS/cm	±5%	<i>P</i>			Geotech	1GK328	Nov-22
ORP	<i>234.2</i>	mV	±15 mV	<i>P</i>			InSitu	1GL481	Sep-22
DO (Zero pt)	<i>0.07</i>	mg/L	±0.1	<i>P</i>			Macron	#000228049	8/26/2025
DO (Saturated)	<i>97.58</i>	%	97-100%	<i>P</i>	<i>NG</i>	<i>NG</i>	Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	<i>1.85</i>	NTU	<2 NTU	<i>P</i>	<i>NG</i>	<i>NG</i>	Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
ICV (Initial Calibration Verification)					Time:	<i>0858</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?		Manufacturer	Lot#	Exp.
pH 4.00b	<i>4.01</i>	s.u.	±0.15 s.u.	<i>P</i>			Geotech	1GF009	Jun-23
pH 7.00b	<i>6.99</i>	s.u.	±0.15 s.u.	<i>I</i>			Geotech	OGJ268	Oct-22
pH 10.00b	<i>10.00</i>	s.u.	±0.15 s.u.	<i>I</i>			Geotech	1GF458	Jun-23
SC 1000	<i>1014.2</i>	µS/cm	±5%	<i>I</i>			Ricca	2108D48	Jul-23
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:	<i>1105</i>			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	<i>4.04</i>	s.u.	±0.1 s.u.	<i>P</i>			MSI	L315-04	11/22/2023
pH 7.00a	<i>7.01</i>	s.u.	±0.1 s.u.	<i>I</i>			MSI	L172-33	6/23/2023
pH 10.00a	<i>9.95</i>	s.u.	±0.1 s.u.	<i>I</i>			MSI	L354-22	1/5/2024
SC 1000	<i>1006.6</i>	µS/cm	±5%	<i>I</i>			Ricca	2108D48	Jul-23
DO (Zero pt)	<i>0.02</i>	mg/L	±0.1 mg/L	<i>I</i>			Macron	#000228049	8/26/2025
Turbidity (DI)	<i>1.90</i>	NTU	<2 NTU	<i>I</i>			Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)
Comments:									
Signature:	<i>Brendan Gilenan</i>			Date:	<i>8/25/22</i>				

Multiparameter Meter Field Calibration Checklist

Field Personnel:	Kyle Lark, Aaron Amerson		Location:	Coffeen Power					
Weather:	75° Sunny		Environment:	Dry and Dusty					
Multiparameter Water Meter	Make:	Pelican	Model:	Hanita	Serial Number:	PW294JD3			
Water Level Meter	Make:	Heron	Model:	water tape	Serial Number:	19FF2202131ML			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.00	s.u.	±0.1 s.u.	✓	NO	—	MSI	L344-09	12/14/2023
pH 7.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	L343-07	12/9/2023
pH 10.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	M082-04	3/25/2024
SC Zero (DI)	—	µS/cm	0<25 µS/cm	—	—	—	Pace Labs	N/A (DI)	N/A (DI)
SC 1000	4340	µS/cm	±5%	✓	NO	—	Geotech	1GK328	Nov-22
ORP	—	mV	±15 mV	—	—	—	InSitu	1GL481	Sep-22
DO (Zero pt)	10.02	mg/L	±0.1	✓	NO	—	Macron	#000228049	8/26/2025
DO (Saturated)	—	%	97-100%	—	—	—	Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	0.0	NTU	<2 NTU	✓	NO	—	Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)					Time:	08:47		
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b	—	s.u.	±0.15 s.u.	—	—	Geotech	1GF009	Jun-23
pH 7.00b	—	s.u.	±0.15 s.u.	—	—	Geotech	0GJ268	Oct-22
pH 10.00b	—	s.u.	±0.15 s.u.	—	—	Geotech	1GF458	Jun-23
SC 1000	—	µS/cm	±5%	—	—	Ricca	1111A87	Nov-22


Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:	1202			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.00	s.u.	±0.1 s.u.	✓	NO	✓	MSI	L315-04	11/22/2023
pH 7.00a	—	s.u.	±0.1 s.u.	✓	—	—	MSI	L172-33	6/23/2023
pH 10.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	L354-22	1/5/2024
SC 1000	4500	µS/cm	±5%	✓	NO	—	Ricca	2108D48	Jul-23
DO (Zero pt)	10.02	mg/L	±0.1 mg/L	✓	NO	—	Macron	#000228049	8/26/2025
Turbidity (DI)	0.0	NTU	<2 NTU	✓	NO	—	Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:	1202			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	L315-04	11/22/2023
7.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	L172-33	6/23/2023
10.00a	—	s.u.	±0.1 s.u.	—	—	—	MSI	L354-22	1/5/2024
SC 1000	—	µS/cm	±5%	—	—	—	Ricca	2108D48	Jul-23
DO (Zero pt)	—	mg/L	±0.1 mg/L	—	—	—	Macron	#000228049	8/26/2025
Turbidity (DI)	—	NTU	<2 NTU	—	—	—	Pace Labs	N/A (DI)	N/A (DI)

Comments:

Signature:			Date:	8/25/2022
------------	---	--	-------	-----------

Multiparameter Meter Field Calibration Checklist

Field Personnel:	Brendan Glennon			Location:	Coffeen				
Weather:	76° WSW mph Slight cloudy			Environment:	Gravel				
Multiparameter Water Meter	Make:	Aquatrol	Model:	600	Serial Number:	762098			
Water Level Meter	Make:		Model:		Serial Number:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.00	s.u.	± 0.1 s.u.	P			MSI	L315-04	11/22/2023
pH 7.00a	6.98	s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a	9.98	s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC Zero (DI)	17.28	$\mu\text{S}/\text{cm}$	0<25 $\mu\text{S}/\text{cm}$				Pace Labs	N/A (DI)	N/A (DI)
SC 2000	2040.6	$\mu\text{S}/\text{cm}$	$\pm 5\%$				Geotech	1GK328	Nov-22
ORP	209.7	mV	± 15 mV	F	Y	228.4	InSitu	1GL481	Sep-22
DO (Zero pt)	0.05	mg/L	± 0.1				Macron	#000228049	8/26/2025
DO (Saturated)	9.8172	%	97-100%				Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	1.3	NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
ICV (Initial Calibration Verification)					Time:	0852			
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?		Manufacturer	Lot#	Exp.
pH 4.00b	4.07	s.u.	± 0.15 s.u.	P			Geotech	1GF009	Jun-23
pH 7.00b	6.95	s.u.	± 0.15 s.u.				Geotech	0GJ268	Oct-22
pH 10.00b	9.75	s.u.	± 0.15 s.u.				Geotech	1GF458	Jun-23
SC 1000	996.70	$\mu\text{S}/\text{cm}$	$\pm 5\%$				Ricca	2108D48	Jul-23
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a		s.u.	± 0.1 s.u.				MSI	L315-04	11/22/2023
pH 7.00a		s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a		s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	± 0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)
Approx. every 4 hrs, unless only one well									
CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	± 0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	± 0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	± 0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		$\mu\text{S}/\text{cm}$	$\pm 5\%$				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	± 0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)
Comments:									
Signature:	Brendan Glennon				Date:	9/26/22			

Multiparameter Meter Field Calibration Checklist

Field Personnel:	KALEES DESKE		Location:	COFFEEN					
Weather:	75° SUNNY WIND SWEET N		Environment:	GRASSY					
Multiparameter Water Meter	Make:	AT	Model:	600	Serial Number:	846000			
Water Level Meter	Make:	HERROD	Model:	WT	Serial Number:	19FFQ111924B			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.00	s.u.	±0.1 s.u.	Pass	No	N/A	MSI	L315-04	11/22/2023
pH 7.00a	7.00	s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a	10.00	s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC Zero (DI)	14.20	µS/cm	0<25 µS/cm				Pace Labs	N/A (DI)	N/A (DI)
SC 2000	2030.00	µS/cm	±5%				Geotech	1GK328	Nov-22
ORP	225.00	mV	±15 mV				InSitu	1GL481	Sep-22
DO (Zero pt)	0.00	mg/L	±0.1				Macron	#000228049	8/26/2025
DO (Saturated)	9.80	%	97-100%				Pace Labs	N/A (DI)	N/A (DI)
Turbidity (DI)	1.13	NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

ICV (Initial Calibration Verification)					Time:	0850		
Buffer	Check Value	Units	Range	Pass/Fail	Action Taken?	Manufacturer	Lot#	Exp.
pH 4.00b	4.06	s.u.	±0.15 s.u.	Pass	No	Geotech	1GF009	Jun-23
pH 7.00b	7.04	s.u.	±0.15 s.u.			Geotech	0GJ268	Oct-22
pH 10.00b	9.91	s.u.	±0.15 s.u.			Geotech	1GF458	Jun-23
SC 1000	1019.40	µS/cm	±5%			Ricca	2108D48	Jul-23

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:	1257			
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
pH 4.00a	4.03	s.u.	±0.1 s.u.	Pass	No	N/A	MSI	L315-04	11/22/2023
pH 7.00a	7.06	s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
pH 10.00a	9.99	s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000	1014.20	µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)	0.00	mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)	1.01	NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Approx. every 4 hrs, unless only one well

CCV (Continued Calibration Verification):					Time:				
Buffer	Check Value	Units	Range	Pass/Fail	Calibrate?	Adjusted Reading	Manufacturer	Lot#	Exp.
4.00a		s.u.	±0.1 s.u.				MSI	L315-04	11/22/2023
7.00a		s.u.	±0.1 s.u.				MSI	L172-33	6/23/2023
10.00a		s.u.	±0.1 s.u.				MSI	L354-22	1/5/2024
SC 1000		µS/cm	±5%				Ricca	2108D48	Jul-23
DO (Zero pt)		mg/L	±0.1 mg/L				Macron	#000228049	8/26/2025
Turbidity (DI)		NTU	<2 NTU				Pace Labs	N/A (DI)	N/A (DI)

Comments:

Signature:		
	Date:	9/20/22



ANALYTICAL REPORT

October 10, 2022

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Pace IR - Peoria, IL

Sample Delivery Group: L1533203
Samples Received: 09/07/2022
Project Number: FH05288
Description: Vistra-Coffeen
Site: 01
Report To: Gail Schindler
2231 W. Altorfer Drive
Peoria, IL 61615

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

301

ACCOUNT:
Pace IR - Peoria, IL

PROJECT:
FH05288

SDG:
L1533203

DATE/TIME:
10/10/22 14:00

PAGE:
1 of 15

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
G270 L1533203-01	5	⁶ Qc
G271 L1533203-02	6	⁷ Gl
G279 L1533203-03	7	⁸ Al
G280 L1533203-04	8	⁹ Sc
G273 L1533203-05	9	
NE RISER L1533203-06	10	
Qc: Quality Control Summary	11	
Radiochemistry by Method 904/9320	11	
Radiochemistry by Method SM7500Ra B M	12	
Gl: Glossary of Terms	13	
Al: Accreditations & Locations	14	
Sc: Sample Chain of Custody	15	

SAMPLE SUMMARY

				Collected by	Collected date/time	Received date/time
					08/24/22 14:14	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN
				Collected by	Collected date/time	Received date/time
					08/24/22 15:36	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN
				Collected by	Collected date/time	Received date/time
					08/24/22 16:02	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN
				Collected by	Collected date/time	Received date/time
					08/24/22 16:58	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN
				Collected by	Collected date/time	Received date/time
					08/25/22 10:58	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN
				Collected by	Collected date/time	Received date/time
					08/25/22 10:05	09/07/22 10:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1932384	1	10/03/22 09:42	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1925718	1	09/22/22 16:00	10/07/22 10:10	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1925718	1	09/22/22 16:00	09/23/22 14:10	RGT	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	0.835		0.206	0.346	10/07/2022 10:10	WG1932384
(T) Barium	98.7			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	98.0			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	0.835		0.215	0.402	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	-0.0309	<u>U</u>	0.0605	0.204	09/23/2022 14:10	WG1925718
(T) Barium-133	99.1			30.0-143	09/23/2022 14:10	WG1925718

G271

Collected date/time: 08/24/22 15:36

SAMPLE RESULTS - 02

L1533203

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	1.56		0.207	0.319	10/07/2022 10:10	WG1932384
(T) Barium	93.2			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	102			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	1.57		0.238	0.399	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	0.0127	<u>U</u>	0.118	0.240	09/23/2022 14:10	WG1925718
(T) Barium-133	101			30.0-143	09/23/2022 14:10	WG1925718

G279

Collected date/time: 08/24/22 16:02

SAMPLE RESULTS - 03

L1533203

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.575		0.202	0.349	10/07/2022 10:10	WG1932384
(T) Barium	96.4			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	104			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.838		0.310	0.451	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.263	J	0.235	0.286	09/23/2022 14:10	WG1925718
(T) Barium-133	98.5			30.0-143	09/23/2022 14:10	WG1925718

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.241	J	0.210	0.376	10/07/2022 10:10	WG1932384
(T) Barium	95.9			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	103			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.415	J	0.277	0.441	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.174	J	0.180	0.230	09/23/2022 14:10	WG1925718
(T) Barium-133	99.2			30.0-143	09/23/2022 14:10	WG1925718

G273

Collected date/time: 08/25/22 10:58

SAMPLE RESULTS - 05

L1533203

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.114	<u>U</u>	0.239	0.432	10/07/2022 10:10	WG1932384
(T) Barium	90.3			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	99.5			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.210	<u>J</u>	0.277	0.481	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.0964	<u>J</u>	0.141	0.212	09/23/2022 14:10	WG1925718
(T) Barium-133	99.8			30.0-143	09/23/2022 14:10	WG1925718

Radiochemistry by Method 904/9320

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-228	1.29		0.206	0.330	10/07/2022 10:10	WG1932384
(T) Barium	101			30.0-143	10/07/2022 10:10	WG1932384
(T) Yttrium	99.7			30.0-136	10/07/2022 10:10	WG1932384

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
Combined Radium	1.36		0.258	0.426	10/07/2022 10:10	WG1925718

Radiochemistry by Method SM7500Ra B M

Analyte	Result pCi/l	<u>Qualifier</u>	Uncertainty + / -	MDA pCi/l	Analysis Date date / time	<u>Batch</u>
RADIUM-226	0.0698	<u>U</u>	0.156	0.269	09/23/2022 14:10	WG1925718
(T) Barium-133	91.1			30.0-143	09/23/2022 14:10	WG1925718

QUALITY CONTROL SUMMARY

L1533203-01,02,03,04,05,06

Method Blank (MB)

(MB) R3846060-1 10/07/22 10:10

Analyte	MB Result pCi/l	<u>MB Qualifier</u>	MB Uncertainty + / -	MB MDA pCi/l
Radium-228	0.360		0.145	0.252
(T) Barium	106		106	
(T) Yttrium	102		102	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1533203-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1533203-02 10/07/22 10:10 • (DUP) R3846060-5 10/07/22 10:10

Analyte	Original Result pCi/l	Original Uncertainty + / -	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty + / -	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	<u>DUP Qualifier</u>	DUP RPD Limits %	DUP RER Limit
Radium-228	1.56	0.207	0.319	1.92	0.296	0.319	1	20.8	0.999		20	3
(T) Barium	93.2			96.2	96.2							
(T) Yttrium	102			105	105							

Laboratory Control Sample (LCS)

(LCS) R3846060-2 10/07/22 10:10

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Radium-228	5.00	4.99	99.8	80.0-120	
(T) Barium			104		
(T) Yttrium			99.2		

L1539168-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1539168-04 10/07/22 10:10 • (MS) R3846060-3 10/07/22 10:10 • (MSD) R3846060-4 10/07/22 10:10

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	MS RER	RPD Limits %
Radium-228	10.0	0.970	9.89	9.65	89.2	86.8	1	70.0-130		2.39		20
(T) Barium		99.2			98.7	103						
(T) Yttrium		105		106	105							

WG1925718

Radiochemistry by Method SM7500Ra B M

QUALITY CONTROL SUMMARY

L1533203-01,02,03,04,05,06

Method Blank (MB)

(MB) R3841464-1 09/23/22 14:10

Analyte	MB Result pCi/l	<u>MB Qualifier</u>	MB Uncertainty + / -	MB MDA pCi/l
Radium-226	0.0101	<u>U</u>	0.0275	0.0522
(T) Barium-133	101		101	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1533203-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1533203-01 09/23/22 14:10 • (DUP) R3841464-5 09/23/22 14:10

Analyte	Original Result pCi/l	Original Uncertainty + / -	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty + / -	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	<u>DUP Qualifier</u>	DUP RPD Limits %	DUP RER Limit
Radium-226	-0.0309	0.0605	0.204	-0.00548	0.0797	0.204	1	0.000	0.254	<u>U</u>	20	3
(T) Barium-133	99.1			102	102							

Laboratory Control Sample (LCS)

(LCS) R3841464-2 09/23/22 14:10

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Radium-226	5.02	4.75	94.7	80.0-120	
(T) Barium-133			103		

L1534084-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1534084-02 09/23/22 14:11 • (MS) R3841464-3 09/23/22 14:10 • (MSD) R3841464-4 09/23/22 14:10

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.866	18.8	20.3	89.5	97.1	1	75.0-125			7.78		20
(T) Barium-133		98.6		100	102								

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.	¹ Cp
Rec.	Recovery.	² Tc
RER	Replicate Error Ratio.	³ Ss
RPD	Relative Percent Difference.	⁴ Cn
SDG	Sample Delivery Group.	⁵ Sr
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.	⁶ Qc
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	⁷ GI
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	⁸ AI
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	⁹ Sc
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

A080

Internal Transfer Chain of Custody

State of Origin: IL
 Cert. Needed: YES NO



Workorder: FH05288

Workorder Name: Vistra-Coffeen

Owner Received

Date: 8/25/2022

Results Requested

By: 9/30/2022

Report To:

Gail Schindler

Pace Analytical - IL/MO
 2231 W. Altorfer Drive
 Peoria, IL 61615
 800-752-6651

Pace Analytical Services, LLC
 12065 Lebanon Rd
 Mt Juliet, TN
 (615)758-5858

Item	Sample ID	Sample Type	Collect Date/Time	Lab ID	Matrix	Preserved Containers							Radium 226/228	LAB USE ONLY
1	G270	Grab	8/24/2022 14:14	FH05288-01	GW					X				01
2	G271	Grab	8/24/2022 15:36	FH05288-02	GW					X				02
3	G279	Grab	8/24/2022 16:02	FH05288-03	GW					X				03
4	G280	Grab	8/24/2022 16:58	FH05288-04	GW					X				04
5	G273	Grab	8/25/2022 10:58	FH05288-05	GW					X				05
6	NE RISER	Grab	8/25/2022 10:05	FH05288-06	GW					X				06
7														
8														
9														
10														

Transfers	Released By	Date/Time	Received By	Date/Time	Comments
1	E. McNew	9/1/22 15:23	M. McNew	9/6/22 10:30	Report as 226, 228 & combined 226/228. Include QC summary
2					
3					

Cooler Temperature on Receipt °C Custody Seal Y or N Received on Ice Y or N Sample Intact Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this COC document.

This chain of custody is considered complete as is since this information is available in the owner laboratory.

FMT-ALL-C-002rev.00 24March2009

Page 1 of 1

4m3

Sample Receipt Checklist

COC Seal Present/Intact: N IF Applicable
 COC Signed/Accurate: N VOA Zero Headspace: Y N
 Bottles arrive intact: N Pres.Correct/Check: Y N
 Correct bottles used: N
 Sufficient volume sent: N
 RAD Screen <0.5 mR/hr: N



ANALYTICAL REPORT

November 04, 2022

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷GI

⁸AI

⁹SC

Pace IR - Peoria, IL

Sample Delivery Group: L1543368
Samples Received: 09/29/2022
Project Number: FI04078
Description: Vistra-Coffeen
Site: 01
Report To: Gail Schindler
2231 W. Altorfer Drive
Peoria, IL 61615

Entire Report Reviewed By:

Donna Eidson
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	² Tc
Ss: Sample Summary	3	³ Ss
Cn: Case Narrative	4	⁴ Cn
Sr: Sample Results	5	⁵ Sr
G276 L1543368-01	5	⁶ Qc
Qc: Quality Control Summary	6	⁷ Gl
Radiochemistry by Method 904/9320	6	⁸ Al
Radiochemistry by Method SM7500Ra B M	7	⁹ Sc
Gl: Glossary of Terms	8	
Al: Accreditations & Locations	9	
Sc: Sample Chain of Custody	10	

SAMPLE SUMMARY

G276 L1543368-01 Non-Potable Water

			Collected by	Collected date/time	Received date/time	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Radiochemistry by Method 904/9320	WG1948679	1	10/26/22 11:35	11/02/22 15:45	SWM	Mt. Juliet, TN
Radiochemistry by Method Calculation	WG1938642	1	10/21/22 16:02	11/02/22 15:45	SWM	Mt. Juliet, TN
Radiochemistry by Method SM7500Ra B M	WG1938642	1	10/21/22 16:02	10/22/22 13:20	RGT	Mt. Juliet, TN

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ Al
- ⁹ Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Donna Eidson
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ GI
- ⁸ AI
- ⁹ SC

G276

Collected date/time: 09/20/22 10:36

SAMPLE RESULTS - 01

L1543368

Radiochemistry by Method 904/9320

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-228	0.0519	<u>U</u>	0.190	0.366	11/02/2022 15:45	<u>WG1948679</u>
(<i>T</i>) Barium	99.1			30.0-143	11/02/2022 15:45	<u>WG1948679</u>
(<i>T</i>) Yttrium	96.7			30.0-136	11/02/2022 15:45	<u>WG1948679</u>

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Radiochemistry by Method Calculation

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
Combined Radium	0.235	<u>J</u>	0.269	0.439	11/02/2022 15:45	<u>WG1938642</u>

Radiochemistry by Method SM7500Ra B M

Analyte	Result	<u>Qualifier</u>	Uncertainty	MDA	Analysis Date	<u>Batch</u>
	pCi/l		+ / -	pCi/l	date / time	
RADIUM-226	0.183	<u>J</u>	0.190	0.242	10/22/2022 13:20	<u>WG1938642</u>
(<i>T</i>) Barium-133	96.3			30.0-143	10/22/2022 13:20	<u>WG1938642</u>

QUALITY CONTROL SUMMARY

[L1543368-01](#)

Method Blank (MB)

(MB) R3857063-1 11/02/22 10:43

Analyte	MB Result pCi/l	<u>MB Qualifier</u>	MB Uncertainty + / -	MB MDA pCi/l
Radium-228	-0.0497	<u>U</u>	0.147	0.280
(T) Barium	97.6		97.6	
(T) Yttrium	98.1		98.1	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1541385-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1541385-01 11/02/22 15:45 • (DUP) R3857063-5 11/02/22 10:43

Analyte	Original Result pCi/l	Original Uncertainty + / -	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty + / -	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	<u>DUP Qualifier</u>	DUP RPD Limits %	DUP RER Limit
Radium-228	0.460	0.185	0.339	0.474	0.298	0.339	1	3.04	0.0405	<u>J</u>	20	3
(T) Barium	98.9			111	111							
(T) Yttrium	97.2			105	105							

Laboratory Control Sample (LCS)

(LCS) R3857063-2 11/02/22 10:43

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Radium-228	5.00	5.04	101	80.0-120	
(T) Barium			106		
(T) Yttrium			95.8		

L1548831-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1548831-01 11/02/22 15:45 • (MS) R3857063-3 11/02/22 10:43 • (MSD) R3857063-4 11/02/22 10:43

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	MS RER	RPD Limits %
Radium-228	10.0	-0.114	8.82	9.87	88.2	98.7	1	70.0-130		11.3		20
(T) Barium		98.6		99.5	97.4							
(T) Yttrium		95.0		105	102							

QUALITY CONTROL SUMMARY

[L1543368-01](#)

Method Blank (MB)

(MB) R3856740-1 10/22/22 13:20

Analyte	MB Result pCi/l	<u>MB Qualifier</u> + / -	MB Uncertainty pCi/l	MB MDA pCi/l
Radium-226	-0.00737	<u>U</u>	0.0302	0.0722
(T) Barium-133	88.6		88.6	

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

L1541511-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1541511-07 10/22/22 13:20 • (DUP) R3856740-5 10/22/22 13:20

Analyte	Original Result pCi/l	Original Uncertainty + / -	Original MDA pCi/l	DUP Result pCi/l	DUP Uncertainty + / -	DUP MDA pCi/l	Dilution	DUP RPD %	DUP RER	<u>DUP Qualifier</u>	DUP RPD Limits %	DUP RER Limit
Radium-226	0.0569	0.146	0.258	1.15	0.393	0.258	1	181	2.60		20	3
(T) Barium-133	90.3			85.0	85.0							

Laboratory Control Sample (LCS)

(LCS) R3856740-2 10/22/22 13:20

Analyte	Spike Amount pCi/l	LCS Result pCi/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Radium-226	5.02	5.82	116	80.0-120	
(T) Barium-133			85.2		

L1541511-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1541511-01 10/22/22 13:20 • (MS) R3856740-3 10/22/22 13:20 • (MSD) R3856740-4 10/22/22 13:20

Analyte	Spike Amount pCi/l	Original Result pCi/l	MS Result pCi/l	MSD Result pCi/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	MS RER	RPD Limits %
Radium-226	20.0	0.894	22.1	22.1	106	106	1	75.0-125			0.0453		20
(T) Barium-133		93.7			86.8	90.0							

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDA	Minimum Detectable Activity.	1 Cp
Rec.	Recovery.	2 Tc
RER	Replicate Error Ratio.	3 Ss
RPD	Relative Percent Difference.	4 Ch
SDG	Sample Delivery Group.	5 Sr
(T)	Tracer - A radioisotope of known concentration added to a solution of chemically equivalent radioisotopes at a known concentration to assist in monitoring the yield of the chemical separation.	6 Qc
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.	7 GI
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.	8 Al
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.	9 Sc
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.	
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.	
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.	
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.	
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.	
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.	
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.	
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.	
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.	

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
U	Below Detectable Limits: Indicates that the analyte was not detected.

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey—NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio—VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ¹ ⁶	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ¹ ⁴	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² TC

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ GI

⁸ Al

⁹ SC

Internal Transfer Chain of Custody

State of Origin: IL
Cert. Needed: YES NO



Workorder: F104078

Workorder Name: VISTRA - COFFEEN

Owner Received

Date:

9/20/2022

Results Regu

10/26/2022

Cooler Temperature on Receipt

°C

Custody Seal Y or N


Received on Ice Y or N

Sample Intact Y or N

***In order to maintain client confidentiality, location/name of the sampling site, sampler's name and signature may not be provided on this CQC document.

This chain of custody is considered complete as since this information is available in the owner laboratory.

APPENDIX B
STATISTICAL METHODOLGY FOR DETERMINATION OF
BACKGROUND VALUES



APPENDIX C
STATISTICAL METHODOLGY FOR DETERMINATION OF
STATISTICALLY SIGNIFICANT LEVELS

Notes
%ND = Percent non-detected samples
Future Median = Median of most recent 3 samples
MK = Mann-Kendall Trend Test
<u>Alpha Levels</u>
Normality = 0.01
MK Trend = 0.01
Residuals = 0.01
Confidence Interval = 0.01

